Tower 5
第5座

	Tower 座	Floor 樓層	Units 單位									
			A	B	C	D	E	F	G	H	I	J
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 5 第5座	2/F 2樓	150	150	150	150	150	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			*3350, *3400, *3600, *3650	*3350, *3650	*3350, *3400, *3600, *3650	*3350, *3600, *3650	*3350, *3400, *3600, *3650	*3350, *3600, *3650	*3350, *3400, *3650	*3350, *3650	*3350, *3600, *3650	*3350, *3600, *3650

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

1. According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
2. The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:

   Clause 55 of the Fourth Schedule

   (a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.

   (b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
3. A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

1. 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
2 發展項目公契暨管理協議有以下條款：

   第4附表第55條

   (a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。

   (b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
3. 發展項目共提供926住宅單位 (包括22間洋房及904個單位)。

Tower 5 2/F Floor Plan
第5座 2樓樓面平面圖



Tower 5
第5座

	Tower 座	Floor 樓層	Units 單位									
			A	B	C	D	E	F	G	H	I	J
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 5 第5座	3/F, 5/F - 12/F, 15/F-17/F 3樓, 5樓至12樓, 15樓至17樓	150	150	150	150	150	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	3150	3150	3150	3150	3150	3150	3150	3150	3150
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 5 第5座	18/F 18樓	150	150	150	150	150	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3300	3300	3300	3300	3300	3300	3300	3300	3300	3300
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 5 第5座	19/F 19樓	200	200	200	200	200	200	200	200	200	200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3300, 3350, 3550, 3600	3300, 3600	3300, 3350, 3550, 3600	3300, 3350, 3600	3300, 3550, 3600	3300, 3350, 3600	3300, 3550, 3600	3300, 3600	3300, 3350, 3600	3300, 3350, 3600

Notes :

1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

1. According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
2. The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:

   Clause 55 of the Fourth Schedule

   (a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.

   (b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
3. A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

1. 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
2 發展項目公契暨管理協議有以下條款：

   第4附表第55條

   (a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。

   (b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
3. 發展項目共提供926住宅單位 (包括22間洋房及904個單位)。

Tower 5 3/F, 5/F - 12/F, 15/F - 19/F Floor Plan
第5座 3樓、5樓至12樓、15樓至19樓樓面平面圖

N

比例
Scale : 0M/米 5M/米

Tower 5
第5座

	Tower 座	Floor 樓層	Units 單位									
			A	B	C	D	E	F	G	H	I	J
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 5 第5座	Roof 天台	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用

Notes :

1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

1. According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
2. The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:

   Clause 55 of the Fourth Schedule

   (a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.

   (b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
3. A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

1. 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
2. 發展項目公契暨管理協議有以下條款：

   第4附表第55條

   (a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。

   (b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
3. 發展項目共提供926住宅單位 (包括22間洋房及904個單位)。

N



比例
Scale : 0M/米 5M/米

Tower 6
第6座

	Tower 座	Floor 樓層	Units 單位						
			A	B	C	D	E	F	G
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 6 (T6A) 第6座 (T6A)	2/F 2樓	150	200, 250	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			*3350, *3400, *3600, *3650	*3350, *3600, *3650	*3350, *3650	*3350, *3650	*3350, *3600, *3650	*3350, *3600, *3650	*3350, *3650
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 6 (T6B) 第6座 (T6B)	2/F 2樓	200, 250	150	150	150	150	150	-
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			*3350, *3600, *3650	*3350, *3400, *3650	*3350, *3650	*3350, *3650	*3350, *3650	*3350, *3650	-

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

1. According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
2. The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
   Clause 55 of the Fourth Schedule
   (a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
   (b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
3. A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

1. 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
2 發展項目公契暨管理協議有以下條款：
   第4附表第55條
   (a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
   (b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
3. 發展項目共提供926住宅單位 (包括22間洋房及904個單位)。

Tower 6 2/F Floor Plan
第6座 2樓樓面平面圖



Tower 6
第6座

	Tower 座	Floor 樓層	Units 單位						
			A	B	C	D	E	F	G
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 6 (T6A) 第6座 (T6A)	3/F 3樓	150	150	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	2850, 3100, 3150, 3200, 3400, 3450	3150	3150	3150	3150	3150
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 6 (T6B) 第6座 (T6B)	3/F 3樓	150	150	150	150	150	150	-
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			2850, 2900, 3150, 3200, 3450	3150	3150	3150	3150	3150	-

Notes :

1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

1. According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
2. The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:

   Clause 55 of the Fourth Schedule

   (a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.

   (b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
3. A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

1. 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
2. 發展項目公契暨管理協議有以下條款：

   第4附表第55條

   (a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。

   (b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
3. 發展項目共提供926住宅單位（包括22間洋房及904個單位）。

Tower 6 3/F Floor Plan
第6座 3樓樓面平面圖

比例
Scale : 0M/米 5M/米

Tower 6
第6座

	Tower 座	Floor 樓層	Units 單位						
			A	B	C	D	E	F	G
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 6 (T6A) 第6座 (T6A)	5/F - 12/F, 15/F - 17/F 5樓至12樓, 15樓至17樓	150	150	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	3150	3150	3150	3150	3150	3150
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 6 (T6B) 第6座 (T6B)	5/F - 12/F, 15/F - 17/F 5樓至12樓, 15樓至17樓	150	150	150	150	150	150	-
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	3150	3150	3150	3150	3150	-
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 6 (T6A) 第6座 (T6A)	18/F 18樓	150	150	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3300	3300	3300	3300	3300	3300	3300
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 6 (T6B) 第6座 (T6B)	18/F 18樓	150	150	150	150	150	150	-
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3300	3300	3300	3300	3300	3300	-

Notes :

1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

1. According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
2. The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:

   Clause 55 of the Fourth Schedule

   (a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.

   (b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
3. A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

1. 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
2. 發展項目公契暨管理協議有以下條款：

   第4附表第55條

   (a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。

   (b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
3. 發展項目共提供926住宅單位 (包括22間洋房及904個單位)。

Tower 6 5/F - 12/F, 15/F - 18/F Floor Plan
第6座 5樓至12樓、15樓至18樓樓面平面圖

比例
Scale : 0M/米 5M/米

Tower 6
第6座

	Tower 座	Floor 樓層	Units 單位						
			A	B	C	D	E	F	G
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 6 (T6A) 第6座 (T6A)	19/F 19樓	200, 250	200	200	200	200	200	200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3300, 3350, 3550, 3600	3300, 3350, 3600	3300, 3600	3300, 3600	3300, 3350, 3600	3300, 3350, 3600	3300, 3600
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 6 (T6B) 第6座 (T6B)	19/F 19樓	200	200	200	200	200	200	-
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3300, 3600	3300, 3550, 3600	3300, 3600	3300, 3600	3300, 3600	3300, 3600	-

Notes :

1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

1. According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
2. The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:

   Clause 55 of the Fourth Schedule

   (a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.

   (b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
3. A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

1. 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
2. 發展項目公契暨管理協議有以下條款：

   第4附表第55條

   (a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。

   (b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
3. 發展項目共提供926住宅單位（包括22間洋房及904個單位）。

Tower 6 19/F Floor Plan
第6座 19樓樓面平面圖

比例
Scale : 0M/米 5M/米

Tower 6
第6座

	Tower 座	Floor 樓層	Units 單位						
			A	B	C	D	E	F	G
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 6 (T6A) 第6座 (T6A)	Roof 天台	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 6 (T6B) 第6座 (T6B)	Roof 天台	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	-
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	-

Notes :

1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

1. According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
2. The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:

   Clause 55 of the Fourth Schedule

   (a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.

   (b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
3. A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

1. 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
2. 發展項目公契暨管理協議有以下條款：

   第4附表第55條

   (a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。

   (b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
3. 發展項目共提供926住宅單位 (包括22間洋房及904個單位)。

Tower 6 Roof Floor Plan
第6座 天台樓面平面圖



比例
Scale : 0M/米 5M/米

Tower 7
第7座

	Tower 座	Floor 樓層	Units 單位				
			A	B	C	D	E
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 7 (T7A) 第7座 (T7A)	2/F 2樓	150	200, 250	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			*3350, *3400, *3600, *3650	*3350, *3600, *3650	*3350, *3400, *3600, *3650	*3350, *3400, *3600, *3650	*3350, *3650
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 7 (T7B) 第7座 (T7B)	2/F 2樓	200, 250	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			*3350, *3600, *3650	*3350, *3400, *3600, *3650	*3350, *3400, *3650	*3350, *3400, *3600, *3650	*3350, *3400, *3600, *3650

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

1. According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
2. The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
   Clause 55 of the Fourth Schedule

   (a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.

   (b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
3. A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

1. 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
2 發展項目公契暨管理協議有以下條款：

   第4附表第55條

   (a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。

   (b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
3. 發展項目共提供926住宅單位 (包括22間洋房及904個單位)。

Tower 7 2/F Floor Plan
第7座 2樓樓面平面圖



比例
Scale : 0M/米 5M/米

Tower 7
第7座

	Tower 座	Floor 樓層	Units 單位				
			A	B	C	D	E
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 7 (T7A) 第7座 (T7A)	3/F 3樓	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	2850, 3100, 3150, 3200, 3400, 3450	3150	3150	3150
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 7 (T7B) 第7座 (T7B)	3/F 3樓	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			2850, 3100, 3150, 3200, 3400, 3450	3150	3150	3150	3150

Notes :

1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

1. According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
2. The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:

   Clause 55 of the Fourth Schedule

   (a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.

   (b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
3. A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

1. 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
2 發展項目公契暨管理協議有以下條款：

   第4附表第55條

   (a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。

   (b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
3. 發展項目共提供926住宅單位 (包括22間洋房及904個單位)。

Tower 7 3/F Floor Plan
第7座 3樓樓面平面圖



比例
Scale : 0M/米 5M/米

Tower 7
第7座

	Tower 座	Floor 樓層	Units 單位				
			A	B	C	D	E
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 7 (T7A) 第7座 (T7A)	5/F - 12/F, 15/F 5樓至12樓, 15樓	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	3150	3150	3150	3150
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 7 (T7B) 第7座 (T7B)	5/F - 12/F, 15/F 5樓至12樓, 15樓	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	3150	3150	3150	3150

Notes :

1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

1. According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
2. The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:

   Clause 55 of the Fourth Schedule

   (a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.

   (b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
3. A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

1. 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
2. 發展項目公契暨管理協議有以下條款：

   第4附表第55條

   (a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。

   (b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
3. 發展項目共提供926住宅單位 (包括22間洋房及904個單位)。

Tower 7　5/F - 12/F, 15/F Floor Plan
第7座　5樓至12樓、15樓樓面平面圖



比例
Scale : 0M/米　5M/米

Tower 7
第7座

	Tower 座	Floor 樓層	Units 單位				
			A	B	C	D	E
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 7 (T7A) 第7座 (T7A)	16/F - 17/F 16樓至17樓	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	3150	3150	3150	3150
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 7 (T7B) 第7座 (T7B)	16/F - 17/F 16樓至17樓	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	3150	3150	3150	3150
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 7 (T7A) 第7座 (T7A)	18/F 18樓	150, 200	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3300, 3600	3300	3300	3300	3300
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 7 (T7B) 第7座 (T7B)	18/F 18樓	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3300	3300, 3600	3300	3300	3300

Notes :

1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all structural dimensions in millimetre.

1. According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
2. The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:

   Clause 55 of the Fourth Schedule

   (a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.

   (b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
3. A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

備註：

1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

1. 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
2. 發展項目公契暨管理協議有以下條款：

   第4附表第55條

   (a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。

   (b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
3. 發展項目共提供926住宅單位 (包括22間洋房及904個單位)。

Tower 7 16/F - 18/F Floor Plan
第7座 16樓至18樓樓面平面圖

比例
Scale : 0M/米 5M/米

Tower 7
第7座

	Tower 座	Floor 樓層	Units 單位				
			A	B	C	D	E
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 7 (T7A) 第7座 (T7A)	19/F 19樓	200, 250	200	200	200	200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3300, 3350, 3550, 3600	3300, 3350, 3600	3300, 3350, 3550, 3600	3300, 3350, 3550, 3600	3300, 3600
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 7 (T7B) 第7座 (T7B)	19/F 19樓	200	200, 250	200	200	200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3300, 3350, 3600	3300, 3350, 3550, 3600	3300, 3550, 3600	3300, 3350, 3550, 3600	3300, 3350, 3550, 3600

Notes :

1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

1. According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
2. The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:

   Clause 55 of the Fourth Schedule

   (a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.

   (b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
3. A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

1. 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
2. 發展項目公契暨管理協議有以下條款：

   第4附表第55條

   (a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。

   (b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
3. 發展項目共提供926住宅單位 (包括22間洋房及904個單位)。

Tower 7 19/F Floor Plan
第7座 19樓樓面平面圖



比例
Scale : 0M/米 5M/米

Tower 7
第7座

	Tower 座	Floor 樓層	Units 單位				
			A	B	C	D	E
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 7 (T7A) 第7座 (T7A)	Roof 天台	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 7 (T7B) 第7座 (T7B)	Roof 天台	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用

Notes :

1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

1. According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
2. The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:

   Clause 55 of the Fourth Schedule

   (a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.

   (b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
3. A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

1. 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
2. 發展項目公契暨管理協議有以下條款：

   第4附表第55條

   (a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。

   (b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
3. 發展項目共提供926住宅單位（包括22間洋房及904個單位）。

Tower 7 Roof Floor Plan
第7座 天台樓面平面圖



比例
Scale : 0M/米 5M/米

Tower 8
第8座

	Tower 座	Floor 樓層	Units 單位			
			A	B	C	D
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 8 第8座	2/F 2樓	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			*3350, *3400, *3600, *3650	*3350, *3400, *3600, *3650	*3350, *3400, *3650	*3350, *3400, *3600, *3650

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

1. According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
2. The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:

   Clause 55 of the Fourth Schedule

   (a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.

   (b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
3. A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

1. 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
2. 發展項目公契暨管理協議有以下條款：

   第4附表第55條

   (a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。

   (b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
3. 發展項目共提供926住宅單位 (包括22間洋房及904個單位)。

Tower 8 2/F Floor Plan
第8座 2樓樓面平面圖



比例
Scale : 0M/米 5M/米

Tower 8
第8座

	Tower 座	Floor 樓層	Units 單位			
			A	B	C	D
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 8 第8座	3/F, 5/F - 9/F 3樓, 5樓至9樓	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	3150	3150	3150
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 8 第8座	10/F 10樓	150	150, 250	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150, 3400, 3650	3350, 3400, 3450, 3650, 3700	3150, 3400, 3650	3150, 3400, 3650

Notes :

1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

1. According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
2. The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
   Clause 55 of the Fourth Schedule

   (a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.

   (b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
3. A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

1. 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
2 發展項目公契暨管理協議有以下條款：

   第4附表第55條

   (a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。

   (b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
3. 發展項目共提供926住宅單位 (包括22間洋房及904個單位)。

Tower 8 3/F, 5/F - 10/F Floor Plan
第8座 3樓、5樓至10樓樓面平面圖



比例
Scale : 0M/米 5M/米

Tower 8
第8座

	Tower 座	Floor 樓層	Units 單位		
			A	B	C
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 8 第8座	11/F 11樓	200, 250	200	200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			2050, 2400, 2900, 3400, 3450, 3650, 3700, 6200	3400, 3650, 3700	3400, 3450, 3650, 3700

Notes :

1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

1. According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
2. The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:

   Clause 55 of the Fourth Schedule

   (a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.

   (b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
3. A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

1. 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
2. 發展項目公契暨管理協議有以下條款：

   第4附表第55條

   (a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。

   (b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
3. 發展項目共提供926住宅單位 (包括22間洋房及904個單位)。

Tower 8 11/F Floor Plan
第8座 11樓樓面平面圖



比例
Scale : 0M/米 5M/米

Tower 8
第8座

	Tower 座	Floor 樓層	Units 單位		
			A	B	C
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 8 第8座	Roof 天台	#150	N/A 不適用	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			^2500	N/A 不適用	N/A 不適用

This refers to the top of the stairhood.
此樓板為梯屋頂。

^ This refers to the height between the top surface of the structural slab of the staircase within the stairhood and the top surface of the structural slab of the top of the stairhood.
此為梯屋地台面至梯屋頂樓板頂部面之高度。

Notes :

1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

1. According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
2. The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:

   Clause 55 of the Fourth Schedule

   (a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.

   (b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
3. A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

1. 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
2. 發展項目公契暨管理協議有以下條款：

   第4附表第55條

   (a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。

   (b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
3. 發展項目共提供926住宅單位 (包括22間洋房及904個單位)。

Tower 8 Roof Floor Plan
第8座 天台樓面平面圖



比例
Scale : 0M/米 5M/米

Tower 9
第9座

	Tower 座	Floor 樓層	Units 單位				
			A	B	C	D	E
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 9 (T9A) 第9座 (T9A)	2/F 2樓	150	150	150	150	-
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			*3350, *3400, *3600, *3650	*3350, *3600, *3650	*3300, *3350, *3400, *3650	*3350, *3400, *3650	-
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 9 (T9B) 第9座 (T9B)	2/F 2樓	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			*3350, *3600, *3650	*3350, *3400, *3600, *3650	*3350, *3400, *3600, *3650	*3350, *3400, *3600, *3650	*3350, *3400, *3600, *3650

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

1. According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
2. The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
   Clause 55 of the Fourth Schedule

   (a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.

   (b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
3. A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

1. 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
2. 發展項目公契暨管理協議有以下條款：

   第4附表第55條

   (a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。

   (b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
3. 發展項目共提供926住宅單位（包括22間洋房及904個單位）。

Tower 9 第9座

2/F Floor Plan 2樓樓面平面圖

Tower 9
第9座

	Tower 座	Floor 樓層	Units 單位				
			A	B	C	D	E
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 9 (T9A) 第9座 (T9A)	3/F, 5/F - 9/F 3樓, 5樓至9樓	150	150	150	150	-
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	3150	3150	3150	-
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 9 (T9B) 第9座 (T9B)	3/F, 5/F - 9/F 3樓, 5樓至9樓	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	3150	3150	3150	3150
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 9 (T9A) 第9座 (T9A)	10/F 10樓	150	150, 250	150	150	-
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3100, 3150, 3400, 3650, 3700	3150, 3400, 3450, 3700	3400, 3700	3400, 3700	-
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 9 (T9B) 第9座 (T9B)	10/F 10樓	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3400, 3700	3400	3400	3400	3400

Notes :

1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

1. According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
2. The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:

   Clause 55 of the Fourth Schedule

   (a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.

   (b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
3. A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

1. 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
2. 發展項目公契暨管理協議有以下條款：

   第4附表第55條

   (a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。

   (b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
3. 發展項目共提供926住宅單位 (包括22間洋房及904個單位)。

Tower 9
第9座

3/F, 5/F - 10/F Floor Plan
3樓、5樓至10樓
樓面平面圖

Tower 9
第9座

	Tower 座	Floor 樓層	Units 單位				
			A	B	C	D	E
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 9 (T9A) 第9座 (T9A)	11/F 11樓	200, 250	200, 250	200, 250	-	-
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			2050, 2400, 2900, 3400, 3450, 3650, 3700, 6200	3400, 3650, 3700, 3750	3400, 3650, 3700	-	-
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 9 (T9B) 第9座 (T9B)	11/F 11樓	200, 250	200	200	200	200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3400, 3450, 3700	3400, 3450, 3650, 3700	3400, 3450, 3650, 3700	3400, 3450, 3650, 3700	3400, 3450, 3650, 3700

Notes :

1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

1. According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
2. The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:

   Clause 55 of the Fourth Schedule

   (a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.

   (b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
3. A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

1. 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
2. 發展項目公契暨管理協議有以下條款：

   第4附表第55條

   (a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。

   (b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
3. 發展項目共提供926住宅單位（包括22間洋房及904個單位）。

Tower 9 第9座

11/F Floor Plan 11樓樓面平面圖

Tower 9
第9座

	Tower 座	Floor 樓層	Units 單位				
			A	B	C	D	E
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 9 (T9A) 第9座 (T9A)	Roof 天台	#150	N/A 不適用	N/A 不適用	-	-
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			^2500	N/A 不適用	N/A 不適用	-	-
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 9 (T9B) 第9座 (T9B)	Roof 天台	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用

This refers to the top of the stairhood.
此樓板為梯屋頂。

^ This refers to the height between the top surface of the structural slab of the staircase within the stairhood and the top surface of the structural slab of the top of the stairhood.
此為梯屋地台面至梯屋頂樓板頂部面之高度。

Notes :

1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

1. According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
2. The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:

   Clause 55 of the Fourth Schedule

   (a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.

   (b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
3. A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

1. 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
2 發展項目公契暨管理協議有以下條款：

   第4附表第55條

   (a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。

   (b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
3. 發展項目共提供926住宅單位 (包括22間洋房及904個單位)。

Tower 9 Roof Floor Plan
第9座 天台樓面平面圖

比例
Scale : 0M/米 5M/米

AREA OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目中的住宅物業的面積

Description of Residential Property 物業的描述	Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台，工作平台及陽台(如有))平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積 (不計算入實用面積) 平方米 (平方呎)								
House Number 洋房編號		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Villa 1 1號洋房	185.904 (2001) 露台 Balcony: 4.332 (47) 工作平台 Utility Platform: --	-	-	-	-	66.931 (720)	-	65.676 (707)	3.300 (36)	-	-
Villa 2 2號洋房	185.904 (2001) 露台 Balcony: 4.332 (47) 工作平台 Utility Platform: --	-	-	-	-	70.250 (756)	-	65.676 (707)	3.300 (36)	-	-
Villa 3 3號洋房	185.904 (2001) 露台 Balcony: 4.332 (47) 工作平台 Utility Platform: --	-	-	-	-	69.249 (745)	-	65.676 (707)	3.300 (36)	-	-
Villa 5 5號洋房	185.204 (1994) 露台 Balcony: 4.332 (47) 工作平台 Utility Platform: --	-	-	-	-	157.862 (1699)	-	65.676 (707)	3.300 (36)	-	-
Villa 6 6號洋房	186.145 (2004) 露台 Balcony: 4.332 (47) 工作平台 Utility Platform: --	-	-	-	-	78.388 (844)	-	65.676 (707)	3.300 (36)	-	-
Villa 7 7號洋房	186.145 (2004) 露台 Balcony: 4.332 (47) 工作平台 Utility Platform: --	-	-	-	-	81.203 (874)	-	65.676 (707)	3.300 (36)	-	-
Villa 8 8號洋房	185.411 (1996) 露台 Balcony: 4.332 (47) 工作平台 Utility Platform: --	-	-	-	-	83.068 (894)	-	65.676 (707)	3.300 (36)	-	-
Villa 9 9號洋房	186.145 (2004) 露台 Balcony: 4.332 (47) 工作平台 Utility Platform: --	-	-	-	-	84.256 (907)	-	65.676 (707)	3.300 (36)	-	-
Villa 10 10號洋房	186.145 (2004) 露台 Balcony: 4.332 (47) 工作平台 Utility Platform: --	-	-	-	-	84.589 (911)	-	65.676 (707)	3.300 (36)	-	-
Villa 11 11號洋房	186.145 (2004) 露台 Balcony: 4.332 (47) 工作平台 Utility Platform: --	-	-	-	-	66.889 (720)	-	65.676 (707)	3.300 (36)	-	-
Villa 12 12號洋房	186.145 (2004) 露台 Balcony: 4.332 (47) 工作平台 Utility Platform: --	-	-	-	-	66.900 (720)	-	65.676 (707)	3.300 (36)	-	-

Notes:

1. The saleable area of each residential property and the floor areas of every balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any) to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.
2. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer.
3. There is no verandah in the residential properties of the Development.

附註:

1. 每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有)之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的其他指明項目(如有)的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
3. 發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述	Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台，工作平台及陽台(如有))平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積 (不計算入實用面積) 平方米 (平方呎)									
House Number 洋房編號		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Villa 15 15號洋房	186.145 (2004) 露台 Balcony: 4.332 (47) 工作平台 Utility Platform: --	-	-	-	-	66.901 (720)	-	65.676 (707)	3.300 (36)	-	-
Villa 16 16號洋房	186.145 (2004) 露台 Balcony: 4.332 (47) 工作平台 Utility Platform: --	-	-	-	-	66.925 (720)	-	65.676 (707)	3.300 (36)	-	-
Villa 17 17號洋房	185.928 (2001) 露台 Balcony: 4.332 (47) 工作平台 Utility Platform: --	-	-	-	-	67.700 (729)	-	69.652 (750)	3.300 (36)	-	-
Villa A A號洋房	171.199 (1843) 露台 Balcony: 4.638 (50) 工作平台 Utility Platform: --	-	-	-	-	105.691 (1138)	-	63.729 (686)	3.995 (43)	-	-
Villa B B號洋房	171.199 (1843) 露台 Balcony: 4.638 (50) 工作平台 Utility Platform: --	-	-	-	-	104.741 (1127)	-	63.729 (686)	3.995 (43)	-	-
Villa C C號洋房	171.199 (1843) 露台 Balcony: 4.638 (50) 工作平台 Utility Platform: --	-	-	-	-	104.463 (1124)	-	63.729 (686)	3.995 (43)	-	-
Villa D D號洋房	171.199 (1843) 露台 Balcony: 4.638 (50) 工作平台 Utility Platform: --	-	-	-	-	103.720 (1116)	-	63.729 (686)	3.995 (43)	-	-
Villa E E號洋房	171.199 (1843) 露台 Balcony: 4.638 (50) 工作平台 Utility Platform: --	-	-	-	-	101.115 (1088)	-	63.729 (686)	3.995 (43)	-	-
Villa F F號洋房	171.199 (1843) 露台 Balcony: 4.638 (50) 工作平台 Utility Platform: --	-	-	-	-	103.783 (1117)	-	63.729 (686)	3.995 (43)	-	-
Villa G G號洋房	171.199 (1843) 露台 Balcony: 4.638 (50) 工作平台 Utility Platform: --	-	-	-	-	111.791 (1203)	-	63.729 (686)	3.995 (43)	-	-
Villa H H號洋房	171.199 (1843) 露台 Balcony: 4.638 (50) 工作平台 Utility Platform: --	-	-	-	-	121.078 (1303)	-	63.729 (686)	3.995 (43)	-	-

Notes:

1. The saleable area of each residential property and the floor areas of every balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any) to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.
2. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer.
3. There is no verandah in the residential properties of the Development.

附註:

1. 每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有)之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的其他指明項目(如有)的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
3. 發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台，工作平台及陽台(如有))平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積 (不計算入實用面積) 平方米 (平方呎)									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 1 第1座	2/F 2樓	A	81.961 (882) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	16.800 (181)	-	-	-	-	-	-
		B	70.670 (761) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	11.519 (124)	-	-	-	-	-	-
		C	97.805 (1053) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	10.643 (115)	-	-	-	-	-	-
		D	54.483 (586) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	7.164 (77)	-	-	-	-	-	-
		E	49.661 (535) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	10.755 (116)	-	-	-	-	-	-
		F	48.794 (525) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	10.029 (108)	-	-	-	-	-	-
		G	51.598 (555) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	14.302 (154)	-	-	-	-	-	-

Notes:

1. The saleable area of each residential property and the floor areas of every balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any) to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.
2. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer.
3. There is no verandah in the residential properties of the Development.

附註:

1. 每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有)之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的其他指明項目(如有)的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
3. 發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台，工作平台及陽台(如有))平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎）									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 1 第1座	3/F, 5/F - 12/F, 15/F - 16/F 3樓，5樓至12樓，15樓至16樓	A	86.508 (931) 露台 Balcony: 3.082 (33) 工作平台 Utility Platform: 1.500 (16)	-	-	-	-	-	-	-	-	-	-
		B	73.287 (789) 露台 Balcony: 2.662 (29) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		C	101.488 (1092) 露台 Balcony: 3.708 (40) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		D	56.576 (609) 露台 Balcony: 2.138 (23) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		E	51.826 (558) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		F	50.760 (546) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		G	53.563 (577) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-

Notes:
1. The saleable area of each residential property and the floor areas of every balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any) to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.
2. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer.
3. There is no verandah in the residential properties of the Development.

附註:
1. 每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有)之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的其他指明項目(如有)的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
3. 發展項目住宅物業並無陽台。

AREA OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目中的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台，工作平台及陽台(如有))平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積 (不計算入實用面積) 平方米 (平方呎)									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 1 第1座	17/F 17樓	A	138.834 (1494) 露台 Balcony: 4.786 (52) 工作平台 Utility Platform: --	-	-	-	1.568 (17)	-	-	133.128 (1433)	5.108 (55)	-	-
		B	105.855 (1139) 露台 Balcony: 3.698 (40) 工作平台 Utility Platform: --	-	-	-	-	-	-	83.852 (903)	-	-	-
		C	56.576 (609) 露台 Balcony: 2.138 (23) 工作平台 Utility Platform: --	-	-	-	-	-	-	41.145 (443)	-	-	-
		D	51.826 (558) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	22.172 (239)	-	-	-
		E	50.760 (546) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	18.557 (200)	-	-	-
		F	53.563 (577) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-

Notes:

1. The saleable area of each residential property and the floor areas of every balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any) to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.
2. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer.
3. There is no verandah in the residential properties of the Development.

附註:

1. 每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有)之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的其他指明項目(如有)的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
3. 發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台，工作平台及陽台(如有))平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎）									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 2 (T2A) 第2座 (T2A)	2/F 2樓	A	103.937 (1119) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	17.147 (185)	-	-	-	-	-	-
		B	100.677 (1084) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	24.198 (260)	-	-	-	-	-	-
		C	74.730 (804) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	50.389 (542)	-	-	-	-	-	-
		D	55.354 (596) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	30.081 (324)	-	-	-	-	-	-
	3/F, 5/F - 12/F, 15/F - 16/F 3樓，5樓至12樓，15樓至16樓	A	107.702 (1159) 露台 Balcony: 3.804 (41) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		B	104.340 (1123) 露台 Balcony: 3.698 (40) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		C	78.989 (850) 露台 Balcony: 2.804 (30) 工作平台 Utility Platform: 1.500 (16)	-	-	-	-	-	-	-	-	-	-
		D	57.442 (618) 露台 Balcony: 2.122 (23) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
	17/F 17樓	A	151.330 (1629) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	20.005 (215)	-	-	146.453 (1576)	5.333 (57)	-	-
		B	76.442 (823) 露台 Balcony: 2.516 (27) 工作平台 Utility Platform: 1.500 (16)	-	-	-	-	-	-	67.136 (723)	-	-	-
		C	57.442 (618) 露台 Balcony: 2.122 (23) 工作平台 Utility Platform: --	-	-	-	-	-	-	44.596 (480)	-	-	-

Notes:

1. The saleable area of each residential property and the floor areas of every balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any) to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.
2. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer.
3. There is no verandah in the residential properties of the Development.

附註:

1. 每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有)之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的其他指明項目(如有)的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
3. 發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台，工作平台及陽台(如有))平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積 (不計算入實用面積) 平方米 (平方呎)									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 2 (T2B) 第2座 (T2B)	2/F 2樓	A	51.775 (557) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	17.836 (192)	-	-	-	-	-	-
		B	51.998 (560) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	39.078 (421)	-	-	-	-	-	-
		C	74.482 (802) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	53.169 (572)	-	-	-	-	-	-
		D	50.220 (541) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	20.051 (216)	-	-	-	-	-	-
	3/F, 5/F - 12/F, 15/F - 16/F 3樓，5樓至12樓，15樓至16樓	A	53.774 (579) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		B	53.998 (581) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		C	78.708 (847) 露台 Balcony: 2.772 (30) 工作平台 Utility Platform: 1.500 (16)	-	-	-	-	-	-	-	-	-	-
		D	52.474 (565) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
	17/F 17樓	A	53.775 (579) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	45.688 (492)	-	-	-
		B	53.998 (581) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	50.491 (543)	-	-	-
		C	78.709 (847) 露台 Balcony: 2.772 (30) 工作平台 Utility Platform: 1.500 (16)	-	-	-	-	-	-	61.267 (659)	-	-	-
		D	52.175 (562) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	34.651 (373)	-	-	-

Notes:

1. The saleable area of each residential property and the floor areas of every balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any) to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.
2. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer.
3. There is no verandah in the residential properties of the Development.

附註:

1. 每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有)之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的其他指明項目(如有)的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
3. 發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台，工作平台及陽台(如有))平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積 (不計算入實用面積) 平方米 (平方呎)								
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 3 第3座	2/F 2樓	A	61.912 (666) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	17.075 (184)	-	-	-	-	-	-
		B	65.966 (710) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	15.379 (166)	-	-	-	-	-	-
		C	67.368 (725) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	18.939 (204)	-	-	-	-	-	-
		D	66.606 (717) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	46.690 (503)	-	-	-	-	-	-
		E	68.217 (734) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	47.155 (508)	-	-	-	-	-	-
		F	67.327 (725) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	31.655 (341)	-	-	-	-	-	-
		G	22.216 (239) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	8.769 (94)	-	-	-	-	-	-

Notes:

1. The saleable area of each residential property and the floor areas of every balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any) to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.
2. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer.
3. There is no verandah in the residential properties of the Development.

附註:

1. 每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有)之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的其他指明項目(如有)的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
3. 發展項目住宅物業並無陽台。

AREA OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目中的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台，工作平台及陽台(如有))平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積 (不計算入實用面積) 平方米 (平方呎)									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 3 第3座	3/F, 5/F - 12/F, 15/F - 18/F 3樓，5樓至12樓，15樓至18樓	A	64.324 (692) 露台 Balcony: 2.414 (26) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		B	68.367 (736) 露台 Balcony: 2.416 (26) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		C	69.802 (751) 露台 Balcony: 2.480 (27) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		D	70.471 (759) 露台 Balcony: 2.410 (26) 工作平台 Utility Platform: 1.500 (16)	-	-	-	-	-	-	-	-	-	-
		E	72.188 (777) 露台 Balcony: 2.516 (27) 工作平台 Utility Platform: 1.500 (16)	-	-	-	-	-	-	-	-	-	-
		F	69.774 (751) 露台 Balcony: 2.492 (27) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		G	24.173 (260) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-

Notes:

1. The saleable area of each residential property and the floor areas of every balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any) to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.
2. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer.
3. There is no verandah in the residential properties of the Development.

附註:

1. 每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有)之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的其他指明項目(如有)的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
3. 發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台，工作平台及陽台(如有))平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎）									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 3 第3座	19/F 19樓	A	64.324 (692) 露台 Balcony: 2.414 (26) 工作平台 Utility Platform: --	-	-	-	-	-	-	51.034 (549)	-	-	-
		B	68.367 (736) 露台 Balcony: 2.416 (26) 工作平台 Utility Platform: --	-	-	-	-	-	-	57.784 (622)	-	-	-
		C	69.802 (751) 露台 Balcony: 2.480 (27) 工作平台 Utility Platform: --	-	-	-	-	-	-	40.851 (440)	-	-	-
		D	70.471 (759) 露台 Balcony: 2.410 (26) 工作平台 Utility Platform: 1.500 (16)	-	-	-	-	-	-	52.263 (563)	-	-	-
		E	72.188 (777) 露台 Balcony: 2.516 (27) 工作平台 Utility Platform: 1.500 (16)	-	-	-	-	-	-	44.725 (481)	-	-	-
		F	69.774 (751) 露台 Balcony: 2.492 (27) 工作平台 Utility Platform: --	-	-	-	-	-	-	59.431 (640)	-	-	-
		G	24.173 (260) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	15.110 (163)	-	-	-

Notes:

1. The saleable area of each residential property and the floor areas of every balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any) to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.
2. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer.
3. There is no verandah in the residential properties of the Development.

附註:

1. 每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有)之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的其他指明項目(如有)的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
3. 發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台，工作平台及陽台(如有))平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積 (不計算入實用面積) 平方米 (平方呎)									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 5 第5座	2/F 2樓	A	59.745 (643) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	67.466 (726)	-	-	-	-	-	-
		B	24.031 (259) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	9.468 (102)	-	-	-	-	-	-
		C	61.901 (666) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	5.367 (58)	-	-	-	-	-	-
		D	66.161 (712) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	15.542 (167)	-	-	-	-	-	-
		E	32.009 (345) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	9.356 (101)	-	-	-	-	-	-
		F	50.308 (542) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	16.113 (173)	-	-	-	-	-	-
		G	32.080 (345) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	8.612 (93)	-	-	-	-	-	-
		H	32.432 (349) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	9.655 (104)	-	-	-	-	-	-
		I	49.257 (530) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	19.664 (212)	-	-	-	-	-	-
		J	52.280 (563) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	61.467 (662)	-	-	-	-	-	-

Notes:

1. The saleable area of each residential property and the floor areas of every balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any) to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.
2. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer.
3. There is no verandah in the residential properties of the Development.

附註:

1. 每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有)之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的其他指明項目(如有)的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
3. 發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台，工作平台及陽台(如有))平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎）									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 5 第5座	3/F, 5/F - 12/F, 15/F - 18/F 3樓，5樓至12樓，15樓至18樓	A	63.555 (684) 露台 Balcony: 2.310 (25) 工作平台 Utility Platform: 1.500 (16)	-	-	-	-	-	-	-	-	-	-
		B	26.031 (280) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		C	64.272 (692) 露台 Balcony: 2.418 (26) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		D	68.530 (738) 露台 Balcony: 2.414 (26) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		E	33.974 (366) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		F	52.273 (563) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		G	34.002 (366) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		H	34.354 (370) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		I	51.695 (556) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		J	54.265 (584) 露台 Balcony: 2.020 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-

Notes:

1. The saleable area of each residential property and the floor areas of every balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any) to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.
2. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer.
3. There is no verandah in the residential properties of the Development.

附註:

1. 每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有)之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的其他指明項目(如有)的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
3. 發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台，工作平台及陽台(如有))平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積 (不計算入實用面積) 平方米 (平方呎)									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 5 第5座	19/F 19樓	A	63.555 (684) 露台 Balcony: 2.310 (25) 工作平台 Utility Platform: 1.500 (16)	-	-	-	-	-	-	57.034 (614)	-	-	-
		B	26.031 (280) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	20.651 (222)	-	-	-
		C	64.272 (692) 露台 Balcony: 2.418 (26) 工作平台 Utility Platform: --	-	-	-	-	-	-	53.583 (577)	-	-	-
		D	68.530 (738) 露台 Balcony: 2.414 (26) 工作平台 Utility Platform: --	-	-	-	-	-	-	55.452 (597)	-	-	-
		E	33.974 (366) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	28.073 (302)	-	-	-
		F	52.273 (563) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	36.060 (388)	-	-	-
		G	34.002 (366) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	19.849 (214)	-	-	-
		H	34.354 (370) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	27.082 (292)	-	-	-
		I	51.695 (556) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	45.738 (492)	-	-	-
		J	54.265 (584) 露台 Balcony: 2.020 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	45.132 (486)	-	-	-

Notes:

1. The saleable area of each residential property and the floor areas of every balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any) to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.
2. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer.
3. There is no verandah in the residential properties of the Development.

附註:

1. 每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有)之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的其他指明項目(如有)的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
3. 發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台，工作平台及陽台(如有))平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎）									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 6 (T6A) 第6座 (T6A)	2/F & 3/F 2樓及3樓	B	147.684 (1590) 露台 Balcony: 5.106 (55) 工作平台 Utility Platform: --	-	-	-	83.366 (897)	-	-	-	-	-	-
	2/F 2樓	A	75.803 (816) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	51.553 (555)	-	-	-	-	-	-
		C	31.878 (343) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	13.896 (150)	-	-	-	-	-	-
		D	32.074 (345) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	12.112 (130)	-	-	-	-	-	-
		E	32.691 (352) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	14.369 (155)	-	-	-	-	-	-
		F	43.725 (471) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	17.674 (190)	-	-	-	-	-	-
		G	24.639 (265) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	2.328 (25)	-	-	-	-	-	-

Notes:

1. The saleable area of each residential property and the floor areas of every balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any) to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.
2. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer.
3. There is no verandah in the residential properties of the Development.

附註:

1. 每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有)之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的其他指明項目(如有)的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
3. 發展項目住宅物業並無陽台。

AREA OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目中的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台，工作平台及陽台(如有))平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積 (不計算入實用面積) 平方米 (平方呎)									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 6 (T6A) 第6座 (T6A)	3/F 3樓	A	78.513 (845) 露台 Balcony: 2.728 (29) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		C	33.844 (364) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		D	33.997 (366) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		E	34.613 (373) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		F	45.691 (492) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		G	26.757 (288) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-

Notes:

1. The saleable area of each residential property and the floor areas of every balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any) to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.
2. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer.
3. There is no verandah in the residential properties of the Development.

附註:

1. 每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有)之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的其他指明項目(如有)的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
3. 發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台，工作平台及陽台(如有))平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎）									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 6 (T6A) 第6座 (T6A)	5/F - 12/F, 15/F - 18/F 5樓至12樓，15樓至18樓	A	78.497 (845) 露台 Balcony: 2.728 (29) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		B	73.892 (795) 露台 Balcony: 2.634 (28) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		C	33.860 (364) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		D	33.980 (366) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		E	34.613 (373) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		F	45.691 (492) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		G	26.757 (288) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-

Notes:

1. The saleable area of each residential property and the floor areas of every balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any) to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.
2. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer.
3. There is no verandah in the residential properties of the Development.

附註:

1. 每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有)之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的其他指明項目(如有)的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
3. 發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台，工作平台及陽台(如有))平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積 (不計算入實用面積) 平方米 (平方呎)									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 6 (T6A) 第6座 (T6A)	19/F 19樓	A	78.352 (843) 露台 Balcony: 2.582 (28) 工作平台 Utility Platform: --	-	-	-	-	-	-	65.761 (708)	-	-	-
		B	73.892 (795) 露台 Balcony: 2.634 (28) 工作平台 Utility Platform: --	-	-	-	-	-	-	62.242 (670)	-	-	-
		C	33.860 (364) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	23.065 (248)	-	-	-
		D	33.980 (366) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	23.065 (248)	-	-	-
		E	34.613 (373) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	23.271 (250)	-	-	-
		F	45.691 (492) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	35.341 (380)	-	-	-
		G	26.757 (288) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	21.791 (235)	-	-	-

Notes:

1. The saleable area of each residential property and the floor areas of every balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any) to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.
2. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer.
3. There is no verandah in the residential properties of the Development.

附註:

1. 每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有)之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的其他指明項目(如有)的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
3. 發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台，工作平台及陽台(如有))平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎）								
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 6 (T6B) 第6座 (T6B)	2/F & 3/F 2樓及3樓	A	149.213 (1606) 露台 Balcony: 5.160 (56) 工作平台 Utility Platform: --	-	-	-	75.620 (814)	-	-	-	-	-	-
	2/F 2樓	B	58.402 (629) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	112.788 (1214)	-	-	-	-	-	-
		C	50.918 (548) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	65.536 (705)	-	-	-	-	-	-
		D	32.634 (351) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	12.501 (135)	-	-	-	-	-	-
		E	32.078 (345) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	13.981 (150)	-	-	-	-	-	-
		F	31.878 (343) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	13.865 (149)	-	-	-	-	-	-
	3/F 3樓	B	62.079 (668) 露台 Balcony: 2.224 (24) 工作平台 Utility Platform: 1.500 (16)	-	-	-	-	-	-	-	-	-	-
		C	52.883 (569) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		D	34.557 (372) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		E	34.000 (366) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		F	33.843 (364) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-

Notes:

1. The saleable area of each residential property and the floor areas of every balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any) to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.
2. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer.
3. There is no verandah in the residential properties of the Development.

附註:

1. 每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有)之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的其他指明項目(如有)的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
3. 發展項目住宅物業並無陽台。

AREA OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目中的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台，工作平台及陽台(如有))平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積 (不計算入實用面積) 平方米 (平方呎)									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 6 (T6B) 第6座 (T6B)	5/F - 12/F, 15/F - 18/F 5樓至12樓，15樓至18樓	A	74.687 (804) 露台 Balcony: 2.646 (28) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		B	62.080 (668) 露台 Balcony: 2.224 (24) 工作平台 Utility Platform: 1.500 (16)	-	-	-	-	-	-	-	-	-	-
		C	52.884 (569) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		D	34.557 (372) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		E	34.000 (366) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		F	33.843 (364) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-

Notes:

1. The saleable area of each residential property and the floor areas of every balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any) to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.
2. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer.
3. There is no verandah in the residential properties of the Development.

附註:

1. 每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有)之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的其他指明項目(如有)的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
3. 發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台，工作平台及陽台(如有))平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎）									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 6 (T6B) 第6座 (T6B)	19/F 19樓	A	74.689 (804) 露台 Balcony: 2.646 (28) 工作平台 Utility Platform: --	-	-	-	-	-	-	64.306 (692)	-	-	-
		B	62.080 (668) 露台 Balcony: 2.224 (24) 工作平台 Utility Platform: 1.500 (16)	-	-	-	-	-	-	54.498 (587)	-	-	-
		C	52.883 (569) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	43.411 (467)	-	-	-
		D	34.557 (372) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	23.065 (248)	-	-	-
		E	34.000 (366) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	23.065 (248)	-	-	-
		F	33.843 (364) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	23.061 (248)	-	-	-

Notes:

1. The saleable area of each residential property and the floor areas of every balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any) to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.
2. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer.
3. There is no verandah in the residential properties of the Development.

附註:

1. 每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有)之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的其他指明項目(如有)的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
3. 發展項目住宅物業並無陽台。

AREA OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目中的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台，工作平台及陽台(如有))平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積 (不計算入實用面積) 平方米 (平方呎)									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 7 (T7A) 第7座 (T7A)	2/F & 3/F 2樓及3樓	B	149.485 (1609) 露台 Balcony: 5.244 (56) 工作平台 Utility Platform: --	-	-	-	79.982 (861)	-	-	-	-	-	-
	2/F 2樓	A	79.397 (855) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	53.804 (579)	-	-	-	-	-	-
		C	46.570 (501) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	27.885 (300)	-	-	-	-	-	-
		D	46.570 (501) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	27.882 (300)	-	-	-	-	-	-
		E	50.146 (540) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	24.803 (267)	-	-	-	-	-	-
	3/F 3樓	A	82.304 (886) 露台 Balcony: 2.952 (32) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		C	48.569 (523) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		D	48.570 (523) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		E	52.146 (561) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-

Notes:

1. The saleable area of each residential property and the floor areas of every balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any) to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.
2. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer.
3. There is no verandah in the residential properties of the Development.

附註:

1. 每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有)之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的其他指明項目(如有)的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
3. 發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台，工作平台及陽台(如有))平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎）									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 7 (T7A) 第7座 (T7A)	5/F - 12/F, 15/F 5樓至12樓，15樓	A	82.304 (886) 露台 Balcony: 2.952 (32) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		B	74.801 (805) 露台 Balcony: 2.702 (29) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		C	48.535 (522) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		D	48.535 (522) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		E	52.112 (561) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
	16/F - 18/F 16樓至18樓	A	82.724 (890) 露台 Balcony: 2.952 (32) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		B	74.801 (805) 露台 Balcony: 2.702 (29) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		C	48.535 (522) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		D	48.535 (522) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		E	52.517 (565) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-

Notes:

1. The saleable area of each residential property and the floor areas of every balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any) to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.
2. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer.
3. There is no verandah in the residential properties of the Development.

附註:

1. 每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有)之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的其他指明項目(如有)的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
3. 發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台，工作平台及陽台(如有))平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積 (不計算入實用面積) 平方米 (平方呎)									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 7 (T7A) 第7座 (T7A)	19/F 19樓	A	82.538 (888) 露台 Balcony: 2.766 (30) 工作平台 Utility Platform: --	-	-	-	-	-	-	66.666 (718)	-	-	-
		B	74.603 (803) 露台 Balcony: 2.504 (27) 工作平台 Utility Platform: --	-	-	-	-	-	-	62.127 (669)	-	-	-
		C	48.535 (522) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	25.574 (275)	-	-	-
		D	48.535 (522) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	41.100 (442)	-	-	-
		E	52.517 (565) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	47.291 (509)	-	-	-

Notes:

1. The saleable area of each residential property and the floor areas of every balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any) to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.
2. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer.
3. There is no verandah in the residential properties of the Development.

附註:

1. 每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有)之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的其他指明項目(如有)的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
3. 發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台，工作平台及陽台(如有))平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積 (不計算入實用面積) 平方米 (平方呎)									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 7 (T7B) 第7座 (T7B)	2/F & 3/F 2樓及3樓	A	150.118 (1616) 露台 Balcony: 5.244 (56) 工作平台 Utility Platform: --	-	-	-	79.971 (861)	-	-	-	-	-	-
	2/F 2樓	B	74.758 (805) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	59.189 (637)	-	-	-	-	-	-
		C	49.896 (537) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	17.196 (185)	-	-	-	-	-	-
		D	46.570 (501) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	28.231 (304)	-	-	-	-	-	-
		E	46.707 (503) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	27.879 (300)	-	-	-	-	-	-
	3/F 3樓	B	78.957 (850) 露台 Balcony: 2.744 (30) 工作平台 Utility Platform: 1.500 (16)	-	-	-	-	-	-	-	-	-	-
		C	51.896 (559) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		D	48.570 (523) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		E	48.707 (524) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-

Notes:

1. The saleable area of each residential property and the floor areas of every balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any) to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.
2. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer.
3. There is no verandah in the residential properties of the Development.

附註:

1. 每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有)之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的其他指明項目(如有)的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
3. 發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台，工作平台及陽台(如有))平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積 (不計算入實用面積) 平方米 (平方呎)									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 7 (T7B) 第7座 (T7B)	5/F - 12/F, 15/F 5樓至12樓，15樓	A	75.119 (809) 露台 Balcony: 2.702 (29) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		B	78.957 (850) 露台 Balcony: 2.744 (30) 工作平台 Utility Platform: 1.500 (16)	-	-	-	-	-	-	-	-	-	-
		C	51.862 (558) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		D	48.535 (522) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		E	48.673 (524) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
	16/F - 18/F 16樓至18樓	A	75.119 (809) 露台 Balcony: 2.702 (29) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		B	78.957 (850) 露台 Balcony: 2.744 (30) 工作平台 Utility Platform: 1.500 (16)	-	-	-	-	-	-	-	-	-	-
		C	51.862 (558) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		D	48.535 (522) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		E	48.673 (524) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-

Notes:

1. The saleable area of each residential property and the floor areas of every balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any) to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.
2. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer.
3. There is no verandah in the residential properties of the Development.

附註:

1. 每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有)之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的其他指明項目(如有)的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
3. 發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台，工作平台及陽台(如有))平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎）									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 7 (T7B) 第7座 (T7B)	19/F 19樓	A	74.921 (806) 露台 Balcony: 2.504 (27) 工作平台 Utility Platform: --	-	-	-	-	-	-	63.083 (679)	-	-	-
		B	80.190 (863) 露台 Balcony: 2.660 (29) 工作平台 Utility Platform: 1.500 (16)	-	-	-	-	-	-	69.369 (747)	-	-	-
		C	51.862 (558) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	42.584 (458)	-	-	-
		D	48.535 (522) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	34.377 (370)	-	-	-
		E	48.673 (524) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	24.361 (262)	-	-	-

Notes:

1. The saleable area of each residential property and the floor areas of every balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any) to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.
2. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer.
3. There is no verandah in the residential properties of the Development.

附註:

1. 每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有)之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的其他指明項目(如有)的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
3. 發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台，工作平台及陽台(如有))平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積 (不計算入實用面積) 平方米 (平方呎)									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 8 第8座	2/F 2樓	A	75.120 (809) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	7.383 (79)	-	-	-	-	-	-
		B	77.579 (835) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	97.821 (1053)	-	-	-	-	-	-
		C	41.610 (448) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	51.984 (560)	-	-	-	-	-	-
		D	33.749 (363) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	12.703 (137)	-	-	-	-	-	-
	3/F, 5/F - 10/F 3樓，5樓至10樓	A	79.381 (854) 露台 Balcony: 2.788 (30) 工作平台 Utility Platform: 1.500 (16)	-	-	-	-	-	-	-	-	-	-
		B	80.461 (866) 露台 Balcony: 2.900 (31) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		C	43.572 (469) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		D	35.749 (385) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
	11/F 11樓	A	137.467 (1480) 露台 Balcony: -- 工作平台 Utility Platform: 1.500 (16)	-	-	-	-	-	-	129.862 (1398)	5.331 (57)	-	-
		B	43.572 (469) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	24.799 (267)	-	-	-
		C	35.750 (385) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	22.192 (239)	-	-	-

Notes:

1. The saleable area of each residential property and the floor areas of every balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any) to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.
2. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer.
3. There is no verandah in the residential properties of the Development.

附註:

1. 每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有)之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的其他指明項目(如有)的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
3. 發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台，工作平台及陽台(如有))平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎）								
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 9 (T9A) 第9座 (T9A)	2/F 2樓	A	78.056 (840) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	7.773 (84)	-	-	-	-	-	-
		B	95.037 (1023) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	19.929 (215)	-	-	-	-	-	-
		C	75.303 (811) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	19.638 (211)	-	-	-	-	-	-
		D	73.711 (793) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	19.654 (212)	-	-	-	-	-	-
	3/F, 5/F - 10/F 3樓，5樓至10樓	A	82.406 (887) 露台 Balcony: 2.904 (31) 工作平台 Utility Platform: 1.500 (16)	-	-	-	-	-	-	-	-	-	-
		B	100.113 (1078) 露台 Balcony: 3.610 (39) 工作平台 Utility Platform: 1.500 (16)	-	-	-	-	-	-	-	-	-	-
		C	78.084 (840) 露台 Balcony: 2.824 (30) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		D	76.417 (823) 露台 Balcony: 2.752 (30) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
	11/F 11樓	A	155.134 (1670) 露台 Balcony: -- 工作平台 Utility Platform: 1.500 (16)	-	-	-	9.703 (104)	-	-	139.206 (1498)	5.843 (63)	-	-
		B	77.919 (839) 露台 Balcony: 2.660 (29) 工作平台 Utility Platform: --	-	-	-	-	-	-	53.809 (579)	-	-	-
		C	76.457 (823) 露台 Balcony: 2.606 (28) 工作平台 Utility Platform: --	-	-	-	-	-	-	61.168 (658)	-	-	-

Notes:

1. The saleable area of each residential property and the floor areas of every balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any) to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.
2. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer.
3. There is no verandah in the residential properties of the Development.

附註:

1. 每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有)之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的其他指明項目(如有)的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
3. 發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台，工作平台及陽台(如有))平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積 (不計算入實用面積) 平方米 (平方呎)									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 9 (T9B) 第9座 (T9B)	2/F 2樓	A	75.665 (814) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	39.717 (428)	-	-	-	-	-	-
		B	47.412 (510) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	14.050 (151)	-	-	-	-	-	-
		C	48.865 (526) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	11.747 (126)	-	-	-	-	-	-
		D	48.992 (527) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	10.651 (115)	-	-	-	-	-	-
		E	51.295 (552) 露台 Balcony: -- 工作平台 Utility Platform: --	-	-	-	18.780 (202)	-	-	-	-	-	-
	3/F, 5/F - 10/F 3樓，5樓至10樓	A	79.889 (860) 露台 Balcony: 2.776 (30) 工作平台 Utility Platform: 1.500 (16)	-	-	-	-	-	-	-	-	-	-
		B	49.375 (531) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		C	50.832 (547) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		D	50.968 (549) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-
		E	53.233 (573) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-

Notes:

1. The saleable area of each residential property and the floor areas of every balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any) to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.
2. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer.
3. There is no verandah in the residential properties of the Development.

附註:

1. 每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有)之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的其他指明項目(如有)的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
3. 發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台，工作平台及陽台(如有))平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎）									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 9 (T9B) 第9座 (T9B)	11/F 11樓	A	79.757 (859) 露台 Balcony: 2.616 (28) 工作平台 Utility Platform: 1.500 (16)	-	-	-	-	-	-	67.427 (726)	-	-	-
		B	49.376 (531) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	38.108 (410)	-	-	-
		C	50.831 (547) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	25.973 (280)	-	-	-
		D	50.958 (549) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	22.295 (240)	-	-	-
		E	53.272 (573) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: --	-	-	-	-	-	-	-	-	-	-

Notes:

1. The saleable area of each residential property and the floor areas of every balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any) to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.
2. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer.
3. There is no verandah in the residential properties of the Development.

附註:

1. 每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有)之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的其他指明項目(如有)的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
3. 發展項目住宅物業並無陽台。

B/F
地庫


L/UL FOR RCV
L03 FOR T6
L04 FOR T7
L05 FOR T8
L02 FOR T3
L01 FOR T2
Boundary of the Development
發展項目的界線
比例
Scale : 0M/米 20M/米
N

FLOOR PLANS OF PARKING SPACES IN THE DEVELOPMENT
發展項目中的停車位的樓面平面圖

G/F
地下



Part Plan of bicycle parking space
單車車位局部平面圖

比例
Scale : 0M/米 20M/米

Boundary of the Development
發展項目的界線

N

比例
Scale : 0M/米 20M/米

Numbers, Dimensions and Area of Parking Spaces
車位數目、尺寸及車位面積

Floor 層數	Category of parking space 車位類別	Parking space number 車位編號	Number 數目	Dimensions (LxW)(m) 尺寸（長 x 闊）（米）	Area of each parking space (sq.m) 每個車位面積（平方米）
G/F 地下	Residential loading / unloading space 住客上落貨停車位	L06 to L08 L06 至 L08	3	11.0 x 3.5	38.5
	Lay-by 車輛停泊處		3	5.0 x 2.5 (motor)	12.5
			1	12.0 x 3.5 (bus)	42.0
	Bicycle parking space 單車車位	B1 to B36 B1 至 B36	36	2.0 x 0.5	1.0
B/F 地庫	Residential loading / unloading space 住客上落貨停車位	L01 to L05 L01 至 L05	5	11.0 x 3.5	38.5
	Non-Industrial loading / unloading space 非工業上落貨停車位	SL01 to SL14 SL01 至 SL14	14	11.0 x 3.5	38.5
	Residential car parking space 住客車位	R001 to R051, R053 to R156, R158 to R172, R174 to R183, R185 to R242 R001 至 R051, R053 至 R156, R158 至 R172, R174 至 R183, R185 至 R242	238	5.0 x 2.5	12.5
	Visitor's car parking space 訪客車位	V02 to V36 V02 至 V36	35	5.0 x 2.5	12.5
	Non-Industrial car parking space 非工業車位	C01 to C112 C01 至 C112	112	5.0 x 2.5	12.5
	Residential motor cycle parking space 住客電單車車位	RM01 to RM24 RM01 至 RM24	24	2.4 x 1.0	2.4
	Non-Industrial motor cycle parking space 非工業電單車車位	CM01 to CM12 CM01 至 CM12	12	2.4 x 1.0	2.4
	Accessible car parking space 傷殘人士車位	R157, R173, R184 R157, R173 及 R184	3	5.0 x 3.5	17.5
		R052 R052	1	5.0 x 2.5	12.5
	Accessible visitor's car parking space 傷殘人士訪客車位	V01 V01	1	5.0 x 2.5	12.5
	Refuse collection vehicle parking space 垃圾車車位		1	12.0 x 5.0	60

1. A preliminary deposit of 5% of the purchase price is payable on the signing of the preliminary agreement for sale and purchase.
2. The preliminary deposit paid by the purchaser on the signing of the preliminary agreement will be held by a firm of solicitors acting for the owner, as stakeholders.
3. If the purchaser fails to execute that agreement for sale and purchase within 5 working days after the date on which the purchaser enters into the preliminary agreement-
   (i) that preliminary agreement is terminated;
   (ii) the preliminary deposit is forfeited; and
   (iii) the owner does not have any further claim against the purchaser for the failure.

1. 在簽署臨時買賣合約時須支付款額為售價之5%的臨時訂金。
2. 買方在簽署臨時合約時支付的臨時訂金，會由代表擁有人行事的律師事務所以保證金保存人的身份持有。
3. 如買方沒有於訂立臨時合約的日期之後5個工作日內簽立買賣合約-
   (i) 該臨時合約即告終止；
   (ii) 有關的臨時訂金即予沒收；及
   (iii) 擁有人不得就買方沒有簽立買賣合約而針對買方提出進一步申索。

A. COMMON PARTS OF THE DEVELOPMENT

1. **"Common Areas"** means the Development Common Areas, the Residential Car Park Common Areas, the Residential Common Areas, the Tower Common Areas and the Commercial Common Areas.

2. **"Common Facilities"** means the Development Common Facilities, the Residential Car Park Common Facilities, the Residential Common Facilities, the Tower Common Facilities and the Commercial Common Facilities.

3. **"Commercial Common Areas"** means the 14 loading and unloading spaces numbered SL01 to SL14 at the Basement Floor provided pursuant to Special Condition No. (27)(a)(i)(III) of the Government Grant designed or intended to be used for the loading and unloading of goods vehicles in connection with the Commercial Accommodation by the Owner(s) thereof as for the purpose of identification shown and coloured Brown Hatched Black on the plans (certified as to their accuracy by the Authorized Person) annexed to the DMC, which are not otherwise specifically assigned to or for the exclusive use of an Owner of a particular part of the Commercial Accommodation and are designed or intended for common use and benefit of the Owners of the Commercial Accommodation and the Owners of the sub-divided Units (if any) in the Commercial Accommodation.

4. **"Commercial Common Facilities"** means those facilities and equipment ancillary to the Commercial Common Areas for the common use and benefit of the Owner(s) of the Commercial Accommodation and the Owners of the sub-divided Units (if any) in the Commercial Accommodation and not for the use and benefit of a particular part of the Commercial Accommodation exclusively.

5. **"Development Common Areas"** means the whole of the Lot and the Development which are not otherwise specifically assigned to or for the exclusive use of an Owner and are designed or intended for common use and benefit of the Owners (which do not form part of the Units, Residential Car Park Common Areas, Residential Common Areas, Tower Common Areas or Commercial Common Areas) and shall include but not limited to :-

   (a) caretaker's quarter, owners' committee office, emergency generator rooms, caretaker's office, fire service control room, refuse storage and material recovery chamber, refuse storage and material recovery room, lift shafts, lift pits, lift lobbies, corridors, staircases, pipe ducts (which do not form part of the Units, Residential Common Areas, Tower Common Areas, Commercial Common Areas and Residential Car Park Common Areas), plant rooms, transformer room(s), guard room, master water meter room, the loading and unloading area at the Basement Floor, part of the delivery corridor under the Basement Floor (at such location as shown and coloured Green on the "Plan for Delivery Corridor" of the plan No.DMC-01 annexed to the DMC for the purpose of identification), meter rooms, pavements, ramps, driveways, part of the emergency vehicular access on Ground Floor, passages in the Development, drainage zone at the Basement Floor;

   (b) parts of the greenery areas (including the vertical greenery at such locations as for identification purpose only shown in Green Dotted Line on the plans nos.DMC-27, DMC-28, DMC-29 and DMC-30 annexed to the DMC);

   (c) the Lay-by Areas;

   (d) the refuse collection area located at the Basement Floor (**"the Refuse Collection Area"**);

   (e) part of the Pedestrian Links;

   (f) the greenery area on the flat roof on the First Floor;

   (g) those landscape areas in front of the shops on the Ground Floor;

   (h) those areas forming parts of the Transformer Room Facilities referred to in Clause (3:02:01)(az) of the DMC and serving the Development,

   and all other common parts specified in Schedule 1 to the Building Management Ordinance (Cap.344) (if any) within the Lot and the Development designed or intended for common use and benefit of the Owners and not otherwise specifically assigned to or for the exclusive use of an Owner (which do not form part of the Units, Residential Car Park Common Areas, Residential Common Areas, Tower Common Areas or Commercial Common Areas). The Development Common Areas are for the purpose of identification shown and coloured Green, Green Stippled Black and Green Dotted Line on the plans (certified as to their accuracy by the Authorized Person) annexed to the DMC.

6. **"Development Common Facilities"** means

   (a) Such of the surface channel with cover, drains, pipes, gutters, wells (if any), sewers, wires and cables, aerial broadcast distribution facilities, telecommunications network facilities, electrical and mechanical installation servicing the Development Common Areas and other services facilities whether ducted or otherwise which are or at any time may be in, under or over or passing through the Lot and the Development through which water, sewage, gas, electricity and any other services are supplied to the Lot and the Development or any part or parts thereof;

   (b) Lighting facilities including lamp posts, façade lighting within the Development which are for the use and benefit of the Lot and the Development and not for the use or benefit of a particular Unit;

   (c) Fire prevention and fire fighting installations and equipment within the Development which are for the use and benefit of the Lot and the Development and not for the use or benefit of a particular Unit;

   (d) Security system installations and equipment;

   (e) Lift installations and equipment servicing the Development Common Areas;

   (f) Environmental friendly system and feature; and

   (g) those facilities forming parts of the Transformer Room Facilities referred to in Clause (3:02:01)(az) of the DMC and serving the Development,

   and other facilities and systems for the common use and benefit of the Lot and the Development and not for the use or benefit of a particular Unit exclusively.

   For avoidance of doubt, the term "Development Common Facilities" shall not include those facilities, equipment and other like structures forming part of the Residential Car Park Common Facilities, Residential Common Facilities, Tower Common Facilities or Commercial Common Facilities.

7. **"External Walls"** external walls of the Development or any part thereof including but not limited to curtain walls (including the openable and non-openable windows therein), architectural features, parapet walls (other than those between Units), and the windows and window frames of the Common Areas but excluding the internal surface of the concrete walls facing the Units, the glass and metal parapets/balustrade/fences of the Non-enclosed Area and flat roofs pertaining to the respective Units or their replacement, the sliding/swing door to the Non-enclosed Area, the windows, window frames and sealant around window frames of the Units.

8. **"Recreational Areas"** means the areas intended for recreational use by the residents of the Residential Units and their bona fide visitors which shall include but not limited to the indoor swimming pool, changing rooms and lavatory at the Basement Floor, the outdoor swimming pool, pool and kid pool at the Ground Floor, the sitting area at the Ground Floor, music rooms, karaoke room, table tennis room, lounge, game rooms, billiard room, function rooms, ball court, gym room, children play room as for the purpose of identification shown and coloured Yellow Hatched Black on the plans (certified as to their accuracy by the Authorized Person) annexed to the DMC.

9. **"Recreational Facilities"** means the recreational facilities and facilities ancillary thereto provided or installed for recreational use by the residents of the Residential Units and their bona fide visitors pursuant to Special Condition No.(14)(a) of the Government Grant.

10. **"Residential Car Park Common Areas"** means those parts of the Lot and the Development (excluding those parking spaces shown and delineated on the car park layout plan approved by the Building Authority) and all other common parts specified in

Schedule 1 to the Building Management Ordinance (Cap.344) (if any) within the Lot and the Development designed or intended for the common use and benefit of the Owners of the Residential Car Parks and not otherwise specifically assigned to or for the exclusive use of the Owner of a particular Residential Car Park and shall include but not limited to entrances, ramps, driveways, access areas, circulation passages, fresh air fan room, exhaust air fan room, areas designated for charging of electric motor vehicles and switch rooms. The Residential Car Park Common Areas are for the purpose of identification shown and coloured Violet on the plans (certified as to their accuracy by the Authorized Person) annexed to the DMC.

11. **"Residential Car Park Common Facilities"** means those facilities and equipment for the common use and benefit of the Owners of the Residential Car Parks but not other parts of the Development and not for the use and benefit of a particular Residential Car Park exclusively and shall include but not limited to the relevant installations and facilities for supply of electricity to the Residential Car Parks, electrical and mechanical installation, plant and machinery, drop-gate, mechanical ventilation system and security system.

12. **"Residential Common Areas"** means those parts of the Lot and the Development designed or intended for the common use and benefit of the Owners of the Residential Units of the Development and not otherwise specifically assigned to or for the exclusive use of an Owner of a Residential Unit and shall include but not limited to :-

(a) the Recreational Areas;

(b) the Private Open Space;

(c) the Visitors' Car Parks;

(d) part of the emergency vehicular access and ramps on Ground Floor;

(e) passenger lift lobbies, staircases, lift shafts, lift pits;

(f) parts of the greenery areas (including the vertical greenery at such locations as for identification purpose only shown in Red Dotted Line on the plans nos.DMC-27 and DMC-28 annexed to the DMC);

(g) the 36 bicycle parking spaces numbered B1 to B36 provided pursuant to Special Condition No. (26)(e) of the Government Grant (**"Bicycle Parking Spaces"**) for the parking of bicycles belonging to the residents of the Residential Units and their bona fide guests, visitors or invitees;

(h) the 5 spaces for the parking of motor vehicles by disabled persons numbered R052, R157, R173, R184 and V01 provided pursuant to Special Condition No. (26)(c)(i) of the Government Grant;

(i) the External Walls of the podium on Ground Floor level and the First Floor level other than those parts of the External Walls forming parts of the Commercial Accommodation;

(j) the 8 loading and unloading spaces on Basement Floor and Ground Floor numbered L01 to L08 provided pursuant to Special Condition No. (27)(a)(i)(I) of the Government Grant;

(k) part of the Pedestrian Links and including the covered walkway on Ground Floor;

(l) those areas forming parts of the Transformer Room Facilities referred to in Clause (3:02:01)(az) of the DMC and serving the Residential Units and the Residential Common Areas only;

and all other common parts specified in Schedule 1 to the Building Management Ordinance (Cap.344) (if any) within the Lot and the Development designed or intended for the common use and benefit of the Owners of the Residential Units and not otherwise specifically assigned to or for the exclusive use of an Owner of a Residential Unit. The Residential Common Areas are for the purpose of identification shown and coloured Yellow, Yellow Hatched Black, Yellow Cross-Hatched Black, Yellow Stippled Black and Red Dotted Line on the plans (certified as to their accuracy by the Authorized Person) annexed to the DMC.

13. **"Residential Common Facilities"** means those facilities and ancillary equipment for the common use and benefit of the Owners of the Residential Units and not for the use and benefit of a particular Residential Unit exclusively and shall include but not limited to the Recreational Facilities, installation or facilities for the supply of electricity to Visitors' Car Park(s) (if applicable), those facilities forming parts of the Transformer Room Facilities referred to in Clause (3:02:01)(az) of the DMC and serving the Residential Units and the Residential Common Areas only, water tanks, water pumps, drains, pipes (including common drainage pipes passing through the air-conditioning platforms of the Residential Units), gutters, sewers, fire prevention and firefighting system, wires and cables, electrical equipment, air-conditioning or mechanical ventilation installation, lighting, security system, gas pipes, air-conditioning system, telecommunications network facilities, lifts, escalators and sanitary fittings and installations for the use and benefit of the Residential Units.

14. **"Tower Common Areas"** means those parts of the Lot and the Development designed or intended for the common use and benefit of the Owners of the Residential Units of all or any of the Towers and not otherwise specifically assigned to or for the exclusive use of an Owner of a Residential Unit of the Tower and shall include but not limited to :-

(a) transfer plates, residential entrance lobbies, lift lobbies, corridors, staircases, lift shafts, lift pits, service lift lobby, meter rooms, plant rooms, pipe ducts (which do not form part of the Units, the Development Common Areas and the Residential Common Areas), roofs (which do not form part of the Units, the Development Common Areas and the Residential Common Areas), top roofs, refuse rooms, refuse storage and material recovery rooms, refuge floors, lift machine rooms, water pump rooms, booster pump rooms, water tank rooms, switch rooms, meter rooms, meter cabinets, electrical rooms, electrical/telephone duct rooms, fan rooms, parapet walls, filtration plant rooms, planter areas, planters, variable refrigerant volume system plant rooms and telecommunications and broadcasting (TBE) rooms and areas for installation or use of telecommunications network facilities;

(b) wider common corridors and lift lobbies for the purpose of identification shown and coloured Orange Zigzag Black on the plans (certified as to their accuracy by the Authorized Person) annexed to the DMC;

(c) the External Walls of the Towers;

and all other common parts specified in Schedule 1 to the Building Management Ordinance (Cap.344) (if any) within the Lot and the Development designed or intended for the common use and benefit of the Owners of the Residential Units of all or any of the Towers and not otherwise specifically assigned to or for the exclusive use of an Owner of a Residential Unit of the Tower. The Tower Common Areas are for the purpose of identification shown and coloured Orange and Orange Zigzag Black on the plans (certified as to their accuracy by the Authorized Person) annexed to the DMC.

15. **"Tower Common Facilities"** means those facilities and ancillary equipment for the common use and benefit of the Owners of the Residential Units of all or any of the Towers and not for the use and benefit of a particular Residential Unit of the Tower exclusively and shall include but not limited to the water tanks, water pumps, drains, pipes, gutters, sewers, fire prevention and firefighting system, wires and cables, electrical equipment, air-conditioning or mechanical ventilation installation, lighting, security system, gondola system, gas pipes, air-conditioning system, telecommunications network facilities, lifts and sanitary fittings and installations for the use and benefit of the Residential Units of all or any of the Towers.

B. NUMBER OF UNDIVIDED SHARES ASSIGNED TO EACH RESIDENTIAL PROPERTY IN THE DEVELOPMENT

Block Name	Floor	Unit	No. of Undivided Shares allocated to each Unit
Tower 1	2/F	A	84
		B	72
		C	99
		D	55
		E	51
		F	50
		G	53
	3/F – 16/F (each) (11 storeys)	A	87
		B	73
		C	101
		D	57
		E	52
		F	51
		G	54
	17/F and Roof	A	153
		B	114
		C	61
		D	54
		E	53
	17/F	F	54
Tower 2 (T2A)	2/F	A	106
		B	103
		C	80
		D	58
	3/F – 16/F (each) (11 storeys)	A	108
		B	104
		C	79
		D	57
	17/F and Roof	A	169
		B	83
		C	62
Tower 2 (T2B)	2/F	A	54
		B	56
		C	80
		D	52
	3/F – 16/F (each) (11 storeys)	A	54
		B	54
		C	79
		D	52
	17/F and Roof	A	58
		B	59
		C	85
		D	56
Tower 3	2/F	A	64
		B	68
		C	69
		D	71
		E	73
		F	70
		G	23
	3/F – 18/F (each) (13 storeys)	A	64
		B	68
		C	70
		D	70
		E	72
		F	70
		G	24
	19/F and Roof	A	69
		B	74
		C	74
		D	76
		E	77
		F	76
		G	26

Block Name	Floor	Unit	No. of Undivided Shares allocated to each Unit
Tower 5	2/F	A	66
		B	25
		C	62
		D	68
		E	33
		F	52
		G	33
		H	33
		I	51
		J	58
	3/F – 18/F (each) (13 storeys)	A	64
		B	26
		C	64
		D	69
		E	34
		F	52
		G	34
		H	34
		I	52
		J	54
	19/F and Roof	A	69
		B	28
		C	70
		D	74
		E	37
		F	56
		G	36
		H	37
		I	56
		J	59

Block Name	Floor	Unit	No. of Undivided Shares allocated to each Unit
Tower 6 (T6A)	2/F	A	81
		C	33
		D	33
		E	34
		F	45
		G	25
	2/F & 3/F (Duplex)	B	156
	3/F	A	79
		C	34
		D	34
		E	35
		F	46
		G	27
	5/F – 18/F (each) (12 storeys)	A	78
		B	74
		C	34
		D	34
		E	35
		F	46
		G	27
	19/F and Roof	A	85
		B	80
		C	36
		D	36
		E	37
		F	49
		G	29

Block Name	Floor	Unit	No. of Undivided Shares allocated to each Unit
Tower 6 (T6B)	2/F	B	70
		C	57
		D	34
		E	33
		F	33
	2/F & 3/F (Duplex)	A	157
	3/F	B	62
		C	53
		D	35
		E	34
		F	34
	5/F – 18/F (each) (12 storeys)	A	75
		B	62
		C	53
		D	35
		E	34
		F	34
	19/F and Roof	A	81
		B	68
		C	57
		D	37
		E	36
		F	36

Block Name	Floor	Unit	No. of Undivided Shares allocated to each Unit
Tower 7 (T7A)	2/F	A	85
		C	49
		D	49
		E	53
	2/F & 3/F (Duplex)	B	157
	3/F	A	82
		C	49
		D	49
		E	52
	5/F – 15/F (each) (9 storeys)	A	82
		B	75
		C	49
		D	49
		E	52
	16/F – 18/F (each) (3 storeys)	A	83
		B	75
		C	49
		D	49
		E	53
	19/F and Roof	A	89
		B	81
		C	51
		D	53
		E	57

Block Name	Floor	Unit	No. of Undivided Shares allocated to each Unit
Tower 7 (T7B)	2/F	B	81
		C	52
		D	49
		E	49
	2/F & 3/F (Duplex)	A	158
	3/F	B	79
		C	52
		D	49
		E	49
	5/F – 15/F (each) (9 storeys)	A	75
		B	79
		C	52
		D	49
		E	49
	16/F – 18/F (each) (3 storeys)	A	75
		B	79
		C	52
		D	49
		E	49
	19/F and Roof	A	81
		B	87
		C	56
		D	52
		E	51

Block Name	Floor	Unit	No. of Undivided Shares allocated to each Unit
Tower 8	2/F	A	76
		B	87
		C	47
		D	35
	3/F – 10/F (each) (7 storeys)	A	79
		B	80
		C	44
		D	36
	11/F and Roof	A	151
		B	46
		C	38

Block Name	Floor	Unit	No. of Undivided Shares allocated to each Unit
Tower 9 (T9A)	2/F	A	79
		B	97
		C	77
		D	76
	3/F – 10/F (each) (7 storeys)	A	82
		B	100
		C	78
		D	76
	11/F and Roof	A	171
		B	83
		C	83
Tower 9 (T9B)	2/F	A	80
		B	49
		C	50
		D	50
		E	53
	3/F – 10/F (each) (7 storeys)	A	80
		B	49
		C	51
		D	51
		E	53
	11/F	E	53
	11/F and Roof	A	87
		B	53
		C	53
		D	53

Villas Number	No. of Undivided Shares allocated to each Unit
Villa 1	203
Villa 2	202
Villa 3	202
Villa 5	212
Villa 6	206
Villa 7	205
Villa 8	206
Villa 9	206
Villa 10	207
Villa 11	204
Villa 12	204
Villa 15	204
Villa 16	203
Villa 17	203
Villa A	191
Villa B	192
Villa C	192
Villa D	192
Villa E	191
Villa F	192
Villa G	192
Villa H	193

Notes:

(a) First residential floor of each Tower starts on 2/F and there is no designation of 4/F, 13/F and 14/F.

(b) There is no designation of Tower 4, Villa 4, Villa 13 and Villa 14.

C. TERM OF YEARS FOR WHICH THE MANAGER OF THE DEVELOPMENT IS APPOINTED

Subject to the provisions of the Building Management Ordinance (Cap.344), the management of the Lot and the Development shall for an initial period of two years from the date of the DMC be undertaken by the Management Company. Prior to the formation of the Owners' Corporation, the Owners' Committee may at any time terminate the Manager's appointment without compensation by giving not less than 3 calendar months' notice in writing to the Manager and by a resolution passed by a majority of votes of Owners voting either personally or by proxy in an Owners' meeting and supported by the Owners of not less than 50% of the Undivided Shares in aggregate (excluding the Undivided Shares allocated to the Common Areas and Common Facilities). The appointment of the Management Company shall continue unless so terminated or terminated in accordance with Clause (3:01:02) of the DMC.

D. BASIS ON WHICH THE MANAGEMENT EXPENSES ARE SHARED AMONG THE OWNERS OF THE RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

1. Where any expenditure relates to or is for the benefit of the Lot and the Development (but does not relate solely to or is not solely for the benefit of any Unit, Residential Common Areas, Tower Common Areas, Residential Car Park Common Areas, Commercial Common Areas, Residential Common Facilities , Tower Common Facilities, Residential Car Park Common Facilities or Commercial Common Facilities), the Development Common Areas and/or the Development Common Facilities the full amount of such expenditure shall be apportioned between all the Owners of the Development in proportion to the number of Management Shares held by them.

2. Where any expenditure relates solely to or is solely for the benefit of the Residential Units (but does not relate solely to or is not solely for the benefit of any particular Residential Unit), the Residential Common Areas and/or the Residential Common Facilities the full amount of such expenditure shall be apportioned between the Owners of the Residential Units in proportion to the number of Management Shares held by them.

3. Where any expenditure relates solely to or is solely for the benefit of the Residential Units of all or any of the Towers (but does not relate solely to or is not solely for the benefit of any particular Residential Unit of the Tower), the Tower Common Areas and/or the Tower Common Facilities the full amount of such expenditure shall be apportioned between the Owners of the Residential Units of the Towers in proportion to the number of Management Shares held by them.
4. The number of Management Shares allocated to a Residential Unit is the same as the number of Undivided Shares allocated to that Residential Unit.

E. BASIS ON WHICH THE MANAGEMENT FEE DEPOSIT IS FIXED

The management fee deposit payable in respect of each Residential Unit shall be equivalent to three months' Management Fee for that Residential Unit.

F. AREA IN THE DEVELOPMENT RETAINED BY THE OWNER FOR THE OWNER'S OWN USE

Not applicable.

A. 發展項目的公用部分

1. **「公用地方」**是指發展項目公用地方、住宅停車場公用地方、住宅公用地方、大廈公用地方以及商用公用地方。

2. **「公用設施」**是指發展項目公用設施、住宅停車場公用設施、住宅公用設施、大廈公用設施以及商用公用設施。

3. **「商用公用地方」**是指依照政府批地文件特別條款第(27)(a)(i)(III)條於地庫提供的14個編號為SL01至SL14上落貨物車位設定或擬供有關商用部份的業主（們）以貨車上落貨物之用，在公契附帶的圖則上（經認可人士核實為準確）用棕色間黑斜線顯示，僅供識別，且未以其他方式特別轉讓給商用部份某特定部分的個別業主或供其獨家使用並設定或擬供商用部分的業主及分單位的業主（如有的話）共同使用與享用。

4. **「商用公用設施」**是指商用部份公用地方的輔助設施及裝備，是為著商用部份業主（們）及分單位的業主（如有的話）的共同使用及利益，而不是為著商用部份某特定部分的獨家使用及利益。

5. **「發展項目公用地方」**是指整個地段及發展項目內並非特別轉讓或供予個別業主獨家使用，而設定或擬供業主共同使用與享用的所有地方（不構成單位、住宅停車場公用地方、住宅公用地方、大廈公用地方或商用公用地方的一部分），包括但不限於：

(a) 管理員宿舍、業主委員會辦公室、緊急發電機房、管理處、消防服務控制室、垃圾及物料回收房、垃圾及物料回收室、升降機槽、升降機井道、升降機大堂、走廊、樓梯、喉管井道（不構成單位、住宅公用地方、大廈公用地方、商用公用地方及住宅停車場公用地方的一部分）、機房、變壓器房、警衛室、主水錶房、位於地庫的上落貨物區域、位於地庫之下的部份運送走廊（其位置於附錄於公契的圖則編號DMC-01 中的“運送走廊圖則”中以綠色顯示，僅供識別）、儀錶房、行人道、斜道、行車道、位於地面層的部份緊急車輛通道、發展項目內的通道、位於地庫的污水排放區；

(b) 部分綠化地方（包括垂直綠化園藝，其位置於附錄於公契的圖則編號DMC-27, DMC-28, DMC-29及DMC-30中以綠色虛線顯示，僅供識別）；

(c) 路邊停車地方；

(d) 位於地庫的垃圾收集區（**「垃圾收集區」**）；

(e) 部分行人接駁通道；

(f) 位於一樓平台之綠化範圍；

(g) 地面層商舖前的園藝範圍；

(h) 構成公契第(3:02:01)(az)條所述的變壓器房設施的一部分並為發展項目而設的該等範圍，

以及《建築物管理條例》（第344章）第一附表指定的地段及發展項目內設定或擬供業主共同使用與享用，並非特別轉讓給或供予個別業主獨家使用的所有其他公用地方（不構成單位、住宅停車場公用地方、住宅公用地方、大廈公用地方或商用公用地方的一部分）。發展項目公用地方在公契附帶的圖則上（經認可人士核實為準確）以綠色、綠色綴黑點及綠色虛線顯示，僅供識別。

6. **「發展項目公用設施」**是指

(a) 服務發展項目公用地方的有蓋路面溝渠、排水渠、管道、明渠、井（如有）、污水渠、電線及電纜、天線廣播分導設施、電訊網絡設施、電力及機械裝置及現時或任何時候在該地段及發展項目之內、之下、之上或通過該地段及發展項目，將水、污水、電力及任何其他服務設施輸送到該地段及發展項目或其中任何部分的服務設施（不論是以管道或其他形式）；

(b) 發展項目內供該地段及發展項目使用與享用，並非供個別單位使用或與享用的照明，包括燈柱及外牆照明；

(c) 發展項目內供該地段及發展項目使用與享用，並非供個別單位使用或享用的防火及滅火裝置及設施；

(d) 保安系統的裝置及儀器；

(e) 服務發展項目公用地方的升降機的裝置及裝備；

(f) 環保系統及裝飾；及

(g) 構成公契第(3:02:01)(az)條所述的變壓器房設施的一部分並為發展項目而設的該等設施，

和供該地段及發展項目共同使用與享用，並非供個別單位獨家使用或享用的其他設施及系統。

為釋疑慮，「發展項目公用設施」不包括構成住宅停車場公用設施、住宅公用設施、大廈公用設施或商用公用設施的一部分的該等設施、設備及類似構築物。

7. **「外牆」**是指發展項目的外牆或其中任何部分，包括但不限於幕牆（包括單位可開合及不可開合的窗戶）、建築裝飾、護牆（單位之間的護牆除外）、公用地方的窗戶及窗框，但不包括對著單位一邊的內面的混凝土牆及非圍封區及各自單位平台的玻璃及金屬護牆/欄杆/圍欄（及其替代）、非圍封區的趟門/掩門、單位的窗戶、窗框及窗戶周圍的密封膠。

8. **「康樂區域」**是指擬供住宅單位住客及其真正訪客使用作康樂用途的區域，包括但不限於室內游泳池、地庫的更衣室及洗手間、地面層的室外游泳池、泳池及兒童池、地面層的坐憩區、音樂室、卡拉OK室、乒乓球室、休息室、遊戲室、桌球室、宴會廳、球場、健身室、兒童遊戲室。康樂區域在公契附帶的圖則上（經認可人士核實為準確）以黃色間黑斜線顯示，僅供識別。

9. **「康樂設施」**是指依照政府批地文件特別條款第(14)(a)條提供或安裝予住宅單位的住客們及其真正訪客作康樂用途使用的康樂設施及其輔助設施。

10. **「住宅停車場公用地方」**是指設定或擬供住宅停車位業主的共同使用及利益而並非轉讓或供個別住宅停車位的業主獨家使用的該等地段及發展項目內的部分（不包括在經建築事務監督批准的停車場佈局圖上標明及顯示的泊車位）和《建築物管理條例》（第344章）附表一規定的所有其他公用部分（如有），包括但不限於入口、斜道、行車道、入口區域、循環通道、鮮風風扇房、廢氣風扇房、指定供電動車輛充電的範圍及電掣房。住宅停車場公用地方在公契附帶的圖則上（經認可人士核實為準確）以紫色顯示，僅供識別。

11. **「住宅停車場公用設施」**是指供住宅停車位業主而非發展項目其他部分的業主的共同使用及利益，並不是為某特定住宅停車位的獨家使用及利益的該等設施及裝備，該等設施及裝備包括但不限於為住宅停車場供電的相關裝置及設施、機電裝置、設備及機器、橫杆吊閘、機械通風系統及保安系統。

12. **「住宅公用地方」**是指在地段及發展項目內設定或擬供住宅單位業主的共同使用及利益而非特別轉讓或供個別單位業主獨家使用的部分，包括但不限於：-

(a) 康樂區域；

(b) 私人休憩空間；

(c) 訪客泊車位；

(d) 部分地面層緊急車輛通道及斜道；

(e) 乘客升降機大堂、樓梯、升降機槽、升降機井道；

(f) 部分綠化地方（包括垂直綠化園藝，其位置於附錄於公契的圖則編號DMC-27及DMC-28中以紅色虛線顯示，僅供識別）；

(g) 依照政府批地文件特別條款第(26)(e)條提供的36個編號為B1到B36的單車泊車位（**「單車泊車位」**），用作停泊屬於住宅單位住客及其真正賓客、訪客或所邀請者的單車；

(h) 依照政府批地文件特別條款第(26)(c)(i)條提供的5個編號為R052、R157、 R173、R184及V01的傷殘人士泊車位；

(i) 於地面層及1樓的平台外牆，構成商用部分的該等部分外牆除外；

(j) 依照政府批地文件特別條款第(27)(a)(i)(I)條於地庫及地面層提供的8個編號為L01到L08的上落貨物車位；

(k) 部分位於地面層包括有蓋行人道的行人接駁通道；

(l) 構成公契第(3:02:01)(az)條所述的變壓器房設施的一部分並僅為住宅單位及住宅公用地方而設的該等範圍；

以及《建築物管理條例》（第344章）第一附表指定的地段及發展項目內設定或擬供住宅單位業主共同使用與享用，而非特別轉讓或供個別住宅單位獨家使用的其他公用部份。住宅公用地方在公契附帶的圖則上（經認可人士核實為準確）以黃色、黃色間黑斜綫、黃色間黑交叉綫、黃色綴黑點及紅色虛線顯示，僅供識別。

13. **「住宅公用設施」**是指為住宅單位業主的共同使用及利益而不是為個別特定住宅單位獨家使用及利益的該等設施及其輔助裝備，包括但不限於為住宅單位之使用及利益的康樂設施、提供予訪客泊車位電力的裝置或設施（如有）、構成公契第(3:02:01)(az)條所述的變壓器房設施的一部分並僅為住宅單位及住宅公用地方而設的該等設施、水箱、水泵、排水管、喉管（包括經過住宅單位空調機平台的公用排水喉管）、排水溝、污水管、防火及滅火系統、電線及電纜、電力裝備、空調或機械通風裝置、照明、保安系統、氣體喉管、空調系統、電訊網絡設施、升降機、自動扶手電梯以及衛生裝置及設備。

14. **「大廈公用地方」**是指在地段及發展項目內設定或擬供所有或任何大廈住宅單位業主的共同使用及利益，而非特別轉讓或供個別大廈住宅單位業主獨家使用及利益的部分，包括但不限於：-

(a) 轉換層、住宅入口大堂、升降機大堂、走廊、樓梯、升降機槽、升降機井道、服務升降機大堂、儀錶房、機房、喉管管道（不構成單位、發展項目公用地方及住宅公用地方的一部分）、天台（不構成單位、發展項目公用地方及住宅公用地方的一部分）、屋頂、垃圾房、垃圾儲存及物料回收房、庇護層、升降機機房、水泵房、增壓泵房、水箱房、電掣房、儀錶房、儀錶櫃、電力房、電線/電話線管道房、風扇房、護牆、過濾系統機房、花槽範圍、花槽、可變製冷劑流量系統機房及電訊廣播房以及用作安裝或使用電訊網絡設施的地方；

(b) 加闊公用走廊及升降機大堂，在公契附帶的圖則上（經認可人士核實為準確）以橙色間黑曲折線顯示，僅供識別；

(c) 大廈的外牆；

以及《建築物管理條例》（第344章）第一附表指定的地段及發展項目內設定或擬供任何或所有大廈的住宅單位業主共同使用與享用，而並非特別轉讓或供個別大廈住宅單位獨家使用的其他公用部份。大廈公用地方在公契附帶的圖則上（經認可人士核實為準確）以橙和橙間黑曲折線顯示，僅供識別。

15. **「大廈公用設施」**是指供所有或任何大廈為住宅單位業主的共同使用及利益而非供大廈為某特定住宅單位獨家使用及利益的設施及其輔助裝備，包括但不限於為所有或任何大廈為住宅單位之使用及利益的水箱、水泵、排水管、喉管、排水溝、污水管、防火及滅火系統、電線及電纜、電力裝備、空調或機械通風裝置、照明、保安系統、吊船系統、氣體喉管、空調系統、電訊網絡設施、升降機以及衛生裝置及設備。

B. 分配予發展項目中的每個住宅物業的不分割份數的數目

座數	樓層	單位	每個單位獲分配的不分割份數數目
第1座	2樓	A	84
		B	72
		C	99
		D	55
		E	51
		F	50
		G	53
	3樓 – 16樓 (11層)	A	87
		B	73
		C	101
		D	57
		E	52
		F	51
		G	54
	17樓及天台	A	153
		B	114
		C	61
		D	54
		E	53
	17樓	F	54
第2座 (T2A)	2樓	A	106
		B	103
		C	80
		D	58
	3樓 – 16樓 (11層)	A	108
		B	104
		C	79
		D	57
	17樓及天台	A	169
		B	83
		C	62
第2座 (T2B)	2樓	A	54
		B	56
		C	80
		D	52
	3樓 – 16樓 (11層)	A	54
		B	54
		C	79
		D	52
	17樓及天台	A	58
		B	59
		C	85
		D	56

座數	樓層	單位	每個單位獲分配的不分割份數數目
第3座	2樓	A	64
		B	68
		C	69
		D	71
		E	73
		F	70
		G	23
	3樓 – 18樓 (13層)	A	64
		B	68
		C	70
		D	70
		E	72
		F	70
		G	24
	19樓及天台	A	69
		B	74
		C	74
		D	76
		E	77
		F	76
		G	26

座數	樓層	單位	每個單位獲分配的不分割份數數目
第5座	2樓	A	66
		B	25
		C	62
		D	68
		E	33
		F	52
		G	33
		H	33
		I	51
		J	58
	3樓 – 18樓 (13層)	A	64
		B	26
		C	64
		D	69
		E	34
		F	52
		G	34
		H	34
		I	52
		J	54
	19樓及天台	A	69
		B	28
		C	70
		D	74
		E	37
		F	56
		G	36
		H	37
		I	56
		J	59

座數	樓層	單位	每個單位獲分配的不分割份數數目
第6座 (T6A)	2樓	A	81
		C	33
		D	33
		E	34
		F	45
		G	25
	2樓及3樓 (複式單位)	B	156
	3樓	A	79
		C	34
		D	34
		E	35
		F	46
		G	27
	5樓 – 18樓 (12層)	A	78
		B	74
		C	34
		D	34
		E	35
		F	46
		G	27
	19樓及天台	A	85
		B	80
		C	36
		D	36
		E	37
		F	49
		G	29

座數	樓層	單位	每個單位獲分配的不分割份數數目
第6座 (T6B)	2樓	B	70
		C	57
		D	34
		E	33
		F	33
	2樓及3樓 (複式單位)	A	157
	3樓	B	62
		C	53
		D	35
		E	34
		F	34
	5樓 – 18樓 (12層)	A	75
		B	62
		C	53
		D	35
		E	34
		F	34
	19樓及天台	A	81
		B	68
		C	57
		D	37
		E	36
		F	36

座數	樓層	單位	每個單位獲分配的不分割份數數目
第7座 (T7A)	2樓	A	85
		C	49
		D	49
		E	53
	2樓及3樓 (複式單位)	B	157
	3樓	A	82
		C	49
		D	49
		E	52
	5樓 – 15樓 (9層)	A	82
		B	75
		C	49
		D	49
		E	52
	16樓 – 18樓 (3層)	A	83
		B	75
		C	49
		D	49
		E	53
	19樓及天台	A	89
		B	81
		C	51
		D	53
		E	57

座數	樓層	單位	每個單位獲分配的不分割份數數目
第7座 (T7B)	2樓	B	81
		C	52
		D	49
		E	49
	2樓及3樓 (複式單位)	A	158
	3樓	B	79
		C	52
		D	49
		E	49
	5樓 – 15樓 (9層)	A	75
		B	79
		C	52
		D	49
		E	49
	16樓 – 18樓 (3層)	A	75
		B	79
		C	52
		D	49
		E	49
	19樓及天台	A	81
		B	87
		C	56
		D	52
		E	51

座數	樓層	單位	每個單位獲分配的不分割份數數目
第8座	2樓	A	76
		B	87
		C	47
		D	35
	3樓 – 10樓 (7層)	A	79
		B	80
		C	44
		D	36
	11樓及天台	A	151
		B	46
		C	38

座數	樓層	單位	每個單位獲分配的不分割份數數目
第9座 (T9A)	2樓	A	79
		B	97
		C	77
		D	76
	3樓 – 10樓 (7層)	A	82
		B	100
		C	78
		D	76
	11樓	A	171
		B	83
		C	83
第9座 (T9B)	2樓	A	80
		B	49
		C	50
		D	50
		E	53
	3樓 – 10樓 (7層)	A	80
		B	49
		C	51
		D	51
		E	53
	11樓	E	53
	11樓及天台	A	87
		B	53
		C	53
		D	53

洋房	每個單位獲分配的不分割份數數目
1號洋房	203
2號洋房	202
3號洋房	202
5號洋房	212
6號洋房	206
7號洋房	205
8號洋房	206
9號洋房	206
10號洋房	207
11號洋房	204
12號洋房	204
15號洋房	204
16號洋房	203
17號洋房	203
A號洋房	191
B號洋房	192
C號洋房	192
D號洋房	192
E號洋房	191
F號洋房	192
G號洋房	192
H號洋房	193

註：

(a) 每幢大廈的住宅樓層由2樓開始，不設4樓、13樓及14樓。

(b) 不設第4座，4號洋房、13號洋房及14號洋房。

C. 有關發展項目的管理人的委任年期

在不抵觸《建築物管理條例》（第344章）的情況下，地段和發展項目之管理將由管理公司負責，管理之首屆任期為由公契之日期起計兩年。在成立業主立案法團之前，業主委員會得向管理公司給予不少於3個曆月的書面通知終止對其的委任，並無需給予補償，該決議需由多數業主無論親身或由其代表於業主大會投票通過，並得到其擁有的不分割份數不低於不分割份數總量50%（不包括分配給公用地方和公用設施的不分割份數）的業主支持。除非因前述情況終止或由業主立案法團根據公契條款(3:01:02)終止，否則對管理公司的委任將延續。

D. 管理開支按甚麼基準在發展項目中的住宅物業的擁有人之間分擔

1. 如果任何開支涉及或有利於地段及發展項目（但並非僅涉及或僅有利於任何單位、住宅公用地方、大廈公用地方、住宅停車場公用地方、商用公用地方、住宅公用設施、大廈公用設施、住宅停車場公用設施或商用公用設施）、發展項目公用地方及/或發展項目公用設施，則該等開支的全部款項需由發展項目的全體業主按他們持有的管理份數的比例進行分攤。
2. 如果任何開支僅涉及或僅有利於住宅單位（但並非僅涉及或僅有利於個別特定住宅單位）、住宅公用地方及/或住宅公用設施，則該等開支的全部款項需由住宅單位的業主按他們持有的管理份數的比例進行分攤。
3. 如果任何開支僅涉及或僅有利於所有或任何大廈的住宅單位（但並非僅涉及或僅有利於大廈內個別特定住宅單位）、大廈公用地方及/或大廈公用設施，則該等開支全部款項需由大廈住宅單位的業主按他們持有的管理份數的比例進行分攤。
4. 分配予每個住宅單位的管理份數數目與分配予該住宅單位的不分割份數數目相同。

E. 計算管理費按金的基準

每個住宅單位需支付的管理費按金相等於該住宅單位三個月的管理費。

F. 擁有人在發展項目中保留作自用的範圍

不適用。

1. The lot number of the land on which the Development is situated: Tseung Kwan O Town Lot No. 126 (**"the lot"**)

2. The term of years under New Grant No.21630 (**"the land grant"**): 50 years commencing from 8 August 2013

3. The user restrictions applicable to that land

   Special Condition No.(4)(a) of the land grant provides that:

   The lot or any part thereof or any building or part of any building erected or to be erected thereon shall not be used for any purpose other than for non-industrial (excluding godown, hotel and petrol filling station) purposes.

   Special Condition No.(40) of the land grant provides that:

   No grave or columbarium shall be erected or made on the lot, nor shall any human remains or animal remains whether in earthenware jars, cinerary urns or otherwise be interred therein or deposited thereon.

4. Special Condition No.(3) of the land grant provides that:

   The grantee shall develop the lot by the erection thereon of a building or buildings complying in all respects with the Conditions of the land grant and all Ordinances, bye-laws and regulations relating to building, sanitation and planning which are or may at any time be in force in Hong Kong, such building or buildings to be completed and made fit for occupation on or before the 30th day of September 2019.

5. Special Condition No.(6) of the land grant provides that :

   No tree growing on the lot or adjacent thereto shall be removed or interfered with without the prior written consent of the Director of Lands (**"the Director"**) who may, in granting consent, impose such conditions as to transplanting, compensatory landscaping or replanting as he may deem appropriate.

6. Special Condition No.(7)(a) of the land grant provides that:

   No site formation works shall be commenced on the lot or any part thereof until the landscape master plan has been approved in writing by the Director and consent, if required, has been granted in respect of the proposals for the preservation of tress under Special Condition No.(6) of the land grant.

   Special Condition No.(7)(b) of the land grant provides that:

   (i) The landscape master plan shall be at a scale of 1:500 or larger and shall contain information on the landscaping proposals including a survey and treatment of existing trees, site layout and formation levels, conceptual form of building development, illustrative layout of hard and soft landscaping areas and such other information as the Director may require.

   (ii) Not less than 30% of the area of the lot shall be planted with trees, shrubs or other plants;

   (iii) Not less than 50% of the 30% referred to in Special Condition No.(7)(b)(ii) of the land grant (**"the Greenery Area"**) shall be provided at such location or level as may be determined by the Director at his sole discretion so that the Greenery Area shall be visible to pedestrians or accessible by any person or persons entering the lot;

   (iv) The decision of the Director as to which landscaping works proposed by the grantee constitutes the 30% referred to in Special Condition No.(10)(b)(i) shall be final and binding on the grantee; and

   (v) The Director at his sole discretion may accept other non-planting features proposed by the grantee as an alternative to planting trees, shrubs or other plants.

   Special Condition No.(7)(c) of the land grant provides that:

   The grantee shall at his own expense landscape the lot in accordance with the approved landscape plan in all respects to the satisfaction of the Director, and no amendment, variation, alteration, modification or substitution of the approved landscape plan shall be made without the prior written consent of the Director.

   Special Condition No.(7)(d) of the land grant provides that:

   The grantee shall thereafter at his own expense maintain and keep the landscaped works in a safe, clean, neat, tidy and healthy condition all to the satisfaction of the Director.

7. Special Condition No.(9)(a) of the land grant provides that:

   Except with the prior written approval of the Director of Environmental Protection, no part of any building or buildings erected or to be erected on or over that portion of the lot as shown coloured pink stippled black on the plan annexed to the land grant (**"the Pink Stippled Black Area"**) shall be used for private residential purposes or any noise sensitive uses.

8. Special Condition No.(10)(a) of the land grant provides that :

   Except with the prior written consent of the Director, no building, structure, boundary wall, fence or support for any building or structure may be erected or constructed on or above the ground level of that portion of the lot as shown coloured pink hatched black on the plan annexed to the land grant (**"the Non-Building Area A"**).

9. Special Condition No.(11) of the land grant provides that:

   (a) Except with the prior written consent of the Director, no building or structure may be erected or constructed on or above the ground level of that portion of the lot as shown coloured pink hatched blue on the plan annexed to the land grant (**"the Non-Building Area B"**).

   (b) Notwithstanding anything provided under Special Condition No.(11)(a) of the land grant, a boundary fence of a height not exceeding 2 meters above the ground level may be erected or constructed within the Non-Building Area B.

10. Special Condition No.(12) of the land grant provides that:

    Notwithstanding Special Condition No.(8)(f) of the land grant and subject to Special Conditions Nos.(10) and (11) of the land grant, no building or structure erected or to be erected on or over that portion of the lot within the "75m BREEZEWAY" which lies between the orange broken lines shown and marked on the plan annexed to the land grant shall in the aggregate exceed a height of 30 metres above the ground level.

11. Special Condition No.(14)(a) of the land grant provides that:

    The grantee may erect, construct and provide within the lot such recreational facilities and facilities ancillary thereto ("the Facilities") as may be approved in writing by the Director. The type, size, design, height and disposition of the Facilities shall also be subject to the prior written approval of the Director.

    Special Condition No.(14)(c) of the land grant provides that:

    In the event that any part of the Facilities is exempted from the gross floor area calculations pursuant to Special Condition No.(14)(b) of the land grant (**"the Exempted Facilities"**):

    (i) the Exempted Facilities shall be designated as and form part of the Common Areas referred to in Special Condition No.(23)(a)(v) of the land grant;

    (ii) the grantee shall at his own expense maintain the Exempted Facilities in good and substantial repair and condition and shall operate the Exempted Facilities to the satisfaction of the Director; and

    (iii) the Exempted Facilities shall only be used by the residents of the residential block or blocks erected or to be erected on the lot and their bona fide visitors and by no other person or persons.

12. Special Condition No.(18)(a) and (b) of the land grant provides that :

The grantee shall within such time limit as specified under Special Condition No.(3) of the land grant at his own expense and in all respects to the satisfaction of the Director lay, form, provide, construct and surface such segregated pedestrian ways or paths (together with such stairs, ramps, lightings and escalators as the Director in his absolute discretion may require) for the purpose of linking up each and every building to be erected on the lot at such locations and levels of the buildings as may be required or approved by the Director and linking up all major facilities within the lot including the shops, residential blocks, open space and community facilities provided thereon at such positions, in such manner, with such materials and to such standards, levels, alignment and designs as may be required or approved by the Director (which segregated pedestrian ways or paths together with such stairs, ramps, lightings and escalators are collectively referred to as **"the Pedestrian Links"**).

Special Condition No.(18)(c) of the land grant provides that :

The grantee shall throughout the term of the land grant maintain at his own expense the Pedestrian Links in good and substantial repair and condition to the satisfaction of the Director.

13. Special Condition No.(19)(a) of the land grant provides that :

The grantee shall at his own expense and to the satisfaction of the Director provide and maintain within the lot areas of open space of not less than 2,080 square metres (**"the Private Open Space"**). The Private Open Space shall not be used for any purpose other than recreational purposes for the common use and benefit of the residents and occupiers of the residential block or blocks erected or to be erected on the lot and their bona fide guests or visitors. The Private Open Space shall be located, formed, services, landscaped, planted, provided and maintained with such equipment and facilities as the Director may require and in all respects to his satisfaction.

14. Special Condition No.(26)(a)(i) of the land grant provides that :

Spaces shall be provided within the lot to the satisfaction of the Director for the parking of motor vehicles licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation, and belonging to the residents of the building or buildings erected or to be erected on the lot and their bona fide guests, visitors or invitees (**"the Residential Parking Spaces"**) at a rate to be calculated by reference to the respective size of the residential units erected or to be erected on the lot as set out in the table in Special Condition No.(26)(a)(i) of the land grant unless the Director consents to a rate for or to a number of the Residential Parking Spaces different from those set out in the said table.

Special Condition No.(26)(a)(iii) of the land grant provides that :

If more than 75 residential units are provided in any block of residential units erected or to be erected on the lot, additional spaces for the parking of motor vehicles licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation, and belonging to the bona fide guests, visitors or invitees of the residents of the residential units in the building or buildings erected or to be erected on the lot shall be provided at a prescribed rate.

Special Condition No.(26)(a)(iv) of the land grant provides that :

The spaces provided under Special Condition Nos.(26)(a)(i) and (26)(a)(iii) of the land grant shall not be used for any purpose other than those respectively stipulated therein and in particular the said spaces shall not be used for the storage, display or exhibiting of motor vehicles for sale or otherwise or for the provision of car cleaning and beauty services.

Special Condition No.(26)(b)(i) of the land grant provides that :

Spaces shall be provided within the lot to the satisfaction of the Director for the parking of motor vehicles licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation at prescribed rates in relation to the gross floor area of the building or buildings erected or to be erected on the lot to be used for office purpose and gross floor area of the building or buildings erected or to be erected on the lot to be used for non-industrial (excluding private residential, office, hotel, godown and petrol filling station) purposes unless the Director consents to another rate.

Special Condition No.(26)(b)(iii) of the land grant provides that :

The spaces provided under Special Condition Nos.(26)(b)(i)(I) and (26)(b)(i)(II) of the land grant shall not be used for any purpose other than for the parking of motor vehicles licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation, and belonging to the occupiers of the building or buildings erected or to be erected on the lot for the respective purposes stipulated in the said Special Condition Nos.(26)(b)(i)(I) and (26)(b)(i)(II) of the land grant and their bona fide guests, visitors or invitees and in particular the said spaces shall not be used for the storage, display or exhibiting of motor vehicles for sale or otherwise or for the provision of car cleaning and beauty services.

Special Condition No.(26)(c)(i) of the land grant provides that :

Out of the spaces provided under Special Condition Nos.(26)(a)(i) and (26)(a)(iii) of the land grant, the grantee shall reserve and designate spaces for the parking of motor vehicles by disabled persons as defined in the Road Traffic Ordinance, any regulations made thereunder and any amending legislation (**"the Parking Spaces for the Disabled Persons"**), at such rate as the Building Authority may require or approve provided that a minimum of one space shall be so reserved and designated out of spaces provided under Special Condition No.(26)(a)(iii) of the land grant.

Special Condition No.(26)(c)(ii) of the land grant provides that :

The Parking Spaces of the Disabled Persons shall not be used for any purpose other than for the parking of motor vehicles by disabled persons as defined in the Road Traffic Ordinance, any regulations made thereunder and any amending legislation and belonging to the residents of the building or buildings erected or to be erected on the lot and their bona fide guests, visitors or invitees and in particular the said spaces shall not be used for the storage, display or exhibiting of motor vehicles for sale or otherwise or for the provision of car cleaning and beauty services.

Special Condition No.(26)(d)(i)(I) of the land grant provides that :

Spaces shall be provided within the lot to the satisfaction of the Director for the parking of motor cycles licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation (**"the Residential Motor Cycle Parking Spaces"**), at the prescribed rates unless the Director consents to another rate.

Special Condition No.(26)(d)(ii) of the land grant provides that :

The Residential Motor Cycle Parking Spaces shall not be used for any purpose other than for the parking of motor cycles licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation, and belonging to the residents of the residential units in the building or buildings erected or to be erected on the lot and their bona fide guests, visitors or invitees and in particular the said spaces shall not be used for the storage, display or exhibiting of motor vehicles for sale or otherwise or for the provision of car cleaning and beauty services.

Special Condition No.(26)(d)(iii) of the land grant provides that :

The spaces provided under Special Condition Nos.(26)(d)(i)(II) and (26)(d)(i)(III) of the land grant shall not be used for any purpose other than for the parking of motor cycles licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation, and belonging to the occupiers of the building or buildings erected or to be erected on the lot for the purposes stipulated in Special Condition Nos.(26)(b)(i)(I) and (26)(b)(i)(II) of the land grant and their bona fide guests, visitors or invitees and in particular the said spaces

shall not be used for the storage, display or exhibiting of motor vehicles for sale or otherwise or for the provision of car cleaning and beauty services.

Special Condition No.(26)(e) of the land grant provides that :

Spaces shall be provided within the lot to the satisfaction of the Director for the parking of bicycles belonging to the residents of the residential units in the building or buildings erected or to be erected on the lot and their bona fide guests, visitors or invitees at the prescribed rates unless the Director consents to another rate.

15. Special Condition No.(27)(a) of the land grant provides that :

Spaces shall be provided within the lot to the satisfaction of the Director for the loading and unloading of goods vehicles at the prescribed rates, and such spaces shall not be used for any purpose other than for the loading and unloading of goods vehicles in connection with the building or buildings referred to in Special Condition No.(27)(a)(i) of the land grant.

Special Condition No.(27)(b) of the land grant provides that :

Spaces shall be provided at the ground level of the lot to the satisfaction of the Director for the picking up and setting down of passengers at a prescribed rate.

16. Special Condition No.(30)(a) of the land grant provides that :

Notwithstanding that the Conditions of the land grant shall have been observed and complied with to the satisfaction of the Director, the Residential Parking Spaces and the Residential Motor Cycle Parking Spaces shall not be :

(i) assigned except

  (I) together with undivided shares in the lot giving the right of exclusive use and possession of a residential unit or units in the building or buildings erected or to be erected on the lot; or

  (II) to a person who is already the owner of undivided shares in the lot with the right of exclusive use and possession of a residential unit or units in the building or buildings erected or to be erected on the lot; or

(ii) underlet except to residents of the residential units in the building or buildings erected or to be erected on the lot.

Provided that in any event not more than three in number of the total of the Residential Parking Spaces and the Residential Motor Cycle Parking Spaces shall be assigned to the owner or underlet to the resident of any one residential unit in the building or buildings erected or to be erected on the lot.

17. Special Condition No.(32) of the land grant provides that :

The parking, loading and unloading spaces and lay-bys indicated on the car park layout plan approved by and deposited with the Director shall not be used for any purpose other than for the purposes set out respectively in Special Condition Nos.(26) and (27) of the land grant. The grantee shall maintain the parking, loading and unloading spaces, lay-bys and other areas, including but not restricted to the lifts, landings, and manoeuvring and circulation areas, in accordance with the said approved plan and shall not alter the layout except with the prior written consent of the Director. Except for the parking spaces indicated on the said approved plan, no part of the lot or any building or structure thereon shall be used for parking purposes.

18. Special Condition No.(34)(a) of the land grant provides that :

Where there is or has been any cutting away, removal or setting back of any land, or any building-up or filling-in or any slope treatment works of any kind whatsoever, whether with or without the prior written consent of the Director, either within the lot or on any Government land, which is or was done for the purpose of or in connection with the formation, levelling or development of the lot or any part thereof or any other works required to be done by the grantee under the Conditions of the land grant, or for any other purpose, the grantee shall at his own expense carry out and construct such slope treatment works, retaining walls or other support, protection, drainage or ancillary or other works as may be necessary to protect and support such land within the lot and also any adjacent or adjoining Government or leased land and to obviate and prevent any falling away, landslip or subsidence occurring thereafter. The grantee shall at all times during the term agreed to be granted by the land grant maintain at his own expense the said land, slope treatment works, retaining walls or other support, protection, drainage or ancillary or other works in good and substantial repair and condition to the satisfaction of the Director.

Special Condition No.(34)(c) of the land grant provides that :

In the event that as a result of or arising out of any formation, levelling, development or other works done by the grantee or owing to any other reason, any falling away, landslip or subsidence occurs at any time, whether in or from any land within the lot or from any adjacent or adjoining Government or leased land, the grantee shall at his own expense reinstate and make good the same to the satisfaction of the Director and shall indemnify the Government, its agents and contractors from and against all costs, charges, damages, demands and claims whatsoever which shall or may be made, suffered or incurred through or by reason of such falling away, landslip or subsidence.

Special Condition No.(34)(d) of the land grant provides that :

In addition to any other rights or remedies in the land grant provided for breach of any of the Conditions, the Director shall be entitled by notice in writing to call upon the grantee to carry out, construct and maintain the said land, slope treatment works, retaining walls, or other support, protection, and drainage or ancillary or other works or to reinstate and make good any falling away, landslip or subsidence, and if the grantee shall neglect or fail to comply with the notice to the satisfaction to the Director within the period specified therein, the Director may forthwith execute and carry out any necessary works and the grantee shall on demand repay to the Government the cost thereof, together with any administrative and professional fees and charges.

19. Special Condition No.(36) of the land grant provides that :

Where prestressed ground anchors have been installed, upon development or redevelopment of the lot or any part thereof, the grantee shall at his own expense carry out regular maintenance and regular monitoring of the prestressed ground anchors throughout their service life to the satisfaction of the Director and shall supply to the Director such reports and information on all such monitoring works as the Director may from time to time in his absolute discretion require. If the grantee shall neglect or fail to carry out the required monitoring works, the Director may forthwith execute and carry out the monitoring works and the grantee shall on demand pay to the Government the cost thereof.

20. Special Condition No.(38) of the land grant provides that :

The grantee shall take or cause to be taken all proper and adequate care, skill and precautions at all times, and particularly when carrying out construction, maintenance, renewal or repair work (**"the Works"**), to avoid causing any damage, disturbance or obstruction to any Government or other existing drain, waterway or watercourse, water main, road, footpath, street furniture, sewer, nullah, pipe, cable, wire, utility service or any other works or installations being or running upon, over, under or adjacent to the lot or any part thereof (collectively **"the Services"**). The grantee shall prior to carrying out any of the Works make or cause to be made such proper search and enquiry as may be necessary to ascertain the present position and levels of the Services, and shall submit his proposals for dealing with any of the Services which may be affected by the Works in writing to the Director for his approval in all respects, and shall not carry out any work whatsoever until the Director shall have given his written approval to the Works and to such aforesaid proposals. The grantee shall comply with and at his own expense meet any requirements which may be imposed by the Director in respect of the Services in granting the aforesaid approval, including the cost of any necessary diversion, relaying or reinstatement. The grantee shall at his own expense in all respects repair, make good and reinstate to the satisfaction of the Director any

damage, disturbance or obstruction caused to the lot or any of the Services in any manner arising out of the Works (except for nullah, sewer, storm-water drain or water main, the making good of which shall be carried out by the Director, unless the Director elects otherwise, and the grantee shall pay to the Government on demand the cost of such works). If the grantee fails to carry out any such necessary diversion, relaying, repairing, making good and reinstatement of the lot or any part thereof or of any of the Services to the satisfaction of the Director, the Director may carry out any such diversion, relaying, repairing, making good or reinstatement as he considers necessary and the grantee shall pay to the Government on demand the cost of such works.

21. Special Condition No.(39)(a) of the land grant provides that:

The grantee shall construct and maintain at his own expense and to the satisfaction of the Director such drains and channels, whether within the boundaries of the lot or on Government land, as the Director may consider necessary to intercept and convey into the nearest stream-course, catchpit, channel or Government storm-water drain all storm-water or rain-water falling or flowing on to the lot and the grantee shall be solely liable for and shall indemnify the Government and its officers from and against all actions, claims and demands arising out of any damage or nuisance caused by such storm-water or rain-water.

Special Condition No.(39)(b) of the land grant provides that:

The works of connecting any drains and sewers from the lot to the Government storm-water drains and sewers, when laid and commissioned, may be carried out by the Director who shall not be liable to the grantee for any loss or damage thereby occasioned and the grantee shall pay to the Government on demand the cost of such connection works. Alternatively, the said connection works may be carried out by the grantee at his own expense to the satisfaction of the Director and in such case any section of the said connection works which is constructed within Government land shall be maintained by the grantee at his own cost and upon demand be handed over by the grantee to the Government for future maintenance thereof at the expense of the Government and the grantee shall pay to the Government on demand the cost of the technical audit in respect of the said connection works. The Director may, upon failure of the grantee to maintain any section of the said connection works which is constructed within Government land, carry out such maintenance works as he considers necessary and the grantee shall pay to the Government on demand the cost of such works.

Remarks:

The expression "grantee" as mentioned in this section means the grantee under the land grant and where the context so admits or requires includes his executors, administrators and assigns and in case of a corporation its successors and assigns.

1. 該發展項目所在土地的地段編號：將軍澳市地段第126號（「**該地段**」）。

2. 新批地條件編號第21630號（「**批地文件**」）規定的年期：由2013年8月8日開始，為期50年。

3. 適用於該土地的用途限制

批地文件特別條款第(4)(a)條規定：

該地段或其任何部份或現已或將會建於該處的任何建築物或其任何部分，只能用作非工業用途（不包括貨倉、酒店及加油站）。

批地文件特別條款第(40)條規定：

不可在該地段豎立或建造墳墓或骨灰甕安置所，亦不可在該地段以陶罐、骨灰甕或其他形式安葬或存放任何人類骸骨或動物骸骨。

4. 批地文件特別條款第(3)條規定：

承批人通過興建在各方面符合批地文件的條件和與建築、衞生及規劃相關的、現時或於任何時候有效的所有條例、則例及規例的建築物或建築群以發展該地段，此建築物或建築群須於2019年9月30日之前完工並適合於佔用。

5. 批地文件特別條款第(6)條規定：

在沒有地政總署署長（「**署長**」）事前書面批出的同意的情況下，不得移除或干涉該地段上或鄰近該地段生長的樹木，署長於批出同意書時可按其認為適當的情況施加諸如移栽、補償美化環境或重新栽種的條件。

6. 批地文件特別條款第(7)(a)條規定：

在園景設計總圖獲署長書面批准及（如有需要）按批地文件特別條款第(6)條的樹木保育建議已獲同意前，不得於該地段或其任何部分開展地盤平整工程。

批地文件特別條款第(7)(b)條規定：

(i) 園景設計總圖須按最小1:500之比例繪製及包含現存樹木的測量及護理、工地圖樣及平整水平、樓宇發展的概念形態，及硬景園景範圍及軟景園景範圍的示意發展藍圖等有關園景設計建議的資料，及其他署長所要求的資料。

(ii) 該地段不少於30%的面積須種植樹木、灌木或其他植物；

(iii) 批地文件特別條款第(10)(b)(i)所述的30%其中不少於50%的部分（「**綠化區**」）須按照由署長自行酌情決定的位置或水平提供，以便該綠化區能被行人看見或讓進入該地段的人們可以進入；

(iv) 署長有關承批人所提議之那些環境美化工程構成特別條款第(10)(b)(i)所述的30%的決定，是最終並對承批人有約束力；及

(v) 署長可以自行酌情接受承批人以其他非植物替代種植樹木、灌木或其他植物的提議。

批地文件特別條款第(7)(c)條規定：

承批人須按照經審批的園景設計圖自費在該地段進行園景工程以全面令署長滿意，在沒有署長事前的書面同意的情況下，則不得修訂、變化、改變，修改或替換經審批的園景設計圖。

批地文件特別條款第(7)(d)條規定：

承批人此後須自費維護並保持園景工程處於一個安全、清潔、整齊、整潔及健康的狀況以全面令署長滿意。

7. 批地文件特別條款第(9)(a)條規定：

除非在環境保護署署長事前書面同意的情況下，在批地文件附帶的圖則上以粉紅色綴黑點表明的土地部分（「**粉紅色綴黑點範圍**」）興建的建築物或建築群之任何部分不得用作私人住宅目的或任何對噪音敏感的用途。

8. 批地文件特別條款第(10)(a)條規定：

除獲得署長的事前書面同意外，不得於批地文件附帶的圖則上以粉紅色加黑斜線標明的該地段地面層或以上土地部分（「**非建築用地A**」）興建或建造建築物、構築物、邊界牆、柵欄或任何建築物或構築物之支架。

9. 批地文件特別條款第(11)條規定：

(a) 除獲得署長的事前書面同意外，不得於批地文件附帶的圖則上以粉紅色加藍斜線標明的該地段地面層或以上土地部分（「**非建築用地B**」）興建或建造建築物或構築物。

(b) 儘管批地文件特別條款第(11)(a)條另有規定，可於非建築用地B內興建或建造不高於地面層以上2米的邊界柵欄。

10. 批地文件特別條款第(12)條規定：

儘管批地文件特別條款第(8)(f)條另有規定，及受批地文件特別條款第(8)及第(10)條所限，於批地文件附帶的圖則上橙色虛線範圍內標明為「75米通風廊」的該地段的部分上或之上興建或擬興建的建築物或構築物總高度不得超過地面層以上30米。

11. 批地文件特別條款第(14)(a)條規定：

承批人可在該地段內興建、建造及提供署長書面批准的康樂設施及相應輔助設施（「**康樂設施**」）。康樂設施的種類、大小、設計、高度及佈置須根據署長的事前書面同意。

批地文件特別條款第(14)(c)條規定：

當康樂設施任何部分根據批地文件特別條款第(14)(b)條從總樓面面積計算中豁免（「**受豁免設施**」）的情況下：

(i) 受豁免設施須被指定為並構成批地文件特別條款(23)(a)(v)條所述之公用部份的一部分；

(ii) 承批人須自費保養受豁免設施使之於良好及堅固的維修和狀態，承批人還須以令署長滿意之標準運作豁免設施；及

(iii) 受豁免設施只可供該地段上已興建或將要興建的住宅大廈之住客及其真正的訪客使用，其他人等不可使用。

12. 批地文件特別條款第(18)(a)和(b)條規定：

承批人須在批地文件特別條款第(3)條規定的時間內自費及在各方面令署長滿意鋪設、塑造、提供、建造及整飾表面分隔行人通道或路徑（連同署長以其絕對的酌情權認為需要的此類樓梯、斜道、照明及自動扶手電梯），以署長要求或批准的位置及水平、方式、物料、標準、定線及設計，用以連接該地段上將興建的各個建築物，及該地段內包括商店、住宅大廈、休憩空間及社區設施在內的所有主要設施（該分隔行人通道或路徑連同該等樓梯、斜道、照明及扶手電梯統稱為「**行人接駁設施**」）。

批地文件特別條款第(18)(c)條規定：

承批人須於整個批地年期期間自費保養行人接駁設施使之於良好及堅固的維修和狀態，並令署長滿意。

13. 批地文件特別條款第(19)(a)條規定：

承批人須自費及令署長滿意在該地段範圍內提供及保養不少於2,080平方米的休憩空間（「**私人休憩空間**」）。私人休憩空間須被用作康樂目的，僅服務於該地段上已興建或將興建住宅大廈之住客及佔用人和其真正賓客或訪客的共同使用及利益，不得用作其他目的。私人休憩空間及有關裝備及設施須以按署長的要求進行安置、塑造、服務、園景美化、種植、提供及保養並在各方面令署長滿意。

14. 批地文件特別條款第(26)(a)(i)條規定：

須按特定比率在該地段內提供車位以停泊依道路交通條例、其任何下屬規例及任何修訂法例獲發牌並屬於該地段上興建或將興建建築物之住客及其真正賓客、訪客或所邀請者的汽車（「**住客車位**」），以令署長滿意。有關比率的計算參照根據批地文件特別條款第(26)(a)(i)條所列出的表格內該地段上興建或將興建住宅單位各自的面積計算，除非署長同意其他比率或不同於前述表格所列的住客車位的數目。

批地文件特別條款第(26)(a)(iii)條規定：

如果該地段上已興建或將興建的大廈提供超過75個住宅單位，額外的車位須按規定的比率提供，以停泊依道路交通條例、其任何下屬規例及任何修訂法例獲發牌，並屬於該地段上興建或將興建建築物之住宅單位的住客及其真正賓客、訪客或所邀請者的汽車。

批地文件特別條款第(26)(a)(iv)條規定：

依據批地文件特別條款第(26)(a)(i)及(26)(a)(iii)條提供的車位只能用作分別規定的用途並不可作其他用途，前述車位尤其不得用於儲存、展示或展出供出售或其他用途的汽車或用於提供車輛清潔及美容服務。

批地文件特別條款第(26)(b)(i)條規定：

須按特定比率在該地段內提供車位以停泊依道路交通條例、其任何下屬規例及任何修訂法例獲發牌的汽車，以令署長滿意，有關比率需參照該地段上興建或將興建用作辦公用途的建築物的總樓面面積以及該地段上興建或將興建用作非工業用途（不包括私人住宅、辦公室、酒店、貨倉及加油站）的建築物的總樓面面積，除非署長同意採用另一個比率。

批地文件特別條款第(26)(b)(iii)條規定：

依據批地文件特別條款第(26)(b)(i)(I)及(26)(b)(i)(II)條提供的車位只能用作停泊依道路交通條例、其任何下屬規例及任何修訂法例獲發牌並為屬於該地段上興建或將興建建築物之佔用人及其真正賓客、訪客或所邀請者的汽車以作批地文件特別條款第(26)(b)(i)(I)及(26)(b)(i)(II)條所分別規定之用途並不可作其他用途，前述車位尤其不得用於儲存、展示或展出供出售或其他用途的汽車或用於提供車輛清潔及美容服務。

批地文件特別條款第(26)(c)(i)條規定：

在依據批地文件特別條款第(26)(a)(i)及(26)(a)(iii)條提供的車位內，承批人須預留及指定車位用作停泊於道路交通條例、其任何下屬規例及任何修訂法例中定義的傷殘人士的汽車（「**傷殘人士專用車位**」），傷殘人士專用車位需符合建築事務監督要求或批准的比率，但須在依據批地文件特別條款第(26)(a)(iii)條提供的車位中預留及指定最少一個此類車位。

批地文件特別條款第(26)(c)(ii)條規定：

傷殘人士專用車位只能用作停泊於道路交通條例、其任何下屬規例及任何修訂法例中定義的屬於傷殘人士的、並屬於該地段上興建或將興建建築物之住客及其真正賓客、訪客或所邀請者的汽車並不可作其他用途，前述車位尤其不得用於儲存、展示或展出供出售或其他用途的汽車或用於提供車輛清潔及美容服務。

批地文件特別條款第(26)(d)(i)(I)條規定：

須按特定比率在該地段內提供車位以停泊依道路交通條例、其任何下屬規例及任何修訂法例獲發牌的電單車（「**住客電單車車位**」），以令署長滿意，除署長同意外不得改用另一比率。

批地文件特別條款第(26)(d)(ii)條規定：

住客電單車車位只能用作停泊依道路交通條例、其任何下屬規例及任何修訂法例獲發牌並屬於該地段上興建或將興建建築物之住宅物業的住客及其真正賓客、訪客或所邀請者的電單車並不可作其他用途，前述車位尤其不得用於儲存、展示或展出供出售或其他用途的汽車或用於提供車輛清潔及美容服務。

批地文件特別條款第(26)(d)(iii)條規定：

依據批地文件特別條款第(26)(d)(i)(II)及(26)(d)(i)(III)條提供的車位只能用作停泊依道路交通條例、其任何下屬規例及任何修訂法例獲發牌並為屬於該地段上興建或將興建建築物之佔用人及其真正賓客、訪客或所邀請者的電單車用作批地文件特別條款第(26)(b)(i)(I)及(26)(b)(i)(II)條所分別規定之用途，前述車位不得用於儲存、展示或展出供出售或其他用途的汽車或用於提供車輛清潔及美容服務。

批地文件特別條款第(26)(e)條規定：

須按特定比率在該地段內提供車位以停泊屬於該地段上興建或將興建建築物之住客及其真正賓客、訪客或所邀請者的單車，以令署長滿意，除署長同意改用另一比率。

15. 批地文件特別條款第(27)(a)條規定：

須按特定比率在該地段內提供車位以供貨車上落貨物，以令署長滿意，此類車位不得用作除與有關批地文件特別條款第(27)(a)(i)條所述建築物或建築群的貨車上落貨物之外的任何用途。

批地文件特別條款第(27)(b)條規定：

該地段地面層須按特定比率提供車位讓乘客上落，以令署長滿意。

16. 批地文件特別條款第(30)(a)條規定：

縱然批地文件的各項條件都已被遵守及依從並令署長滿意，住客車位和住客電單車車位不得：

(i) 轉讓，除非

(I) 連同該地段內的不分割份數及獨家使用及管有該地段上已興建或將興建建築物或建築群內一個或多個住宅單位的權利；或

(II) 轉讓予已經是該地段內不分割份數及獨家使用及管有該地段上已興建或將興建建築物或建築群內一個或多個住宅單位的業主之人士；或

(ii) 分租，除非分租予該地段上已興建或將興建建築物或建築群內住宅單位的住客住宅單位的業主或住戶。

但是在任何情況下不得轉讓或分租總數超過3個住客車位及住客電單車位給予該地段已興建或將興建建築物或建築群內任何一個住宅單位的業主或住戶。

17. 批地文件特別條款第(32)條規定：

經署長批准及存放於署長處的停車場佈局圖上標示的泊車位、上落貨物車位及路邊停車位不得用作任何於批地文件特別條款第(26)及(27)條分別列明之用途以外的用途。承批人須按照前述佈局圖保養該等泊車位、上落貨物車位、路邊停車位及包括但不限於升降機、樓梯平臺和迴旋及循環區域的其他區域，除有署長批出的事前書面同意外不得變更規劃。

除在前述經批准的佈局圖上標示為泊車位的位置外，該地段或其上任何建築物或構築物的任何部分不得用作泊車用途。

18. 批地文件特別條款第(34)(a)條規定：

如該地段或任何政府土地現時或以往曾經配合或因應該地段或其任何部份的塑造、平整或發展事宜或批地文件規定承批人執行的其他工程或作其他用途而進行切割、移土或土地後移工程，或建造或填土工程或任何類型的斜坡處理工程，不論事前是否獲署長書面同意，承批人亦須按需要自費進行及建造斜坡處理工程、護土牆或其他支承結構、防護結構、排水或輔助或其他工程，以保護及支撐該地段內的土地和任何毗連或毗鄰政府土地或已批租土地，同時避免及防止其後發生滑土、山泥傾瀉或地陷。承批人須在批地文件授予的整個租期期間自費維修上述土地、斜坡處理工程、護土牆或其他支承結構、防護結構、排水或附屬或其他工程，以保持其維修充足及狀態良好，令署長滿意。

批地文件特別條款第(34)(c)條規定：

無論何時，如因承批人進行塑造、平整、發展或其他工程或因其他原因導致或引起該地段內的土地或自任何毗連或毗鄰政府土地或已批租土地發生滑土、山泥傾瀉或地陷，承批人須自費還原並修葺該處，以令署長滿意，同時賠償政府、其代理及承辦商因上述滑土、山泥傾瀉或地陷蒙受、招致或引致的所有費用、收費、損害、索求及索償。

批地文件特別條款第(34)(d)條規定：

除享有批地文件訂明可就違反批地文件條件之任何其他權利或濟助外，署長有權向承批人發出書面通知，要求承批人進行、建造及維修上述土地、斜坡處理工程、護土牆、或其他支承結構、防護結構、及排水或輔助或其他工程，又或還原並修葺任何滑土、山泥傾瀉或地陷。如承批人疏忽或未能於通知書訂明的期限內以署長滿意的方式履行通知書的要求，署長可即時執行及進行必要工程。承批人必須在接獲通知時向政府償還有關費用，以及任何行政及專業費用與收費。

19. 批地文件特別條款第(36)條規定：

如果在開發或重建該地段或其中任何部分時已安裝預應力地樁，承批人須自費在預應力地樁的服務年限期間定期保養與檢查預應力地樁，使署長滿意，並在署長可不時自行絕對酌情要求時提供上述檢驗工程的報告和資料給署長。如果承批人不理會或未能進行上述要求的檢查工程，署長可立即執行與進行該檢查工程，而承批人須在要求時歸還政府因此產生的費用。

20. 批地文件特別條款第(38)條規定：

承批人須在任何時候，特別是進行建築、保養、翻新或維修工程（「**工程**」）期間，採取或促使他人採取一切適當及足夠的照料、技巧及預防措施，避免對該地段或其中部分之上、上面、之下或毗鄰的任何政府或其他現有的排水渠、水路或水道、總水喉、道路、行人路、街道設施、污水渠、明渠、管道、電纜、電線、公用事業服務或任何其他工程或裝置（統稱「**服務**」）造成任何損壞、干擾或阻塞。承批人在進行上述任何工程之前必須進行或促使他人進行必要的適當勘測及瞭解，確定任何服務的現在位置及水平，並提交處理任何可受工程影響的服務一切方面的書面建議給署長，供他全面審批和必須在取得署長對工程及上述建議作出的書面批准後才能進行該等工程。承批人須履行署長在給予前述批准對服務的任何要求和承擔符合該等要求支出的費用，包括必要的改道、重鋪或修復的費用。承批人必須自費全面維修、彌補及修復工程對該地段或任何服務造成的任何損壞、干擾或阻塞（除非署長另作選擇，明渠、污水渠、雨水渠或總水喉由署長進行修復，承批人須在要求時向政府支付該等工程費用），使署長滿意。如果承批人未能對該地段或其中部分或任何服務進行上述必要的改道、重鋪、維修、彌補及修復工程，使署長滿意，署長可進行他認為必要的上述改道、重鋪、維修、彌補或修復工程，承批人須在要求時向政府支付該等工程的費用。

21. 批地文件特別條款第(39)(a)條規定：

承批人須自費建造及保養不論是否在該地段邊界內或政府土地上署長認為必要的排水渠及渠道，並使署長滿意，以便截斷與引導落下或流至該地段的一切暴雨或雨水到最接近的河道、集水井、渠道或政府雨水渠。承批人須對上述暴雨或雨水造成的任何損壞或滋擾而導致的一切訴訟、索償及要求自行負責並向政府及其官員作出彌償。

批地文件特別條款第(39)(b)條規定：

連接任何由該地段至政府雨水渠及污水渠的排水渠及污水渠之工程（當已鋪設或委託鋪設）可由署長履行，惟因而引致的任何損失或損害署長不須向承批人負責，而承批人須於政府提出索求時繳付予政府該等連接工程之費用。另一選擇是該等連接工程可由承批人自費進行使署長滿意及在此情況時，任何建築於政府土地之連接工程部份須由承批人自費保養，並須於政府提出索求時由承批人交予政府由政府日後出資保養，而承批人須於政府提出索求時繳付予政府有關該等連接工程之技術審核費用。署長可於承批人未有保養建築於政府土地該等連接工程的任何部份時，進行其認為有需要之保養工程，而承批人須於政府提出索求時繳付予政府該等工程之費用。

備註：

本節中提述「承批人」一詞指根據批地文件中的承批人和如文意允許或要求的情況下包括其遺囑執行人、遺產管理人、承讓人及（如為法團）其繼承人及承讓人。

A. FACILITIES THAT ARE REQUIRED UNDER THE LAND GRANT TO BE CONSTRUCTED AND PROVIDED FOR THE GOVERNMENT, OR FOR PUBLIC USE

Not Applicable

B. FACILITIES THAT ARE REQUIRED UNDER THE LAND GRANT TO BE MANAGED, OPERATED OR MAINTAINED FOR PUBLIC USE AT THE EXPENSE OF THE OWNERS OF THE RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

Not Applicable

C. OPEN SPACE THAT IS REQUIRED UNDER THE LAND GRANT TO BE MANAGED, OPERATED OR MAINTAINED FOR PUBLIC USE AT THE EXPENSE OF THE OWNERS OF THE RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

Not Applicable

D. PART OF THE LAND (ON WHICH THE DEVELOPMENT IS SITUATED) THAT IS DEDICATED TO THE PUBLIC FOR THE PURPOSES OF REGULATION 22(1) OF THE BUILDING (PLANNING) REGULATIONS (CAP.123 SUB. LEG. F)

Not Applicable

A. 根據批地文件規定須興建並提供予政府或供公眾使用的設施

不適用

B. 根據批地文件規定須由發展項目中的住宅物業的擁有人出資管理、營運或維持以供公眾使用的設施

不適用

C. 根據批地文件規定須由發展項目中的住宅物業的擁有人出資管理、營運或維持以供公眾使用的任何休憩用地的大小

不適用

D. 發展項目所位於的土地中為施行《建築物(規劃)規例》(第123章，附屬法例F)第22(1)條而撥供公眾用途的任何部分

不適用

a) The purchaser is hereby recommended to instruct a separate firm of solicitors (other than that acting for the owner) to act for the purchaser in relation to the transaction.

b) If the purchaser instructs such separate firm of solicitors to act for the purchaser in relation to the transaction, that firm will be able to give independent advice to the purchaser.

c) If the purchaser instructs the firm of solicitors acting for the owner to act for the purchaser as well, and a conflict of interest arises between the owner and the purchaser:

   (i) that firm may not be able to protect the purchaser's interests; and

   (ii) the purchaser may have to instruct a separate firm of solicitors.

d) In the case of paragraph (c)(ii) above, the total solicitors' fees payable by the purchaser may be higher than the fees that would have been payable if the purchaser had instructed a separate firm of solicitors in the first place.

a) 謹此建議買方聘用一間獨立的律師事務所(代表擁有人行事者除外),以在交易中代表買方行事。

b) 如買方聘用上述的獨立的律師事務所,以在交易中代表買方行事,該律師事務所將會能夠向買方提供獨立意見 。

c) 如買方聘用代表擁有人行事的律師事務所同時代表買方行事,而擁有人與買方之間出現利益衝突:

   (i) 該律師事務所可能不能夠保障買方的利益;及

   (ii) 買方可能要聘用一間獨立的律師事務所。

d) 如屬上述(c)(ii)段的情況,買方須支付的律師費用總數,可能高於如買方自一開始即聘用一間獨立的律師事務所便須支付的費用。

Cross Section Plan V1
橫截面圖V1



Cross Section Plan V2
橫截面圖V2



Key Plan
索引圖



- The part of footpath adjacent to Villa 1 is 5.590* metres above Hong Kong Principal Datum.
  毗連1號洋房的一段行人路為香港主水平基準以上5.590*米。
- The part of emergency vehicular access/driveway adjacent to Villa 1 is 7.800 metres above Hong Kong Principal Datum.
  毗連1號洋房的一段緊急車輛通道/車路為香港主水平基準以上7.800米。
- * The mPD levels shown on cross section plans are based on the survey as certified by the chartered land surveyor, Helen Chan Professional Land Survey Ltd. on 28 September 2016.
  按特許測量師陳婉琪測量師行有限公司於2016年9月28日所核實之水平基準製圖。

- The part of footpath adjacent to Villa 2 is 5.640* to 5.790* metres above Hong Kong Principal Datum.
  毗連2號洋房的一段行人路為香港主水平基準以上5.640*米至5.790*米。
- The part of emergency vehicular access/driveway adjacent to Villa 2 is 7.800 metres above Hong Kong Principal Datum.
  毗連2號洋房的一段緊急車輛通道/車路為香港主水平基準以上7.800米。
- * The mPD levels shown on cross section plans are based on the survey as certified by the chartered land surveyor, Helen Chan Professional Land Survey Ltd. on 28 September 2016.
  按特許測量師陳婉琪測量師行有限公司於2016年9月28日所核實之水平基準製圖。

Legend 圖例

▽ Height in metres above Hong Kong Principal Datum (HKPD).
香港主水平基準以上高度(米)。

----- Dotted line denotes the lowest residential floor of the building.
虛線為該建築物最低住宅樓層水平。

Cross Section Plan V3
橫截面圖V3



Cross Section Plan V5
橫截面圖V5



Key Plan
索引圖



- The part of footpath adjacent to Villa 3 is 5.790* to 5.840* metres above Hong Kong Principal Datum.
  毗連3號洋房的一段行人路為香港主水平基準以上5.790*米至5.840*米。
- The part of emergency vehicular access/driveway adjacent to Villa 3 is 7.800 metres above Hong Kong Principal Datum.
  毗連3號洋房的一段緊急車輛通道/車路為香港主水平基準以上7.800米。

* The mPD levels shown on cross section plans are based on the survey as certified by the chartered land surveyor, Helen Chan Professional Land Survey Ltd. on 28 September 2016.
按特許測量師陳婉琪測量師行有限公司於2016年9月28日所核實之水平基準製圖。

- The part of footpath adjacent to Villa 5 is 5.780* to 6.000* metres above Hong Kong Principal Datum.
  毗連5號洋房的一段行人路為香港主水平基準以上5.780*米至6.000*米。
- The part of the emergency vehicular access/driveway adjacent to Villa 5 is 7.800 metres above Hong Kong Principal Datum.
  毗連5號洋房的一段緊急車輛通道/車路為香港主水平基準以上7.800米。

* The mPD levels shown on cross section plans are based on the survey as certified by the chartered land surveyor, Helen Chan Professional Land Survey Ltd. on 28 September 2016.
按特許測量師陳婉琪測量師行有限公司於2016年9月28日所核實之水平基準製圖。

Legend 圖例

▽ Height in metres above Hong Kong Principal Datum (HKPD).
香港主水平基準以上高度(米)。

----- Dotted line denotes the lowest residential floor of the building.
虛線為該建築物最低住宅樓層水平。

CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT
發展項目中的建築物的橫截面圖

Cross Section Plan V6
橫截面圖V6



Cross Section Plan V7
橫截面圖V7



Key Plan
索引圖



- The part of footpath adjacent to Villa 6 is 6.020* to 6.090* metres above Hong Kong Principal Datum.
  毗連6號洋房的一段行人路為香港主水平基準以上6.020*米至6.090*米。
- The part of the emergency vehicular access/driveway adjacent to Villa 6 is 7.800 metres above Hong Kong Principal Datum.
  毗連6號洋房的一段緊急車輛通道/車路為香港主水平基準以上7.800米。

* The mPD levels shown on cross section plans are based on the survey as certified by the chartered land surveyor, Helen Chan Professional Land Survey Ltd. on 28 September 2016.
按特許測量師陳婉琪測量師行有限公司於2016年9月28日所核實之水平基準製圖。

- The part of footpath adjacent to Villa 7 is 6.220* metres above Hong Kong Principal Datum.
  毗連7號洋房的一段行人路為香港主水平基準以上6.220*米。
- The part of the emergency vehicular access/driveway adjacent to Villa 7 is 7.800 metres above Hong Kong Principal Datum.
  毗連7號洋房的一段緊急車輛通道/車路為香港主水平基準以上7.800米。

* The mPD levels shown on cross section plans are based on the survey as certified by the chartered land surveyor, Helen Chan Professional Land Survey Ltd. on 28 September 2016.
按特許測量師陳婉琪測量師行有限公司於2016年9月28日所核實之水平基準製圖。

Legend 圖例

▽ Height in metres above Hong Kong Principal Datum (HKPD).
香港主水平基準以上高度(米)。

----- Dotted line denotes the lowest residential floor of the building.
虛線為該建築物最低住宅樓層水平。

Cross Section Plan V8
橫截面圖V8



Cross Section Plan V9
橫截面圖V9



Key Plan
索引圖



- The part of footpath adjacent to Villa 8 is 6.280* to 6.390* metres above Hong Kong Principal Datum.
  毗連8號洋房的一段行人路為香港主水平基準以上6.280*米至6.390*米。
- The part of the emergency vehicular access/driveway adjacent to Villa 8 is 7.800 metres above Hong Kong Principal Datum.
  毗連8號洋房的一段緊急車輛通道/車路為香港主水平基準以上7.800米。
* The mPD levels shown on cross section plans are based on the survey as certified by the chartered land surveyor, Helen Chan Professional Land Survey Ltd. on 28 September 2016.
  按特許測量師陳婉琪測量師行有限公司於2016年9月28日所核實之水平基準製圖。

- The part of footpath adjacent to Villa 9 is 6.390* to 6.420* metres above Hong Kong Principal Datum.
  毗連9號洋房的一段行人路為香港主水平基準以上6.390*米至6.420*米。
- The part of the emergency vehicular access/driveway adjacent to Villa 9 is 7.800 metres above Hong Kong Principal Datum.
  毗連9號洋房的一段緊急車輛通道/車路為香港主水平基準以上7.800米。
* The mPD levels shown on cross section plans are based on the survey as certified by the chartered land surveyor, Helen Chan Professional Land Survey Ltd. on 28 September 2016.
  按特許測量師陳婉琪測量師行有限公司於2016年9月28日所核實之水平基準製圖。

Legend 圖例

▽ Height in metres above Hong Kong Principal Datum (HKPD).
  香港主水平基準以上高度(米)。
----- Dotted line denotes the lowest residential floor of the building.
  虛線為該建築物最低住宅樓層水平。

CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT
發展項目中的建築物的橫截面圖

Cross Section Plan V10
橫截面圖V10



Cross Section Plan V11
橫截面圖V11



Key Plan
索引圖



- The part of footpath adjacent to Villa 10 is 6.420* to 6.510* metres above Hong Kong Principal Datum.
  毗連10號洋房的一段行人路為香港主水平基準以上6.420*米至6.510*米。
- The part of the emergency vehicular access/driveway adjacent to Villa 10 is 7.800 metres above Hong Kong Principal Datum.
  毗連10號洋房的一段緊急車輛通道/車路為香港主水平基準以上7.800米。
* The mPD levels shown on cross section plans are based on the survey as certified by the chartered land surveyor, Helen Chan Professional Land Survey Ltd. on 28 September 2016.
  按特許測量師陳婉琪測量師行有限公司於2016年9月28日所核實之水平基準製圖。

- The part of footpath adjacent to Villa 11 is 6.370* to 6.400* metres above Hong Kong Principal Datum.
  毗連11號洋房的一段行人路為香港主水平基準以上6.370*米至6.400*米。
- The part of the emergency vehicular access/driveway adjacent to Villa 11 is 7.800 metres above Hong Kong Principal Datum.
  毗連11號洋房的一段緊急車輛通道/車路為香港主水平基準以上7.800米。
* The mPD levels shown on cross section plans are based on the survey as certified by the chartered land surveyor, Helen Chan Professional Land Survey Ltd. on 28 September 2016.
  按特許測量師陳婉琪測量師行有限公司於2016年9月28日所核實之水平基準製圖。

Legend 圖例

▽ Height in metres above Hong Kong Principal Datum (HKPD).
香港主水平基準以上高度(米)。

----- Dotted line denotes the lowest residential floor of the building.
虛線為該建築物最低住宅樓層水平。

CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT
發展項目中的建築物的橫截面圖

Cross Section Plan V12
橫截面圖V12



Cross Section Plan V15
橫截面圖V15



Key Plan
索引圖



- The part of footpath adjacent to Villa 12 is 6.350* to 6.370* metres above Hong Kong Principal Datum.
  毗連12號洋房的一段行人路為香港主水平基準以上6.350*米至6.370*米。
- The part of the emergency vehicular access/driveway adjacent to Villa 12 is 7.800 metres above Hong Kong Principal Datum.
  毗連12號洋房的一段緊急車輛通道/車路為香港主水平基準以上7.800米。
- * The mPD levels shown on cross section plans are based on the survey as certified by the chartered land surveyor, Helen Chan Professional Land Survey Ltd. on 28 September 2016.
  按特許測量師陳婉琪測量師行有限公司於2016年9月28日所核實之水平基準製圖。

- The part of footpath adjacent to Villa 15 is 6.290* to 6.320* metres above Hong Kong Principal Datum.
  毗連15號洋房的一段行人路為香港主水平基準以上6.290*米至6.320*米。
- The part of the emergency vehicular access/driveway adjacent to Villa 15 is 7.800 metres above Hong Kong Principal Datum.
  毗連15號洋房的一段緊急車輛通道/車路為香港主水平基準以上7.800米。
- * The mPD levels shown on cross section plans are based on the survey as certified by the chartered land surveyor, Helen Chan Professional Land Survey Ltd. on 28 September 2016.
  按特許測量師陳婉琪測量師行有限公司於2016年9月28日所核實之水平基準製圖。

Legend 圖例

- ▽ Height in metres above Hong Kong Principal Datum (HKPD).
  香港主水平基準以上高度(米)。
- ----- Dotted line denotes the lowest residential floor of the building.
  虛線為該建築物最低住宅樓層水平。

CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT
發展項目中的建築物的橫截面圖

Cross Section Plan V16
橫截面圖V16



Cross Section Plan V17
橫截面圖V17



Key Plan
索引圖



- The part of footpath adjacent to Villa 16 is 6.170* to 6.200* metres above Hong Kong Principal Datum.
  毗連16號洋房的一段行人路為香港主水平基準以上6.170*米至6.200*米。
- The part of the emergency vehicular access/driveway adjacent to Villa 16 is 7.800 metres above Hong Kong Principal Datum.
  毗連16號洋房的一段緊急車輛通道/車路為香港主水平基準以上7.800米。
- * The mPD levels shown on cross section plans are based on the survey as certified by the chartered land surveyor, Helen Chan Professional Land Survey Ltd. on 28 September 2016.
  按特許測量師陳婉琪測量師行有限公司於2016年9月28日所核實之水平基準製圖。

- The part of footpath adjacent to Villa 17 is 6.020* to 6.170* metres above Hong Kong Principal Datum.
  毗連17號洋房的一段行人路為香港主水平基準以上6.020*米至6.170*米。
- The part of the emergency vehicular access/driveway adjacent to Villa 17 is 7.800 metres above Hong Kong Principal Datum.
  毗連17號洋房的一段緊急車輛通道/車路為香港主水平基準以上7.800米。
- * The mPD levels shown on cross section plans are based on the survey as certified by the chartered land surveyor, Helen Chan Professional Land Survey Ltd. on 28 September 2016.
  按特許測量師陳婉琪測量師行有限公司於2016年9月28日所核實之水平基準製圖。

Legend 圖例

- ▽ Height in metres above Hong Kong Principal Datum (HKPD).
  香港主水平基準以上高度(米)。
- ----- Dotted line denotes the lowest residential floor of the building.
  虛線為該建築物最低住宅樓層水平。

Cross Section Plan VA
橫截面圖VA



Cross Section Plan VB
橫截面圖VB



Key Plan
索引圖



- The part of the emergency vehicular access/driveway adjacent to Villa A,B,E,F&G is 7.800 metres above Hong Kong Principal Datum.
  毗連A,B,E,F及G號洋房的一段緊急車輛通道/車路為香港主水平基準以上7.800米。

- The part of the emergency vehicular access/driveway adjacent to Villa C&D is 7.800 metres above Hong Kong Principal Datum.
  毗連C及D號洋房的一段緊急車輛通道/車路為香港主水平基準以上7.800米。

Legend 圖例

▽ Height in metres above Hong Kong Principal Datum (HKPD).
香港主水平基準以上高度(米)。

----- Dotted line denotes the lowest residential floor of the building.
虛線為該建築物最低住宅樓層水平。

CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT
發展項目中的建築物的橫截面圖

Cross Section Plan VC
橫截面圖VC



Cross Section Plan VD
橫截面圖VD



Key Plan
索引圖



- The part of the emergency vehicular access/driveway adjacent to Villa H is 7.200 to 7.600 metres above Hong Kong Principal Datum.
  毗連H號洋房的一段緊急車輛通道/車路為香港主水平基準以上7.200至7.600米。
- The part of the emergency vehicular access/driveway adjacent to Villa H is 7.200 metres above Hong Kong Principal Datum.
  毗連H號洋房的一段緊急車輛通道/車路為香港主水平基準以上7.200米。

Legend 圖例

▽ Height in metres above Hong Kong Principal Datum (HKPD).
香港主水平基準以上高度(米)。

----- Dotted line denotes the lowest residential floor of the building.
虛線為該建築物最低住宅樓層水平。

Cross Section Plan A
橫截面圖A



Key Plan
索引圖



- The part of footpath adjacent to Tower 1 is 5.940* to 6.160* metres above Hong Kong Principal Datum.
  毗連第1座的一段行人路為香港主水平基準以上5.940*米至6.160*米。
- The part of the emergency vehicular access/driveway adjacent to Tower 1 is 6.650 metres above Hong Kong Principal Datum.
  毗連第1座的一段緊急車輛通道/車路為香港主水平基準以上6.650米。

* The mPD levels shown on cross section plans are based on the survey as certified by the chartered land surveyor, Helen Chan Professional Land Survey Ltd. on 28 September 2016.
按特許測量師陳婉琪測量師行有限公司於2016年9月28日所核實之水平基準製圖。

Legend 圖例

▽ Height in metres above Hong Kong Principal Datum (HKPD).
香港主水平基準以上高度(米)。

----- Dotted line denotes the lowest residential floor of the building.
虛線為該建築物最低住宅樓層水平。

Cross Section Plan B
橫截面圖B



Key Plan
索引圖



- The part of footpath adjacent to Tower 2(T2A) is 6.160* to 6.400* metres above Hong Kong Principal Datum.
  毗連第2座(T2A)的一段行人路為香港主水平基準以上6.160*米至6.400*米。
- The part of footpath adjacent to Tower 1 is 7.070 metres above Hong Kong Principal Datum.
  毗連第1座的一段行人路為香港主水平基準以上7.070米。

* The mPD levels shown on cross section plans are based on the survey as certified by the chartered land surveyor, Helen Chan Professional Land Survey Ltd. on 28 September 2016.
按特許測量師陳婉琪測量師行有限公司於2016年9月28日所核實之水平基準製圖。

Legend 圖例

▽ Height in metres above Hong Kong Principal Datum (HKPD).
香港主水平基準以上高度(米)。

----- Dotted line denotes the lowest residential floor of the building.
虛線為該建築物最低住宅樓層水平。

Cross Section Plan C
橫截面圖C



Key Plan
索引圖



- The part of footpath adjacent to Tower 2(T2A)&(T2B) is 5.700* to 6.160* metres above Hong Kong Principal Datum.
  毗連第2座(T2A)及(T2B)的一段行人路為香港主水平基準以上5.700*米至6.160*米。
- The part of the emergency vehicular access/driveway adjacent to Tower 2(T2A)&(T2B) is 6.650 metres above Hong Kong Principal Datum.
  毗連第2座(T2A)及(T2B)的一段緊急車輛通道/車路為香港主水平基準以上6.650米。

* The mPD levels shown on cross section plans are based on the survey as certified by the chartered land surveyor, Helen Chan Professional Land Survey Ltd. on 28 September 2016.
按特許測量師陳婉琪測量師行有限公司於2016年9月28日所核實之水平基準製圖。

Legend 圖例

- ▽ Height in metres above Hong Kong Principal Datum (HKPD).
  香港主水平基準以上高度(米)。
- ----- Dotted line denotes the lowest residential floor of the building.
  虛線為該建築物最低住宅樓層水平。

Cross Section Plan D
橫截面圖D

- The part of footpath adjacent to Tower 2(T2A)&(T2B) is 5.700* to 6.160* metres above Hong Kong Principal Datum.
  毗連第2座(T2A)及(T2B)的一段行人路為香港主水平基準以上5.700*米至6.160*米。
- The part of the emergency vehicular access/driveway adjacent to Tower 3 is 5.600 to 6.100 metres above Hong Kong Principal Datum.
  毗連第3座的一段緊急車輛通道/車路為香港主水平基準以上5.600米至6.100米。
- The part of covered pedestrians linkbridge 1 adjacent to Tower 3 and Tower 5 is 11.600 and 15.400 metres above Hong Kong Principal Datum.
  毗連第3座及第5座的一段有蓋人行連橋1為香港主水平基準以上11.600米及15.400米。
- The part of the emergency vehicular access/driveway adjacent to Tower 5 is 5.600 to 6.100 metres above Hong Kong Principal Datum.
  毗連第5座的一段緊急車輛通道/車路為香港主水平基準以上5.600米至6.100米。

* The mPD levels shown on cross section plans are based on the survey as certified by the chartered land surveyor, Helen Chan Professional Land Survey Ltd. on 28 September 2016.
按特許測量師陳婉琪測量師行有限公司於2016年9月28日所核實之水平基準製圖。



Key Plan
索引圖



Legend 圖例

- Height in metres above Hong Kong Principal Datum (HKPD).
  香港主水平基準以上高度(米)。
- Dotted line denotes the lowest residential floor of the building.
  虛線為該建築物最低住宅樓層水平。

Cross Section Plan E
橫截面圖E



Key Plan
索引圖



- The part of footpath adjacent to Tower 3 is 5.470* to 6.070* metres above Hong Kong Principal Datum.
  毗連第3座的一段行人路為香港主水平基準以上5.470*米至6.070*米。
- The part of the emergency vehicular access/driveway adjacent to Tower 3 is 6.100 to 6.650 metres above Hong Kong Principal Datum.
  毗連第3座的一段緊急車輛通道/車路為香港主水平基準以上6.100米至6.650米。

* The mPD levels shown on cross section plans are based on the survey as certified by the chartered land surveyor, Helen Chan Professional Land Survey Ltd. on 28 September 2016.
按特許測量師陳婉琪測量師行有限公司於2016年9月28日所核實之水平基準製圖。

Legend 圖例

- ▽ Height in metres above Hong Kong Principal Datum (HKPD).
  香港主水平基準以上高度(米)。
- ----- Dotted line denotes the lowest residential floor of the building.
  虛線為該建築物最低住宅樓層水平。

Cross Section Plan F
橫截面圖F



Key Plan
索引圖



- The part of footpath adjacent to Tower 5 is 5.440* to 5.690* metres above Hong Kong Principal Datum.
  毗連第5座的一段行人路為香港主水平基準以上5.440*米至5.690*米。
- The part of footpath adjacent to Tower 6(T6A)&(T6B) is 5.750 to 6.350 metres above Hong Kong Principal Datum.
  毗連第6座(T6A)及(T6B)的一段行人路為香港主水平基準以上5.750米至6.350米。
- The part of covered pedestrians linkbridge 2 adjacent to Tower 6(T6A)&(T6B) is 10.400 and 13.380 metres above Hong Kong Principal Datum.
  毗連第6座(T6A)及(T6B)的一段有蓋人行連橋2為香港主水平基準以上10.400米及13.380米。

* The mPD levels shown on cross section plans are based on the survey as certified by the chartered land surveyor, Helen Chan Professional Land Survey Ltd. on 28 September 2016.
按特許測量師陳婉琪測量師行有限公司於2016年9月28日所核實之水平基準製圖。

Legend 圖例

▽ Height in metres above Hong Kong Principal Datum (HKPD).
香港主水平基準以上高度(米)。

----- Dotted line denotes the lowest residential floor of the building.
虛線為該建築物最低住宅樓層水平。

Cross Section Plan G
橫截面圖G



Key Plan
索引圖



- The part of the emergency vehicular access/driveway adjacent to Tower 6(T6A)&(T6B) is 6.100 metres above Hong Kong Principal Datum.
  毗連第6座(T6A)及(T6B)的一段緊急車輛通道/車路為香港主水平基準以上6.100米。

Legend 圖例

- ▽ Height in metres above Hong Kong Principal Datum (HKPD).
  香港主水平基準以上高度(米)。
- ----- Dotted line denotes the lowest residential floor of the building.
  虛線為該建築物最低住宅樓層水平。

Cross Section Plan H
橫截面圖H



Key Plan
索引圖



- The part of the emergency vehicular access/driveway adjacent to Tower 7(T7A)&(T7B) is 6.760 to 7.200 metres above Hong Kong Principal Datum.
  毗連第7座(T7A)及(T7B)的一段緊急車輛通道/車路為香港主水平基準以上6.760米至7.200米。

Legend 圖例

▽ Height in metres above Hong Kong Principal Datum (HKPD).
香港主水平基準以上高度(米)。

----- Dotted line denotes the lowest residential floor of the building.
虛線為該建築物最低住宅樓層水平。

Cross Section Plan I
橫截面圖I



Key Plan
索引圖



- The part of emergency vehicular access/driveway adjacent to Tower 8 and Tower 9 (T9A) is 7.200 metres above Hong Kong Principal Datum.
  毗連第8座及第9座(T9A)的一段緊急車輛通道/車路為香港主水平基準以上7.200米。
- The part of Footpath adjacent to Tower 9(T9A) is 5.470* to 5.970* metres above Hong Kong Principal Datum.
  毗連第9座(T9A)的一段行人路為香港主水平基準以上5.470*米至5.970*米。

* The mPD levels shown on cross section plans are based on the survey as certified by the chartered land surveyor, Helen Chan Professional Land Survey Ltd. on 28 September 2016.
按特許測量師陳婉琪測量師行有限公司於2016年9月28日所核實之水平基準製圖。

Legend 圖例

▽ Height in metres above Hong Kong Principal Datum (HKPD).
香港主水平基準以上高度(米)。

----- Dotted line denotes the lowest residential floor of the building.
虛線為該建築物最低住宅樓層水平。

Cross Section Plan J
橫截面圖J



Key Plan
索引圖



- The part of the emergency vehicular access/driveway adjacent to Tower 8 is 7.200 metres above Hong Kong Principal Datum.
  毗連第8座的一段緊急車輛通道/車路為香港主水平基準以上7.200米。

Legend 圖例

▽ Height in metres above Hong Kong Principal Datum (HKPD).
香港主水平基準以上高度(米)。

----- Dotted line denotes the lowest residential floor of the building.
虛線為該建築物最低住宅樓層水平。

Cross Section Plan K
橫截面圖K



Key Plan
索引圖



- The part of the emergency vehicular access/driveway adjacent to Tower 9(T9A) is 7.200 metres above Hong Kong Principal Datum.
  毗連第9座(T9A)的一段緊急車輛通道/車路為香港主水平基準以上7.200米。
- The part of the emergency vehicular access/driveway adjacent to Tower 9(T9B) is 7.200 metres above Hong Kong Principal Datum.
  毗連第9座(T9B)的一段緊急車輛通道/車路為香港主水平基準以上7.200米。

Legend 圖例

- ▽ Height in metres above Hong Kong Principal Datum (HKPD).
  香港主水平基準以上高度(米)。
- ----- Dotted line denotes the lowest residential floor of the building.
  虛線為該建築物最低住宅樓層水平。

CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT
發展項目中的建築物的橫截面圖

Cross Section Plan L
橫截面圖L

- The part of footpath adjacent to Tower 9(T9B) is 5.470* to 5.570* metres above Hong Kong Principal Datum.
  毗連第9座(T9B)的一段行人路為香港主水平基準以上5.470*米至5.570*米。
- The part of footpath adjacent to Tower 7(T7A)&(T7B) is 5.750 to 6.716 metres above Hong Kong Principal Datum.
  毗連第7座(T7A)及(T7B)的一段行人路為香港主水平基準以上5.750米至6.716米。
- The part of covered pedestrians linkbridge 2 adjacent to Tower 7(T7A)&(T7B) is 10.400 and 13.380 metres above Hong Kong Principal Datum.
  毗連第7座(T7A)及(T7B)的一段有蓋人行連橋2為香港主水平基準以上10.400米及13.380米。

* The mPD levels shown on cross section plans are based on the survey as certified by the chartered land surveyor, Helen Chan Professional Land Survey Ltd. on 28 September 2016.
按特許測量師陳婉琪測量師行有限公司於2016年9月28日所核實之水平基準製圖。



Key Plan
索引圖

Legend 圖例

- ▽ Height in metres above Hong Kong Principal Datum (HKPD).
  香港主水平基準以上高度(米)。
- ----- Dotted line denotes the lowest residential floor of the building.
  虛線為該建築物最低住宅樓層水平。



Villa Elevation
洋房立面圖



Elevation A (For Villa 1)
立面圖A(適用於1號洋房)



Elevation B (For Villa 1)
立面圖B(適用於1號洋房)



Elevation C (For Villa 1)
立面圖C(適用於1號洋房)



Elevation D (For Villa 1)
立面圖D(適用於1號洋房)

Key Plan
索引圖



Notes:

It has been certified by the authorized person that the elevations:

(a) are prepared on the basis of the approved building plans for the development as of 12 September 2017; and

(b) are in general accordance with the outward appearance of the development.

備註：

認可人士已經證明該等立面：

(a) 以2017年9月12日的情況為準的該項目的經批准的建築圖則為基礎擬備；及

(b) 大致上與該項目的外觀一致。

Villa Elevation
洋房立面圖



Elevation A (For Villa 2 to Villa 3, Villa 6 to Villa 12, Villa 15 to 16)
立面圖A(適用於2號洋房至3號洋房、6號洋房至12號洋房、15號洋房至16號洋房)



Elevation B (For Villa 2 to Villa 3, Villa 6 to Villa 12, Villa 15 to 16)
立面圖B(適用於2號洋房至3號洋房、6號洋房至12號洋房、15號洋房至16號洋房)



Elevation C (For Villa 2 to Villa 3, Villa 6 to Villa 12, Villa 15 to 16)
立面圖C(適用於2號洋房至3號洋房、6號洋房至12號洋房、15號洋房至16號洋房)



Elevation D (For Villa 2 to Villa 3, Villa 6 to Villa 12, Villa 15 to 16)
立面圖D(適用於2號洋房至3號洋房、6號洋房至12號洋房、15號洋房至16號洋房)

Key Plan
索引圖



Notes:

It has been certified by the authorized person that the elevations:

(a) are prepared on the basis of the approved building plans for the development as of 12 September 2017; and

(b) are in general accordance with the outward appearance of the development.

備註：

認可人士已經證明該等立面：

(a) 以2017年9月12日的情況為準的該項目的經批准的建築圖則為基礎擬備；及

(b) 大致上與該項目的外觀一致。

Villa Elevation
洋房立面圖



Elevation A (For Villa 5)
立面圖A(適用於5號洋房)



Elevation B (For Villa 5)
立面圖B(適用於5號洋房)



Elevation C (For Villa 5)
立面圖C(適用於5號洋房)



Elevation D (For Villa 5)
立面圖D(適用於5號洋房)

Key Plan
索引圖



Notes:

It has been certified by the authorized person that the elevations:

(a) are prepared on the basis of the approved building plans for the development as of 12 September 2017; and

(b) are in general accordance with the outward appearance of the development.

備註：

認可人士已經證明該等立面：

(a) 以2017年9月12日的情況為準的該項目的經批准的建築圖則為基礎擬備；及

(b) 大致上與該項目的外觀一致。

Villa Elevation
洋房立面圖



Elevation A (For Villa 17)
立面圖A(適用於17號洋房)



Elevation B (For Villa 17)
立面圖B(適用於17號洋房)



Elevation C (For Villa 17)
立面圖C(適用於17號洋房)



Elevation D (For Villa 17)
立面圖D(適用於17號洋房)

Key Plan
索引圖



Notes:

It has been certified by the authorized person that the elevations:

(a) are prepared on the basis of the approved building plans for the development as of 12 September 2017; and

(b) are in general accordance with the outward appearance of the development.

備註：

認可人士已經證明該等立面：

(a) 以2017年9月12日的情況為準的該項目的經批准的建築圖則為基礎擬備；及

(b) 大致上與該項目的外觀一致。

Villa Elevation
洋房立面圖



Elevation A (For Villa A)
立面圖A(適用於A號洋房)

Elevation B (For Villa A)
立面圖B(適用於A號洋房)



Elevation C (For Villa A)
立面圖C(適用於A號洋房)

Elevation D (For Villa A)
立面圖D(適用於A號洋房)

Key Plan
索引圖



Notes:

It has been certified by the authorized person that the elevations:

(a) are prepared on the basis of the approved building plans for the development as of 12 September 2017; and

(b) are in general accordance with the outward appearance of the development.

備註：

認可人士已經證明該等立面：

(a) 以2017年9月12日的情況為準的該項目的經批准的建築圖則為基礎擬備；及

(b) 大致上與該項目的外觀一致。

Villa Elevation
洋房立面圖



Elevation A (For Villa B to Villa G)
立面圖A(適用於B號洋房至G號洋房)

Elevation B (For Villa B to Villa G)
立面圖B(適用於B號洋房至G號洋房)



Elevation C (For Villa B to Villa G)
立面圖C(適用於B號洋房至G號洋房)

Elevation D (For Villa B to Villa G)
立面圖D(適用於B號洋房至G號洋房)

Key Plan
索引圖



Notes:

It has been certified by the authorized person that the elevations:

(a) are prepared on the basis of the approved building plans for the development as of 12 September 2017; and

(b) are in general accordance with the outward appearance of the development.

備註：

認可人士已經證明該等立面：

(a) 以2017年9月12日的情況為準的該項目的經批准的建築圖則為基礎擬備；及

(b) 大致上與該項目的外觀一致。

Villa Elevation
洋房立面圖



Elevation A (For Villa H)
立面圖A(適用於H號洋房)

Elevation B (For Villa H)
立面圖B(適用於H號洋房)



Elevation C (For Villa H)
立面圖C(適用於H號洋房)

Elevation D (For Villa H)
立面圖D(適用於H號洋房)

Key Plan
索引圖



Notes:

It has been certified by the authorized person that the elevations:

(a) are prepared on the basis of the approved building plans for the development as of 12 September 2017; and

(b) are in general accordance with the outward appearance of the development.

備註：

認可人士已經證明該等立面：

(a) 以2017年9月12日的情況為準的該項目的經批准的建築圖則為基礎擬備；及

(b) 大致上與該項目的外觀一致。

Notes:

It has been certified by the authorized person that the elevations:

(a) are prepared on the basis of the approved building plans for the development as of 9 February 2018; and

(b) are in general accordance with the outward appearance of the development.

備註：

認可人士已經證明該等立面：

(a) 2018年2月9日的情況為準的該項目的經批准的建築圖則為基礎擬備；及

(b) 大致上與該項目的外觀一致。

Key Plan
索引圖



Elevation 1
立面圖 1



Notes:

It has been certified by the authorized person that the elevations:

(a) are prepared on the basis of the approved building plans for the development as of 9 February 2018; and

(b) are in general accordance with the outward appearance of the development.

備註：

認可人士已經證明該等立面：

(a) 2018年2月9日的情況為準的該項目的經批准的建築圖則為基礎擬備；及

(b) 大致上與該項目的外觀一致。

Key Plan
索引圖



Elevation 2
立面圖2



Notes:

It has been certified by the authorized person that the elevations:

(a) are prepared on the basis of the approved building plans for the development as of 9 February 2018; and

(b) are in general accordance with the outward appearance of the development.

備註：

認可人士已經證明該等立面：

(a) 2018年2月9日的情況為準的該項目的經批准的建築圖則為基礎擬備；及

(b) 大致上與該項目的外觀一致。

Key Plan
索引圖



Elevation 3
立面圖 3



Notes:

It has been certified by the authorized person that the elevations:

(a) are prepared on the basis of the approved building plans for the development as of 9 February 2018; and

(b) are in general accordance with the outward appearance of the development.

備註：

認可人士已經證明該等立面：

(a) 2018年2月9日的情況為準的該項目的經批准的建築圖則為基礎擬備；及

(b) 大致上與該項目的外觀一致。

Key Plan
索引圖



Elevation 4
立面圖4



Elevation 5
立面圖5



Notes:

It has been certified by the authorized person that the elevations:

(a) are prepared on the basis of the approved building plans for the development as of 9 February 2018; and

(b) are in general accordance with the outward appearance of the development.

備註：

認可人士已經證明該等立面：

(a) 2018年2月9日的情況為準的該項目的經批准的建築圖則為基礎擬備；及

(b) 大致上與該項目的外觀一致。

Key Plan
索引圖



Elevation 6
立面圖 6

Elevation 7
立面圖 7



Notes:

It has been certified by the authorized person that the elevations:

(a) are prepared on the basis of the approved building plans for the development as of 9 February 2018; and

(b) are in general accordance with the outward appearance of the development.

備註：

認可人士已經證明該等立面：

(a) 2018年2月9日的情況為準的該項目的經批准的建築圖則為基礎擬備；及

(b) 大致上與該項目的外觀一致。

Key Plan
索引圖



Elevation 8
立面圖 8



Notes:

It has been certified by the authorized person that the elevations:

(a) are prepared on the basis of the approved building plans for the development as of 9 February 2018; and

(b) are in general accordance with the outward appearance of the development.

備註：

認可人士已經證明該等立面：

(a) 2018年2月9日的情況為準的該項目的經批准的建築圖則為基礎擬備；及

(b) 大致上與該項目的外觀一致。

Key Plan
索引圖



Elevation 9
立面圖9

TOWER 6(T6A)
第6座 (T6A)



Elevation 10
立面圖10

TOWER 7(T7B)
第7座 (T7B)



Notes:

It has been certified by the authorized person that the elevations:

(a) are prepared on the basis of the approved building plans for the development as of 9 February 2018; and

(b) are in general accordance with the outward appearance of the development.

備註：

認可人士已經證明該等立面：

(a) 2018年2月9日的情況為準的該項目的經批准的建築圖則為基礎擬備；及

(b) 大致上與該項目的外觀一致。

Key Plan
索引圖



Elevation 11
立面圖11



Common Facilities 公用設施	Floor 樓層	Covered 有蓋		Uncovered 無蓋		Total Area 總面積	
		Area (sq.m.) 面積(平方米)	Area (sq.ft.) 面積(平方呎)	Area (sq.m.) 面積(平方米)	Area (sq.ft.) 面積(平方呎)	Area (sq.m.) 面積(平方米)	Area (sq.ft.) 面積(平方呎)
Residents' clubhouse (including any recreational facilities for residents' use) 住客會所(包括供住客使用的任何康樂設施)	B/F 地庫	2095.54	22556	N/A 不適用	N/A 不適用	2095.54	22556
	G/F 地下	410.739	4421	803.674	8651	1214.413	13072
	Roof 天台	10.684	115	356.745	3840	367.429	3955
Communal garden or play area for residents' use on the roof, or on any floor between the roof and the lowest residential floor, of a building in the development (whether known as a communal sky garden or otherwise) 位於發展項目中的建築物的天台或在天台和最低一層住宅樓層之間的任何一層的、供住客使用的公用花園或遊樂地方(不論是稱為公用空中花園或其他名稱)	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用
Communal garden or play area for residents' use below the lowest residential floor of a building in the development (whether known as a covered and landscaped play area or otherwise) 位於發展項目中的建築物的最低一層住宅樓層以下的、供住客使用的公用花園或遊樂地方(不論是稱為有蓋及園景的遊樂場或有其他名稱)	G/F 地下	N/A 不適用	N/A 不適用	5613.471	60423	5613.471	60423
	Flat Roof 平台	N/A 不適用	N/A 不適用	754.281	8119	754.281	8119

Note:
The areas as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer.

備註:
以平方呎顯示之面積以1平方米 = 10.764平方呎換算，並四捨五入至整數。

1. A copy of the Outline Zoning Plan relating to the Development is available at www.ozp.tpb.gov.hk.
2. (a) A copy of the latest draft of every deed of mutual covenant in respect of the specified residential properties as at the date on which the specified residential properties are offered to be sold is available for inspection at the place at which the specified residential properties are offered to be sold.

   (b) The inspection is free of charge.

1. 備有關乎本發展項目的分區計劃大綱圖的文本供閱覽的互聯網網站的網址為 www.ozp.tpb.gov.hk。
2. (a) 指明住宅物業的每一公契在將指明住宅物業提供出售的日期的最新擬稿的文本存放在指明住宅物業的售樓處，以供閱覽。

   (b) 無須為閱覽付費。

1. Exterior finishes

Item	Description
(a) External wall	**Villa:-** Finished with external paint, metal cladding, stone cladding, glass cladding, curtain wall, metal louvre and grille. **Tower (including podium):-** Finished with ceramic tile, external paint, metal cladding, metal louvre and grille, stone cladding, vertical greenery, glass cladding, metal grille feature and curtain wall.
(b) Window	**Villa:-** Curtain wall with aluminium frame finished with fluorocarbon coating fitted with IGU glass for living room and dining room (except living room and dining room of Villa 1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 15, 16 & 17 and dining room of Villa A, B, C, D, E, F, G & H), bedroom and the following area:- Villa 1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 15, 16 & 17 — G/F — Kitchen Aluminium window frame finished with fluorocarbon coating fitted with IGU glass is provided for the following area:- Villa 1 — G/F — Dining Room and Living Room Villa 1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 15, 16 & 17 — 1/F — Study Room Villa A, B, C, D, E, F, G & H — G/F to R/F — Stair G/F — Utility Room and Kitchen 1/F — Master Bathroom and Study Room

1. 外部裝修物料

細項	描述
(a) 外牆	**洋房：-** 鋪砌外牆漆、金屬板、天然石材、玻璃裝飾、玻璃幕牆、金屬百葉及裝飾架。 **大廈(包括基座)：-** 鋪砌瓷磚、外牆漆、金屬板、金屬百葉及裝飾架、天然石材、垂直綠化牆、玻璃裝飾、金屬裝飾架及玻璃幕牆。
(b) 窗	**洋房：-** 裝設玻璃幕牆鋁框配有氟化碳噴塗層及雙層中空玻璃於客廳及飯廳(除1, 2, 3, 5, 6, 7, 8, 9, 10 ,11, 12, 15, 16及17號洋房之客廳及飯廳, 及A, B, C, D, E, F, G及H號洋房之飯廳外)、睡房及以下位置： 1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 15, 16及17號洋房 — 地下 — 廚房 裝設鋁窗框配有氟化碳噴塗層及雙層中空玻璃於以下位置： 1號洋房 1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 15, 16及17號洋房 — 地下 1樓 — 飯廳及客廳 書房 A, B, C, D, E, F, G及H號洋房 — 地下至天台 地下 — 樓梯 多功能房及廚房 1樓 — 主人浴室及書房

1. Exterior finishes

Item	Description
(b) Window	**Tower:-** Curtain wall with aluminium frames finished with fluorocarbon coating fitted with tinted glass for living room, dining room, master bedroom and bedroom of all unit, kitchen of Unit D, 2/F-17/F of Tower 2(T2B), Unit B, 2/F of Tower 6(T6A), Unit A, 2/F of Tower 6(T6B), Unit B, 2/F of Tower 7(T7A), Unit A, 2/F of Tower 7(T7B) and master bathroom of Unit A, 11/F of Tower 9(T9A), except the following area:-

Tower 1	2/F to 16/F	Unit A	Bedroom 3
Tower 1	2/F to 16/F	Unit D	Living room & Dining room
Tower 1	17/F	Unit A	Bedroom 2
Tower 1	17/F	Unit C	Living room & Dining room
Tower 2(T2A)	17/F	Unit A	Living room, Dining room & Bedroom 3
Tower 3	2/F to 19/F	Unit A	Living room & Dining room
Tower 5	2/F to 19/F	Unit C	Living room & Dining room
Tower 5	2/F to 19/F	Unit G	Living room & Dining room
Tower 5	2/F to 19/F	Unit H	Living room & Dining room
Tower 5	2/F to 19/F	Unit I	Living room & Dining room
Tower 6(T6A)	2/F	Unit B	Living room & Dining room
Tower 6(T6A)	2/F to 19/F	Unit D	Living room & Dining room
Tower 6(T6A)	2/F to 19/F	Unit E	Living room & Dining room
Tower 6(T6A)	3/F	Unit B	Master bedroom
Tower 6(T6B)	2/F	Unit A	Living room & Dining room
Tower 6(T6B)	2/F to 19/F	Unit D	Living room & Dining room
Tower 6(T6B)	2/F to 19/F	Unit E	Living room & Dining room
Tower 6(T6B)	3/F	Unit A	Master bedroom
Tower 7(T7A)	2/F	Unit B	Living room & Dining room
Tower 7(T7A)	3/F	Unit B	Master bedroom
Tower 7(T7B)	2/F	Unit A	Living room & Dining room
Tower 7(T7B)	3/F	Unit A	Master bedroom
Tower 8	2/F	Unit A	Master bedroom
Tower 8	2/F to 10/F	Unit D	Living room & Dining room
Tower 8	11/F	Unit C	Living room & Dining room
Tower 9(T9A)	2/F	Unit A	Master bedroom

1. 外部裝修物料

細項	描述
(b) 窗	**大廈：-** 裝設玻璃幕牆鋁框配有氟化碳噴塗層及有色玻璃於所有單位之客廳、飯廳、主人睡房、睡房、第2座(T2B)2樓-17樓D單位, 第6座(T6A)2樓B單位, 第6座(T6B)2樓A單位, 第7座(T7A)2樓B單位, 第7座(T7B)2樓A單位之廚房及第9座(T9A)11樓A單位之主人浴室, 以下位置除外：

第1座	2樓至16樓	A單位	睡房3
第1座	2樓至16樓	D單位	客廳及飯廳
第1座	17樓	A單位	睡房2
第1座	17樓	C單位	客廳及飯廳
第2座(T2A)	17樓	A單位	客廳、飯廳及睡房3
第3座	2樓至19樓	A單位	客廳及飯廳
第5座	2樓至19樓	C單位	客廳及飯廳
第5座	2樓至19樓	G單位	客廳及飯廳
第5座	2樓至19樓	H單位	客廳及飯廳
第5座	2樓至19樓	I單位	客廳及飯廳
第6座(T6A)	2樓	B單位	客廳及飯廳
第6座(T6A)	2樓至19樓	D單位	客廳及飯廳
第6座(T6A)	2樓至19樓	E單位	客廳及飯廳
第6座(T6A)	3樓	B單位	主人睡房
第6座(T6B)	2樓	A單位	客廳及飯廳
第6座(T6B)	2樓至19樓	D單位	客廳及飯廳
第6座(T6B)	2樓至19樓	E單位	客廳及飯廳
第6座(T6B)	3樓	A單位	主人睡房
第7座(T7A)	2樓	B單位	客廳及飯廳
第7座(T7A)	3樓	B單位	主人睡房
第7座(T7B)	2樓	A單位	客廳及飯廳
第7座(T7B)	3樓	A單位	主人睡房
第8座	2樓	A單位	主人睡房
第8座	2樓至10樓	D單位	客廳及飯廳
第8座	11樓	C單位	客廳及飯廳
第9座(T9A)	2樓	A單位	主人睡房

1. Exterior finishes

Item	Description
(b) Window	Aluminium window frame finished with fluorocarbon coating fitted with tinted glass for the following area:

Tower 1	2/F to 16/F	Unit D	Living room & Dining room
Tower 1	17/F	Unit A	Bedroom 2
Tower 1	17/F	Unit C	Living room & Dining room
Tower 2(T2A)	17/F	Unit A	Living room, Dining room & Bedroom 3
Tower 3	2/F to 19/F	Unit A	Living room & Dining room
Tower 5	2/F to 19/F	Unit C	Living room & Dining room
Tower 5	2/F to 19/F	Unit I	Living room & Dining room
Tower 6(T6A)	2/F	Unit B	Living room & Dining room
Tower 6(T6B)	2/F	Unit A	Living room & Dining room
Tower 7(T7A)	2/F	Unit B	Living room & Dining room
Tower 7(T7B)	2/F	Unit A	Living room & Dining room
Tower 8	2/F	Unit A	Master bedroom
Tower 8	2/F to 10/F	Unit D	Living room & Dining room
Tower 8	11/F	Unit C	Living room & Dining room
Tower 9(T9A)	2/F	Unit A	Master bedroom

1. 外部裝修物料

細項	描述
(b) 窗	裝設鋁窗框配有氟化碳噴塗層及有色玻璃於以下位置：

第1座	2樓至16樓	D單位	客廳及飯廳
第1座	17樓	A單位	睡房2
第1座	17樓	C單位	客廳及飯廳
第2座(T2A)	17樓	A單位	客廳、飯廳及睡房3
第3座	2樓至19樓	A單位	客廳及飯廳
第5座	2樓至19樓	C單位	客廳及飯廳
第5座	2樓至19樓	I單位	客廳及飯廳
第6座(T6A)	2樓	B單位	客廳及飯廳
第6座(T6B)	2樓	A單位	客廳及飯廳
第7座(T7A)	2樓	B單位	客廳及飯廳
第7座(T7B)	2樓	A單位	客廳及飯廳
第8座	2樓	A單位	主人睡房
第8座	2樓至10樓	D單位	客廳及飯廳
第8座	11樓	C單位	客廳及飯廳
第9座(T9A)	2樓	A單位	主人睡房

1. Exterior finishes	
Item	Description
(b) Window	Aluminium window frame finished with fluorocarbon coating fitted with clear glass for kitchen (except Unit D, 2/F-17/F of Tower 2(T2B), Unit B, 2/F of Tower 6(T6A), Unit A, 2/F of Tower 6(T6B), Unit B, 2/F of Tower 7(T7A), Unit A, 2/F of Tower 7(T7B)), store room, utility room, bedroom and master bedroom if window is provided. Aluminium window frame finished with fluorocarbon coating fitted with tinted glass, and aluminium window frame finished with fluorocarbon coating fitted with obscure glass for master bathroom of Unit A, 17/F of Tower 2(T2A). **Villa and Tower:-** Aluminium window frame finished with fluorocarbon coating fitted with obscure glass panel for all master bathroom, bathroom and lavatory if window is provided except master bathroom of 1/F of Villa A-H and master bathroom of Unit A, 17/F of Tower 2(T2A).
(c) Bay window	No bay window is provided.
(d) Planter	No planter is provided.
(e) Verandah or balcony	**Villa : -** Balcony is finished with aluminium framed clear laminated glass balustrade with top rail. Floor is finished with ceramic tile. Wall is finished with stone and aluminium cladding. Balcony is covered by aluminium framed fritted laminated glass. **Tower : -** Balcony is finished with aluminium framed clear laminated glass balustrade with top rail. Floor is finished with ceramic tile. Wall is finished with ceramic tile and aluminium cladding. Ceiling is finished with external paint. All balcony are covered except Unit A, 16/F of Tower 1, Unit C, 16/F of Tower 1, Unit C, 16/F of Tower 2(T2A), Unit B, 3/F of Tower 6(T6A), Unit A, 18/F of Tower 6(T6A), Unit A, 3/F of Tower 6(T6B), Unit B, 3/F of Tower 7(T7A), Unit A, 18/F of Tower 7(T7A), Unit A, 3/F of Tower 7(T7B), Unit B, 18/F of Tower 7(T7B), Unit C, 10/F of Tower 9(T9A), Unit D, 10/F of Tower 9(T9A) and Unit A, 10/F of Tower 9(T9B) which are partly covered. No Verandah is provided.
(f) Drying facilities for clothing	Portable metal drying rack with plastic wrap.

1. 外部裝修物料	
細項	描述
(b) 窗	裝設鋁窗框配有氟化碳噴塗層及清玻璃於廚房(第2座(T2B)2樓-17樓D單位, 第6座(T6A)2樓B單位, 第6座(T6B)2樓A單位, 第7座(T7A)2樓B單位, 第7座(T7B)2樓A單位除外)、儲物室、多功能房、睡房及主人睡房(如設有窗)。 裝設鋁窗框配有氟化碳噴塗層及有色玻璃, 及裝設鋁窗框配有氟化碳噴塗層及磨沙玻璃於第2座(T2A)17樓A單位之主人浴室。 **洋房及大廈：-** 裝設鋁窗框配有氟化碳噴塗層及磨沙玻璃於全部主人浴室、浴室及洗手間(如設有窗)，A-H號洋房1樓之主人浴室及第2座(T2A)17樓A單位之主人浴室除外。
(c) 窗台	沒有窗台。
(d) 花槽	沒有花槽。
(e) 陽台或露台	**洋房：-** 露台裝設鋁質框鑲夾層清玻璃欄杆及鋁質頂欄。 地台鋪砌瓷磚。牆身鋪砌天然石材及及鋁板。露台設有鋁質框鑲夾層彩釉玻璃上蓋。 **大廈：-** 露台裝設鋁質框鑲夾層清玻璃欄杆及鋁質頂欄。 地台鋪砌瓷磚。牆身鋪砌瓷磚及鋁板。天花髹外用油漆。 所有露台均有蓋，除第1座16樓A單位、第1座16樓C單位、第2座(T2A)16樓C單位、第6座(T6A)3樓B單位、第6座(T6A)18樓A單位、第6座(T6B)3樓A單位、第7座(T7A)3樓B單位、第7座(T7A)18樓A單位、第7座(T7B)3樓A單位、第7座(T7B)18樓B單位、第9座(T9A)10樓C單位、第9座(T9A)10樓D單位及第9座(T9B)10樓A單位之露台為部份有蓋。 沒有陽台。
(f) 乾衣設施	輕便式金屬框包膠曬衣架。

2. Interior finishes	
Item	Description
(a) Lobby	**Main Entrance Lobby of Tower -** Wall is finished with natural stone, wood veneer panel, glass panel, decorative screen and metal trim. Floor is finished with natural stone. Gypsum board false ceiling finished with emulsion paint is provided. **Typical Lift Lobby of Tower -** Wall is finished with natural stone, tile, glass panel, vinyl based wall covering and metal trim. Floor is finished with natural stone, tile and metal trim. Gypsum board false ceiling finished with emulsion paint is provided. **Basement Lift Lobby of Tower -** Wall is finished with tile, glass panel and metal trim. Floor is finished with natural stone, tile and metal trim. Gypsum board false ceiling finished with emulsion paint is provided.
(b) Internal wall and ceiling	**Internal wall -** Living room, dining room, bedroom and master bedroom are finished with emulsion paint, except Unit B, 15/F of Tower 1, Unit B, 17/F of Tower 1, Unit C, 17/F of Tower 1, Unit B, 7/F of Tower 2(T2A), Unit B, 2/F & 3/F of Tower 7(T7A), Unit B, 5/F of Tower 9(T9A), Unit B, 8/F of Tower 8, Villa 12 and Villa E. Living room, dining room, bedroom, study room, master bedroom of Unit B, 15/F of Tower 1 are finished with wallpaper and metal trim (except bedroom and study room are not finished with metal trim). Wallpaper panels and special glass panels are built at feature walls of living room and dining room; wallpaper is built at feature wall of master bedroom. Living room, dining room, master bedroom, bedroom 1, bedroom 2 and bedroom 3 of Unit B, 17/F of Tower 1 and Unit A, 2/F & 3/F of Tower 6(T6B) are finished with wallpaper and emulsion paint. Living room, dining room, master bedroom, bedroom 1 and bedroom 2 of Unit C, 17/F of Tower 1 are finished with wallpaper and emulsion paint. Living room, dining room, bedrooms, study room and master bedroom of Unit B, 7/F of Tower 2(T2A) are finished with emulsion paint, wallpaper and metal trim (except bedrooms and study room are not finished with metal trim). Living room, dining room, bedroom 1 and 2, study room, master bedroom of Unit B, 2/F & 3/F of Tower 7(T7A) are finished with emulsion paint and vinyl based wall covering. Marble feature, wood panel and metal trim are built at feature walls of living room. Mother of pearl, wood panel and metal trim are built at feature walls of dining room. Master Bedroom and bedroom 1 is finished in wood veneer, glass panel and metal trim. Bedroom 2 is finished in wood veneer and metal trim. Living room, dining room, bedroom, study room, master bedroom of Unit B, 5/F of Tower 9(T9A) are finished with wallpaper and metal trim (except bedroom and study room are not finished with metal trim). Mirror and marble panels are built at feature walls of living room and dining room; vinyl panels are built at feature wall of master bedroom. Living room, dining room, bedroom and master bedroom of Unit B, 8/F of Tower 8 are finished with emulsion paint, wall paper and metal trim (except bedroom is not finished with metal trim). Living room, dining room, bedroom, study room, master bedroom and staircase of Villa 12 are finished with emulsion paint, wall paper and metal trim (except study room and staircase are not finished with metal trim). Wallpaper panels are built at feature walls of living room, dining room and master bedroom. Living room, dining room, bedroom, study room, master bedroom and staircase of Villa E are finished with wall paper and metal trim (except bedroom, study room and staircase are not finished with metal trim). Wallpaper panels are built at feature walls of living room, dining room and master bedroom.

2. 室內裝修物料	
細項	描述
(a) 大堂	**大廈入口大堂-** 牆身鋪砌天然石材及木皮飾板、玻璃、裝飾架及金屬條飾面。 地台鋪砌天然石材。 裝設石膏板假天花髹乳膠漆。 **大廈升降機大堂-** 牆身鋪砌天然石材、瓷磚、玻璃飾面、膠質牆紙及金屬條。 地台鋪砌天然石材，瓷磚及金屬條。 裝設石膏板假天花髹乳膠漆。 **大廈地庫升降機大堂-** 牆身鋪砌瓷磚、玻璃飾面及金屬條。 地台鋪砌天然石材，瓷磚及金屬條。 裝設石膏板假天花髹乳膠漆。
(b) 內牆及天花板	**內牆-** 客廳、飯廳、睡房及主人睡房髹乳膠漆，除第1座15樓B單位、第1座17樓B單位、第1座17樓C單位、第2座(T2A)7樓B單位、第7座(T7A)2樓及3樓B單位、第9座(T9A)5樓B單位、第8座8樓B單位、12號洋房及E號洋房。 第1座15樓B單位之客廳、飯廳、睡房、書房及主人睡房鋪貼牆紙及金屬條飾面(除睡房及書房沒有金屬條)。客廳及飯廳設有特色牆身，為牆紙連底板及特色玻璃；主人睡房特色牆身設牆紙。 第1座17樓B單位及第6座(T6B)2樓及3樓A單位之客廳、飯廳、主人睡房、睡房1、睡房2及睡房3鋪貼牆紙及髹乳膠漆。 第1座17樓C單位之客廳、飯廳、主人睡房、睡房1及睡房2鋪貼牆紙及髹乳膠漆。 第2座7樓B單位之客廳、飯廳、睡房、書房及主人睡房髹乳膠漆、牆紙及金屬條(除睡房及書房沒有金屬條)。 第7座(T7A)2樓及3樓B單位之客廳、飯廳、睡房1及2、書房及主人睡房髹乳膠漆、鋪貼膠質牆紙。客廳設有特色雲石牆身、木材及金屬條飾面。飯廳設有珍珠貝母特色牆身、木材及金屬條飾面。主人睡房及睡房1鋪砌木材、玻璃牆身及金屬條飾面。睡房2鋪砌木材及金屬條飾面。 第9座(T9A)5樓B單位之客廳、飯廳、睡房、書房及主人睡房鋪貼牆紙及金屬條飾面(除睡房及書房沒有金屬條)。客廳及飯廳特色牆身為雲石及特色鏡面板; 主人睡房特色牆身設人造皮面板。 第8座8樓B單位之客廳、飯廳、睡房及主人睡房髹乳膠漆、牆紙及金屬條(除睡房沒有金屬條)。 12號洋房之客廳、飯廳、睡房、書房、主人睡房及樓梯髹乳膠漆、鋪貼牆紙及金屬條飾面(除書房及樓梯沒有金屬條)。客廳、飯廳及主人睡房特色牆身均設牆紙板。 E號洋房之客廳、飯廳、睡房、書房、主人睡房及樓梯鋪貼牆紙及金屬條飾面(除睡房、書房及樓梯沒有金屬條)。客廳、飯廳及主人睡房特色牆身均設牆紙板。

2. Interior finishes	
Item	Description
(b) Internal wall and ceiling	**Ceiling -** Ceiling of living room, dining room, bedroom and master bedroom are finished with emulsion paint and gypsum board bulkhead finished with emulsion paint (if bulkhead is provided), except Villa 12 and Villa E. Ceiling of living room, dining room, master bedroom and staircase of Unit B, 2/F & 3/F of Tower 7(T7A) are finished with emulsion paint and timber/gypsum board bulkhead finished with emulsion paint (if bulkhead is provided). Ceiling of living room and dining room are finished with metal trim finishes, master bedroom ceiling with wood veneer finish. At Villa 12, Ceiling of living room, dining room, bedroom, study room, master bedroom and staircase are finished with emulsion paint. Ceiling of living room, dining room and staircase are finished with metal trim finishes. Gypsum board bulkhead finished with emulsion paint (if bulkhead is provided). At Villa E, ceiling of living room, dining room, bedroom, study room, master bedroom and staircase are finished with emulsion paint. Gypsum board bulkhead finished with emulsion paint (if bulkhead is provided). Staircase ceiling with painted timber trimming.
(c) Internal floor	**Villa : -** Living room and dining room are finished with natural stone flooring with engineering timber skirting. Study room, bedroom and master bedroom are finished with engineering timber flooring and engineering timber skirting (except Villa 12 and Villa E). At Villa 12, Living room and dining room are finished with natural stone flooring with stainless steel skirting. Master bedroom is finished with carpet and stainless steel skirting. Study room and bedroom are finished with engineering timber flooring and engineering timber skirting. At Villa E, Living room and dining room are finished with natural stone flooring with engineering timber skirting. Master bedroom is finished with carpet and engineering timber skirting. Study room and bedrooms are finished with engineering timber flooring and engineering timber skirting. Natural stone border is fitted along edge of floor adjoining door to balcony. **Tower : -** Living room, dining room, bedroom and master bedroom are finished with engineering timber flooring and engineering timber skirting. Natural stone border is fitted along edge of floor adjoining door to balcony, flat roof and utility platform at master bedroom of Unit B, 3/F-10/F of Tower 9(T9A) and Unit A, 3/F-11/F of Tower 9(T9B).
(d) Bathroom	**Villa : -** All master bathroom: Wall (except those area covered by vanity counter and mirror cabinet and above false ceiling level) is finished with natural stone and mother of pearl laminated feature panel. Floor (except those area under the bathtub and area covered by the vanity counter) is finished with natural stone. Window Screen with waterproof ABS (Acrylonitrile Butadiene Styrene) is provided at the master bathroom in villa A, B, C, D, E, F, G & H. All bathroom:- Wall (except those area covered by vanity counter, mirror cabinet and above false ceiling level) is finished with natural stone. Floor (except those area under the bathtub and area covered by the vanity counter) is finished with natural stone.

2. 室內裝修物料	
細項	描述
(b) 內牆及天花板	**天花板-** 客廳、飯廳、睡房及主人睡房天花板髹乳膠漆，石膏板假陣髹乳膠漆(如有假陣)，除12號洋房及E號洋房。 第7座(T7A)2樓及3樓B單位之客廳、飯廳、主人睡房及樓梯天花板髹乳膠漆，木材及石膏板假陣髹乳膠漆(如有假陣)。客廳、飯廳天花板有金屬條飾面，主人睡房天花板有木飾面。 12號洋房之客廳、飯廳、睡房、書房、主人睡房及樓梯天花板髹乳膠漆，客廳、飯廳及樓梯天花板有金屬條飾面，石膏板假陣髹乳膠漆(如有假陣)。 E號洋房之客廳、飯廳、睡房、書房、主人睡房及樓梯天花板髹乳膠漆，石膏板假陣髹乳膠漆(如有假陣)。樓梯天花有油漆木條飾面。
(c) 內部地板	**洋房：-** 客廳、飯廳內部地板鋪砌天然石材及複合木地板牆腳線。書房、睡房及主人睡房內部地板鋪砌複合木及複合木地板牆腳線，除12號洋房及E號洋房。 12號洋房之客廳及飯廳內部地板鋪砌天然石材及不銹鋼牆腳線，主人睡房內部鋪砌地毯及不銹鋼牆腳線，書房及睡房內部地板鋪砌複合木地板及複合木牆腳線。 E號洋房之客廳及飯廳內部地板鋪砌天然石材及複合木牆腳線，主人睡房內部鋪砌地毯及複合木牆腳線，書房及睡房內部地板鋪砌複合木地板及複合木牆腳線。 沿通往露台門戶之內部地台圍邊部份鋪砌天然石條。 **大廈：-** 客廳、飯廳、睡房及主人睡房內部地板鋪砌複合木地板及複合木牆腳線。沿通往露台、平台門戶及工作平台於第9座(T9A) 3樓至10樓B單位及第9座(T9B) 3樓至11樓A單位主人睡房之內部地台圍邊部分鋪砌天然石條。
(d) 浴室	**洋房：-** 所有主人浴室： 牆身鋪砌天然石材及貝母特式飾面板(面盆櫃背、鏡櫃背牆身及假天花以上除外)。 地台鋪砌天然石材(浴缸底及面盆櫃底除外)。 於A, B, C, D, E, F, G & H號洋房主人浴室裝設配有防水物料(苯乙烯共聚物)百葉窗。 所有浴室:- 牆身鋪砌天然石材(面盆櫃背、鏡櫃背牆身及假天花以上除外)。 地台鋪砌天然石材(浴缸底及面盆櫃底除外)。

2. Interior finishes

Item	Description
(d) Bathroom	**Tower : -** Master bathroom and bathroom of the following unit: Wall (except those area covered by vanity counter, mirror cabinet and above false ceiling level) is finished with natural stone. Floor (except those area under the bathtub and area covered by the vanity counter) is finished with natural stone.

Tower 1	2/F to 16/F	Unit D
Tower 1	17/F	Unit C
Tower 2(T2A)	2/F to 16/F	Unit D
Tower 2(T2A)	17/F	Unit C
Tower 3	2/F to 19/F	Unit A
Tower 5	2/F to 19/F	Unit A
Tower 5	2/F to 19/F	Unit C
Tower 6(T6B)	2/F to 19/F	Unit B

Master bathroom of the following unit:
Mother of pearl laminated wall feature panel is provided.

Tower 1	17/F	Unit A
Tower 2(T2A)	17/F	Unit A
Tower 6(T6A)	3/F	Unit B
Tower 6(T6B)	3/F	Unit A
Tower 7(T7A)	3/F	Unit B
Tower 7(T7B)	3/F	Unit A
Tower 8	11/F	Unit A
Tower 9(T9A)	11/F	Unit A

Bathroom (except bathroom of the following unit):
Wall (except those area covered by vanity counter, mirror cabinet and above false ceiling level) is finished with tile.
Floor (except those area under the bathtub and area covered by the vanity counter) is finished with natural stone.

Tower 1	2/F to 16/F	Unit D
Tower 1	17/F	Unit C
Tower 2(T2A)	2/F to 16/F	Unit D
Tower 2(T2A)	17/F	Unit C
Tower 3	2/F to 19/F	Unit A
Tower 5	2/F to 19/F	Unit A
Tower 5	2/F to 19/F	Unit C
Tower 6(T6B)	2/F to 19/F	Unit B

All master bathroom and bathroom (Tower and Villa)
Gypsum board false ceiling finished with emulsion paint is provided.
Wall finish run up to the false ceiling.

2. 室內裝修物料

細項	描述
(d) 浴室	**大廈：-** 主人浴室及以下單位之浴室： 牆身鋪砌天然石材(面盆櫃背、鏡櫃背牆身及假天花以上除外)。 地台鋪砌天然石材(浴缸底及面盆櫃底除外)。

第1座	2樓至16樓	D單位
第1座	17樓	C單位
第2座(T2A)	2樓至16樓	D單位
第2座(T2A)	17樓	C單位
第3座	2樓至19樓	A單位
第5座	2樓至19樓	A單位
第5座	2樓至19樓	C單位
第6座(T6B)	2樓至19樓	B單位

以下主人浴室：
牆身提供特式貝母飾面板。

第1座	17樓	A單位
第2座(T2A)	17樓	A單位
第6座(T6A)	3樓	B單位
第6座(T6B)	3樓	A單位
第7座(T7A)	3樓	B單位
第7座(T7B)	3樓	A單位
第8座	11樓	A單位
第9座(T9A)	11樓	A單位

浴室(除以下單位之浴室)：
牆身鋪砌瓷磚(面盆櫃背、鏡櫃背牆身及假天花以上除外)。
地台鋪砌天然石材(浴缸底及面盆櫃底除外)。

第1座	2樓至16樓	D單位
第1座	17樓	C單位
第2座(T2A)	2樓至16樓	D單位
第2座(T2A)	17樓	C單位
第3座	2樓至19樓	A單位
第5座	2樓至19樓	A單位
第5座	2樓至19樓	C單位
第6座(T6B)	2樓至19樓	B單位

所有主人浴室及浴室(大廈及洋房)
裝設石膏板假天花髹乳膠漆。
牆身飾面鋪砌至假天花。

2. Interior finishes	
Item	Description
(e) Kitchen	**For all Villa, and the following Special & 4-Bedroom Units:-** Wall is finished with artificial stone and glass panel (except those area covered by kitchen cabinet and above the false ceiling level), floor is finished with natural stone (except those area covered by kitchen cabinet). Gypsum board with emulsion paint and aluminium panel false ceiling are provided.

Tower 1	2/F to 16/F	Unit A
Tower 1	2/F to 16/F	Unit C
Tower 1	17/F	Unit A
Tower 1	17/F	Unit B
Tower 2(T2A)	2/F to 17/F	Unit A
Tower 2(T2A)	2/F to 16/F	Unit B
Tower 6(T6A)	2/F	Unit B
Tower 6(T6B)	2/F	Unit A
Tower 7(T7A)	2/F	Unit B
Tower 7(T7B)	2/F	Unit A
Tower 8	11/F	Unit A
Tower 9(T9A)	2/F to 10/F	Unit B
Tower 9(T9A)	11/F	Unit A

For all Studio, 1-Bedroom & 2-Bedroom Unit with open kitchen:-

Wall is finished with glass panel and emulsion paint (except those areas covered by kitchen cabinet and above the false ceiling level). Floor is finished with engineered timber flooring and natural stone floor border along kitchen cabinet (except those area covered by kitchen cabinet). Gypsum board bulkhead finished with emulsion paint if bulkhead is provided.

For 2-Bedroom & 3-Bedroom Unit:-

Wall is finished with ceramic tile and glass panel (except above the false ceiling level). Floor is finished with ceramic tile. Aluminium panel false ceiling is provided.

All kitchen:-

Cooking bench countertop is fitted with solid surface material.

Wall finish run up to the false ceiling.

2. 室內裝修物料	
細項	描述
(e) 廚房	**所有洋房及以下特式單位及4房單位:-** 廚房牆身鋪砌人造彷石材及玻璃飾面板(櫥櫃背牆身及假天花以上除外)；地台鋪砌天然石材(廚櫃底除外)；裝設石膏板髹乳膠漆及鋁板假天花。

第1座	2樓至16樓	A單位
第1座	2樓至16樓	C單位
第1座	17樓	A單位
第1座	17樓	B單位
第2座(T2A)	2樓至17樓	A單位
第2座(T2A)	2樓至16樓	B單位
第6座(T6A)	2樓	B單位
第6座(T6B)	2樓	A單位
第7座(T7A)	2樓	B單位
第7座(T7B)	2樓	A單位
第8座	11樓	A單位
第9座(T9A)	2樓至10樓	B單位
第9座(T9A)	11樓	A單位

所有開放式、1房及2房單位的開放式廚房:-

牆身鋪砌玻璃及乳膠漆飾面板 (廚櫃背牆身及假天花以上除外)。地台鋪砌複合木地板及沿廚櫃邊圍邊部份鋪砌天然石條(廚櫃底除外)；裝設假天花石膏板假陣髹乳膠漆(如有假陣)。

2房及3房單位:-

廚房牆身鋪砌瓷磚及玻璃飾面板(假天花以上除外)。廚房地台鋪砌瓷磚，裝設鋁板金屬假天花。

所有廚房:-

灶台面安裝實體面料。

牆身飾面鋪砌至假天花高度。

3. Interior fittings	
Item	Description
(a) Doors	**Villa:-** **Villa Main Entrance:** Solid core timber double door finished with aluminium cladding at outer side and wood veneer at inner side and fitted with lockset, concealed door closer, flush bolt, door hinge, door guard, eye viewer and door stopper. **Car Park Entrance:** Solid core fire rated timber door finished with wood veneer fitted with lockset, smoke seal, door closer, door hinge and door stopper. **Kitchen:** Solid core fire rated timber door finished with wood veneer and fitted with fire rated glass vision panel, handle, concealed door closer, door hinge and door stopper. **Bedroom, master bedroom and study room:** Hollow core timber door finished with wood veneer and fitted with lockset, door hinge and door stopper. **Bathroom and master bathroom:** Hollow core timber door finished with wood veneer and fitted with lockset, door hinge and door stopper. Timber louvre door is provided for the following bathroom and master bathroom: Villa 1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 15, 16 & 17 — 1/F — Bathroom 1, Bathroom 2 & Master Bathroom Villa A, B, C, D, E, F, G & H — 1/F — Bathroom 1, Bathroom 2 **Balcony:** Aluminium framed sliding door with fluorocarbon coating fitted with IGU glass with pull handle and lockset. **Roof:** Aluminum framed swing door with clear glass and fitted with lockset and door hinge. **Lavatory:** Painted metal folding door with obscure glass and louver for the following location: Villa 1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 15, 16 & 17 — G/F — Lavatory 2 Villa A, B, C, D, E, F, G & H — G/F — Lavatory 2

3. 室內裝置	
細項	描述
(a) 門	**洋房：-** **洋房大門：** 外鑲鋁板內木皮飾面實心木雙門，裝設門鎖、暗藏氣鼓、門閂、門鉸、防盜扣、防盜眼及門擋。 **停車場入口：** 木皮飾面實心防火木門，裝設門鎖、防煙條、氣鼓、門鉸及門擋。 **廚房：** 木皮飾面實心防火木門，裝設防火玻璃小窗、把手、暗藏氣鼓、門鉸及門擋。 **睡房，主人睡房及書房：** 木皮飾面空心木門，裝設門鎖、門鉸及門擋。 **浴室及主人浴室：** 木皮飾面空心木門，裝設門鎖、門鉸及門擋。 木百葉門將設於以下浴室及主人浴室： 1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 15, 16及17號洋房 — 1樓 — 浴室1、浴室2及主人浴室 A, B, C, D, E, F, G及H號洋房 — 1樓 — 浴室1、浴室2 **露台：** 鋁框趟門配有氟化碳噴塗層鑲有雙層中空玻璃、拉手及門鎖。 **天台：** 鋁框掩門鑲有清玻璃、門鎖及門鉸。 **洗手間：** 油漆金屬摺門鑲上磨沙玻璃及百葉於以下位置： 1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 15, 16及17號洋房 — 地下 — 洗手間2 A, B, C, D, E, F, G及H號洋房 — 地下 — 洗手間2

3. Interior fittings	
Item	Description
(a) Doors	Hollow core timber door with timber louvre finished with wood veneer fitted with lockset, door hinge, door stopper for the following location:

Villa 1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 15, 16 & 17	G/F	Lavatory 1
Villa A, B, C, D, E, F, G & H	G/F	Lavatory 1

Utility Room:
Hollow core timber door finished with wood veneer fitted with door hinge, door stopper and lockset for Utility Room of Villa A, B, C, D, E, F, G & H.

Hollow core timber lourve sliding door finished with wood veneer fitted with lockset for Utility Room of Villa 1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 15, 16 & 17.

Garden:
Aluminium framed sliding door with fluorocarbon coating fitted with IGU glass with pull handle and lockset from living room/ dining room to garden.
Metal gate with paint finish fitted with lockset and flush bolt installed at garden fence wall. Metal gate with paint finish fitted with lockset installed at garden with VRV at Villa A, B, C, D, E, F and G.

Tower:-
Main Entrance of Residential Unit:
Solid core fire rated timber door finished with paint finish and fitted with lockset, concealed door closer, door hinge, smoke seal, door stopper, door guard and eye viewer.

Double leaf main entrance of residential unit:
Solid core fire rated timber door finished with paint finish and fitted with lockset, concealed door closer, door hinge, smoke seal, flush bolt, door stopper, door guard and eye viewer.

Kitchen (except for open kitchen):
Solid core fire rated timber door finished with paint finish and fitted with fire rated glass vision panel, handle, concealed door closer, door hinge, smoke seal and door stopper.

Bedroom and master bedroom:
Hollow core timber door finished with paint finish and fitted with lockset, door hinge and door stopper.

3. 室內裝置	
細項	描述
(a) 門	木皮空心木門設木百葉並裝設門鎖，門鉸及門擋於以下位置：

1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 15, 16及17號洋房	地下	洗手間1
A, B, C, D, E, F, G及H號洋房	地下	洗手間1

多功能房：
木皮空心木門，裝設門鉸、門擋、門鎖於洋房A, B, C, D, E, F, G及H內的多功能房。

木皮百葉空心木趟門，裝設門鎖於洋房1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 15, 16 & 17內的多功能房。

花園:
由客廳/飯廳往花園裝設鋁框趟門配有氟化碳噴塗層鑲有雙層中空玻璃、拉手及門鎖。
油漆飾面金屬門閘，配有門鎖及門閂，裝置於花園外圍牆。油漆飾面金屬門閘，配有門鎖，裝置於A, B, C, D, E, F及G號洋房花園連可變冷媒流量冷氣機位置。

大廈:-
住宅單位大門：
油漆飾面實心防火木門，裝設門鎖、暗藏氣鼓、門鉸、防煙條、門擋、防盜扣及防盜眼。

住宅單位子母大門：
油漆飾面實心防火木門，裝設門鎖、暗藏氣鼓、門鉸、防煙條、門閂、門擋、防盜扣及防盜眼。

廚房(開放式廚房除外)：
油漆飾面實心防火木門，裝設防火玻璃小窗、把手、暗藏氣鼓、門鉸、防煙條及門擋。

睡房及主人睡房：
油漆飾面空心木門，裝設門鎖、門鉸及門擋。

3. Interior fittings	
Item	Description
(a) Doors	**Bathroom and master bathroom:** Hollow core timber swing door finished with paint finish and fitted with lockset, door hinge and door stopper. Timber lourve swing door is provided at the following bathroom and master bathroom:-

Tower 1	2/F to 16/F	Unit A	Bathroom
Tower 1	2/F to 16/F	Unit B	Master Bathroom, Bathroom
Tower 1	2/F to 17/F	Unit C	Bathroom
Tower 1	2/F to 17/F	Unit D	Bathroom
Tower 1	2/F to 17/F	Unit E	Bathroom
Tower 1	2/F to 17/F	Unit F	Bathroom
Tower 1	2/F to 16/F	Unit G	Bathroom
Tower 1	17/F	Unit A	Master Bathroom, Bathroom 1, Bathroom 2
Tower 1	17/F	Unit B	Bathroom
Tower 2(T2A)	2/F to 16/F	Unit A	Bathroom 1, Bathroom 2
Tower 2(T2A)	2/F to 16/F	Unit B	Bathroom 1, Bathroom 2
Tower 2(T2A)	2/F to 16/F	Unit D	Bathroom
Tower 2(T2A)	17/F	Unit C	Bathroom
Tower 2(T2B)	2/F to 17/F	Unit C	Bathroom
Tower 2(T2B)	2/F to 17/F	Unit D	Bathroom
Tower 3	2/F to 19/F	Unit B	Bathroom
Tower 3	2/F to 19/F	Unit C	Master Bathroom, Bathroom
Tower 3	2/F to 19/F	Unit D	Bathroom
Tower 3	2/F to 19/F	Unit E	Bathroom
Tower 3	2/F to 19/F	Unit F	Master Bathroom, Bathroom
Tower 3	2/F to 19/F	Unit G	Bathroom
Tower 5	2/F to 19/F	Unit A	Bathroom
Tower 5	2/F to 19/F	Unit B	Bathroom
Tower 5	2/F to 19/F	Unit D	Bathroom
Tower 5	2/F to 19/F	Unit E	Bathroom
Tower 5	2/F to 19/F	Unit F	Bathroom
Tower 5	2/F to 19/F	Unit G	Bathroom
Tower 5	2/F to 19/F	Unit H	Bathroom
Tower 6(T6A)	2/F to 19/F	Unit A	Bathroom
Tower 6(T6A)	5/F to 19/F	Unit B	Master Bathroom, Bathroom

3. 室內裝置	
細項	描述
(a) 門	**浴室及主人浴室：** 油漆飾面空心木掩門，裝設門鎖、門鉸及門擋。 木百葉掩門將設於下列的浴室及主人浴室：

第1座	2樓至16樓	A單位	浴室
第1座	2樓至16樓	B單位	主人浴室及浴室
第1座	2樓至17樓	C單位	浴室
第1座	2樓至17樓	D單位	浴室
第1座	2樓至17樓	E單位	浴室
第1座	2樓至17樓	F單位	浴室
第1座	2樓至16樓	G單位	浴室
第1座	17樓	A單位	主人浴室、浴室1及浴室2
第1座	17樓	B單位	浴室
第2座(T2A)	2樓至16樓	A單位	浴室1及浴室2
第2座(T2A)	2樓至16樓	B單位	浴室1及浴室2
第2座(T2A)	2樓至16樓	D單位	浴室
第2座(T2A)	17樓	C單位	浴室
第2座(T2B)	2樓至17樓	C單位	浴室
第2座(T2B)	2樓至17樓	D單位	浴室
第3座	2樓至19樓	B單位	浴室
第3座	2樓至19樓	C單位	主人浴室及浴室
第3座	2樓至19樓	D單位	浴室
第3座	2樓至19樓	E單位	浴室
第3座	2樓至19樓	F單位	主人浴室及浴室
第3座	2樓至19樓	G單位	浴室
第5座	2樓至19樓	A單位	浴室
第5座	2樓至19樓	B單位	浴室
第5座	2樓至19樓	D單位	浴室
第5座	2樓至19樓	E單位	浴室
第5座	2樓至19樓	F單位	浴室
第5座	2樓至19樓	G單位	浴室
第5座	2樓至19樓	H單位	浴室
第6座(T6A)	2樓至19樓	A單位	浴室
第6座(T6A)	5樓至19樓	B單位	主人浴室及浴室

3. Interior fittings				
Item	Description			
(a) Doors	Tower 6(T6A)	2/F to 19/F	Unit C	Bathroom
	Tower 6(T6A)	2/F to 19/F	Unit D	Bathroom
	Tower 6(T6A)	2/F to 19/F	Unit E	Bathroom
	Tower 6(T6A)	2/F to 19/F	Unit G	Bathroom
	Tower 6(T6A)	3/F	Unit B	Bathroom
	Tower 6(T6B)	3/F	Unit A	Bathroom
	Tower 6(T6B)	5/F to 19/F	Unit A	Master Bathroom
	Tower 6(T6B)	2/F to 19/F	Unit D	Bathroom
	Tower 6(T6B)	2/F to 19/F	Unit E	Bathroom
	Tower 6(T6B)	2/F to 19/F	Unit F	Bathroom
	Tower 7(T7A)	2/F to 19/F	Unit A	Bathroom
	Tower 7(T7A)	5/F to 19/F	Unit B	Master Bathroom, Bathroom
	Tower 7(T7A)	2/F to 19/F	Unit C	Bathroom
	Tower 7(T7A)	2/F to 19/F	Unit D	Bathroom
	Tower 7(T7A)	3/F	Unit B	Bathroom
	Tower 7(T7B)	5/F to 19/F	Unit A	Master Bathroom, Bathroom
	Tower 7(T7B)	2/F to 19/F	Unit B	Bathroom
	Tower 7(T7B)	2/F to 19/F	Unit D	Bathroom
	Tower 7(T7B)	2/F to 19/F	Unit E	Bathroom
	Tower 7(T7B)	3/F	Unit A	Bathroom
	Tower 8	2/F to 10/F	Unit B	Bathroom
	Tower 8	11/F	Unit A	Master Bathroom, Bathroom 2
	Tower 9(T9A)	2/F to 10/F	Unit B	Bathroom
	Tower 9(T9A)	2/F to 11/F	Unit C	Master Bathroom, Bathroom
	Tower 9(T9A)	2/F to 10/F	Unit D	Master Bathroom, Bathroom
	Tower 9(T9A)	11/F	Unit B	Master Bathroom, Bathroom
	Tower 9(T9B)	2/F to 11/F	Unit A	Bathroom
	Tower 9(T9B)	2/F to 11/F	Unit B	Bathroom
	Tower 9(T9B)	2/F to 11/F	Unit C	Bathroom
	Tower 9(T9B)	2/F to 11/F	Unit D	Bathroom

3. 室內裝置				
細項	描述			
(a) 門	第6座(T6A)	2樓至19樓	C單位	浴室
	第6座(T6A)	2樓至19樓	D單位	浴室
	第6座(T6A)	2樓至19樓	E單位	浴室
	第6座(T6A)	2樓至19樓	G單位	浴室
	第6座(T6A)	3樓	B單位	浴室
	第6座(T6B)	3樓	A單位	浴室
	第6座(T6B)	5樓至19樓	A單位	主人浴室
	第6座(T6B)	2樓至19樓	D單位	浴室
	第6座(T6B)	2樓至19樓	E單位	浴室
	第6座(T6B)	2樓至19樓	F單位	浴室
	第7座(T7A)	2樓至19樓	A單位	浴室
	第7座(T7A)	5樓至19樓	B單位	主人浴室及浴室
	第7座(T7A)	2樓至19樓	C單位	浴室
	第7座(T7A)	2樓至19樓	D單位	浴室
	第7座(T7A)	3樓	B單位	浴室
	第7座(T7B)	5樓至19樓	A單位	主人浴室及浴室
	第7座(T7B)	2樓至19樓	B單位	浴室
	第7座(T7B)	2樓至19樓	D單位	浴室
	第7座(T7B)	2樓至19樓	E單位	浴室
	第7座(T7B)	3樓	A單位	浴室
	第8座	2樓至10樓	B單位	浴室
	第8座	11樓	A單位	主人浴室及浴室2
	第9座(T9A)	2樓至10樓	B單位	浴室
	第9座(T9A)	2樓至11樓	C單位	主人浴室及浴室
	第9座(T9A)	2樓至10樓	D單位	主人浴室及浴室
	第9座(T9A)	11樓	B單位	主人浴室及浴室
	第9座(T9B)	2樓至11樓	A單位	浴室
	第9座(T9B)	2樓至11樓	B單位	浴室
	第9座(T9B)	2樓至11樓	C單位	浴室
	第9座(T9B)	2樓至11樓	D單位	浴室

3. Interior fittings	
Item	Description
(a) Doors	**Bathroom at the following unit:** Hollow core timber sliding door with louvre and paint finish fitted with lockset. Tower 6(T6B) | 5/F to 19/F | Unit A | Bathroom Tower 8 | 2/F to 10/F | Unit A | Bathroom **Bathroom at the following unit:** Hollow core timber sliding door with paint finish fitted with lockset. Tower 6(T6B) | 2/F to 19/F | Unit C | Bathroom Tower 9(T9A) | 2/F to 10/F | Unit A | Bathroom **Utility Room at the following unit:** Hollow core timber swing louvre door with paint finish fitted with door hinge, door stopper, door closer and lockset. Tower 1 | 2/F to 17/F | Unit A Tower 2(T2A) | 2/F to 16/F | Unit B Tower 2(T2A) | 17/F | Unit A Tower 8 | 2/F to 10/F | Unit B Tower 9(T9A) | 2/F to 10/F | Unit C Tower 9(T9A) | 2/F to 10/F | Unit D Tower 9(T9B) | 2/F to 10/F | Unit A **Utility Room at the following unit:** Hollow core timber swing louvre door with paint finish fitted with door hinge, door stopper and lockset. Tower 7(T7A) | 2/F to 18/F | Unit A Tower 7(T7B) | 2/F to 18/F | Unit B Tower 9(T9A) | 2/F to 10/F | Unit B

3. 室內裝置	
細項	描述
(a) 門	**下列單位的浴室：** 油漆飾面空心木百葉趟門，裝設門鎖。 第6座(T6B) | 5樓至19樓 | A單位 | 浴室 第8座 | 2樓至10樓 | A單位 | 浴室 **下列單位的浴室：** 油漆飾面空心趟門，裝設門鎖。 第6座(T6B) | 2樓至19樓 | C單位 | 浴室 第9座(T9A) | 2樓至10樓 | A單位 | 浴室 **下列單位的多功能房：** 油漆飾面空心百葉木掩門，裝設門鉸、門擋、氣鼓及門鎖。 第1座 | 2樓至17樓 | A單位 第2座(T2A) | 2樓至16樓 | B單位 第2座(T2A) | 17樓 | A單位 第8座 | 2樓至10樓 | B單位 第9座(T9A) | 2樓至10樓 | C單位 第9座(T9A) | 2樓至10樓 | D單位 第9座(T9B) | 2樓至10樓 | A單位 **下列單位的多功能房：** 油漆飾面空心百葉木掩門，裝設門鉸、門擋及門鎖。 第7座(T7A) | 2樓至18樓 | A單位 第7座(T7B) | 2樓至18樓 | B單位 第9座(T9A) | 2樓至10樓 | B單位

3. Interior fittings	
Item	Description
(a) Doors	**Utility Room at the following unit:** Hollow core timber swing louvre door with paint finish fitted with door hinge and lockset. Tower 1 | 2/F to 16/F | Unit C Tower 1 | 17/F | Unit B **Utility Room at the following unit:** Hollow core timber swing door with paint finish fitted with door hinge and lockset. Tower 8 | 2/F to 11/F | Unit A Tower 9(T9A) | 11/F | Unit A **Utility Room at the following unit:** Hollow core timber swing door with paint finish fitted with door hinge, door stopper and lockset. Tower 2(T2A) | 2/F to 16/F | Unit A Tower 6(T6A) | 2/F | Unit B Tower 6(T6B) | 2/F | Unit A Tower 7(T7A) | 2/F | Unit B Tower 7(T7B) | 2/F | Unit A Tower 9(T9A) | 2/F to 10/F | Unit A

3. 室內裝置	
細項	描述
(a) 門	下列單位的多功能房： 油漆飾面空心百葉木掩門，裝設門鉸及門鎖。 第1座 | 2樓至16樓 | C單位 第1座 | 17樓 | B單位 下列單位的多功能房： 油漆飾面空心木掩門，裝設門鉸及門鎖。 第8座 | 2樓至11樓 | A單位 第9座(T9A) | 11樓 | A單位 下列單位的多功能房： 油漆飾面空心木掩門，裝設門鉸、門擋及門鎖。 第2座(T2A) | 2樓至16樓 | A單位 第6座(T6A) | 2樓 | B單位 第6座(T6B) | 2樓 | A單位 第7座(T7A) | 2樓 | B單位 第7座(T7B) | 2樓 | A單位 第9座(T9A) | 2樓至10樓 | A單位

3. Interior fittings	
Item	Description
(a) Doors	**Lavatory at the following unit:** Painted metal folding door with obscure glass and louvre.

Tower 1	2/F to 17/F	Unit A	Lavatory
Tower 1	2/F to 16/F	Unit C	Lavatory
Tower 1	17/F	Unit B	Lavatory
Tower 2(T2A)	2/F to 17/F	Unit A	Lavatory
Tower 2(T2A)	2/F to 16/F	Unit B	Lavatory
Tower 6(T6A)	2/F	Unit B	Lavatory 1
Tower 6(T6B)	2/F	Unit A	Lavatory 1
Tower 7(T7A)	2/F to 18/F	Unit A	Lavatory
Tower 7(T7A)	2/F	Unit B	Lavatory 2
Tower 7(T7B)	2/F	Unit A	Lavatory 2
Tower 7(T7B)	2/F to 18/F	Unit B	Lavatory
Tower 8	2/F to 11/F	Unit A	Lavatory
Tower 8	2/F to 10/F	Unit B	Lavatory
Tower 9(T9A)	2/F to 11/F	Unit A	Lavatory
Tower 9(T9A)	2/F to 10/F	Unit B	Lavatory
Tower 9(T9A)	2/F to 10/F	Unit C	Lavatory
Tower 9(T9A)	2/F to 10/F	Unit D	Lavatory
Tower 9(T9B)	2/F to 10/F	Unit A	Lavatory

Lavatory at the following unit:
Hollow core louvre timber swing door with paint finish and fitted with lockset, door hinge and door stopper.

Tower 6(T6A)	2/F	Unit B	Lavatory 2
Tower 7(T7A)	2/F	Unit B	Lavatory 1
Tower 7(T7B)	2/F	Unit A	Lavatory 1

3. 室內裝置	
細項	描述
(a) 門	**下列單位的洗手間：** 油漆金屬摺門鑲上磨沙玻璃及百葉。

第1座	2樓至17樓	A單位	洗手間
第1座	2樓至16樓	C單位	洗手間
第1座	17樓	B單位	洗手間
第2座(T2A)	2樓至17樓	A單位	洗手間
第2座(T2A)	2樓至16樓	B單位	洗手間
第6座(T6A)	2樓	B單位	洗手間1
第6座(T6B)	2樓	A單位	洗手間1
第7座(T7A)	2樓至18樓	A單位	洗手間
第7座(T7A)	2樓	B單位	洗手間2
第7座(T7B)	2樓	A單位	洗手間2
第7座(T7B)	2樓至18樓	B單位	洗手間
第8座	2樓至11樓	A單位	洗手間
第8座	2樓至10樓	B單位	洗手間
第9座(T9A)	2樓至11樓	A單位	洗手間
第9座(T9A)	2樓至10樓	B單位	洗手間
第9座(T9A)	2樓至10樓	C單位	洗手間
第9座(T9A)	2樓至10樓	D單位	洗手間
第9座(T9B)	2樓至10樓	A單位	洗手間

下列單位的洗手間：
油漆飾面空心百葉木掩門，裝設門鎖、門鉸及門擋。

第6座(T6A)	2樓	B單位	洗手間2
第7座(T7A)	2樓	B單位	洗手間1
第7座(T7B)	2樓	A單位	洗手間1

3. Interior fittings

Item	Description
(a) Doors	**Lavatory at the following unit:** Hollow core louvre timber swing door with paint finish and fitted with lockset and door hinge. Tower 6(T6B) | 2/F | Unit A | Lavatory 2 **Store room at the following unit:** Hollow core timber swing door with paint finish fitted with door hinge, door stopper and lockset. Tower 1 | 2/F to 16/F | Unit B Tower 2(T2A) | 2/F to 16/F | Unit C Tower 2(T2B) | 2/F to 17/F | Unit C Tower 5 | 2/F to 19/F | Unit F Tower 7(T7A) | 5/F to 18/F | Unit B Tower 7(T7B) | 5/F to 18/F | Unit A **Store room at the following unit:** Hollow core timber swing door with paint finish fitted with door hinge and lockset. Tower 1 | 2/F to 16/F | Unit G Tower 1 | 17/F | Unit F Tower 2(T2B) | 2/F to 17/F | Unit A Tower 2(T2B) | 2/F to 17/F | Unit B Tower 2(T2B) | 2/F to 17/F | Unit D Tower 5 | 2/F to 19/F | Unit J Tower 6(T6A) | 5/F to 19/F | Unit B Tower 6(T6B) | 5/F to 19/F | Unit A Tower 9(T9B) | 2/F to 11/F | Unit C Tower 9(T9B) | 2/F to 11/F | Unit D Tower 9(T9B) | 2/F to 11/F | Unit E

3. 室內裝置

細項	描述
(a) 門	**下列單位的洗手間：** 油漆飾面空心百葉木掩門，裝設門鎖及門鉸。 第6座(T6B) | 2樓 | A單位 | 洗手間2 **下列單位的儲物室：** 油漆飾面空心木掩門，裝設門鉸、門擋及門鎖。 第1座 | 2樓至16樓 | B單位 第2座(T2A) | 2樓至16樓 | C單位 第2座(T2B) | 2樓至17樓 | C單位 第5座 | 2樓至19樓 | F單位 第7座(T7A) | 5樓至18樓 | B單位 第7座(T7B) | 5樓至18樓 | A單位 **下列單位的儲物室：** 油漆飾面空心木掩門，裝設門鉸及門鎖。 第1座 | 2樓至16樓 | G單位 第1座 | 17樓 | F單位 第2座(T2B) | 2樓至17樓 | A單位 第2座(T2B) | 2樓至17樓 | B單位 第2座(T2B) | 2樓至17樓 | D單位 第5座 | 2樓至19樓 | J單位 第6座(T6A) | 5樓至19樓 | B單位 第6座(T6B) | 5樓至19樓 | A單位 第9座(T9B) | 2樓至11樓 | C單位 第9座(T9B) | 2樓至11樓 | D單位 第9座(T9B) | 2樓至11樓 | E單位

3. Interior fittings

Item	Description
(a) Doors	**Store room at the following unit:** Hollow core timber sliding door with paint finish fitted with lockset.

Tower 8	2/F to 10/F	Unit B
Tower 9(T9A)	2/F to 10/F	Unit C
Tower 9(T9A)	11F	Unit B

Store Room (Under Stair) at the following unit:
Hollow core timber swing door with paint finish fitted with door hinge and lockset.

Tower 1	17/F	Unit A
Tower 1	17/F	Unit B
Tower 2(T2A)	17/F	Unit A
Tower 2(T2A)	17/F	Unit B
Tower 6(T6A)	2/F	Unit B
Tower 6(T6A)	19/F	Unit A
Tower 7(T7A)	2/F	Unit B
Tower 7(T7A)	19/F	Unit A
Tower 7(T7A)	19/F	Unit B
Tower 7(T7B)	2/F	Unit A
Tower 7(T7B)	19/F	Unit A
Tower 7(T7B)	19/F	Unit B
Tower 8	11/F	Unit A
Tower 9(T9A)	11/F	Unit A
Tower 9(T9A)	11/F	Unit B
Tower 9(T9A)	11/F	Unit C
Tower 9(T9B)	11/F	Unit A

3. 室內裝置

細項	描述
(a) 門	**下列單位的儲物室：** 油漆飾面空心木趟門，裝設門鎖。

第8座	2樓至10樓	B單位
第9座(T9A)	2樓至10樓	C單位
第9座(T9A)	11樓	B單位

下列單位的儲物室(樓梯下)：
油漆飾面空心木掩門，裝設門鉸及門鎖。

第1座	17樓	A單位
第1座	17樓	B單位
第2座(T2A)	17樓	A單位
第2座(T2A)	17樓	B單位
第6座(T6A)	2樓	B單位
第6座(T6A)	19樓	A單位
第7座(T7A)	2樓	B單位
第7座(T7A)	19樓	A單位
第7座(T7A)	19樓	B單位
第7座(T7B)	2樓	A單位
第7座(T7B)	19樓	A單位
第7座(T7B)	19樓	B單位
第8座	11樓	A單位
第9座(T9A)	11樓	A單位
第9座(T9A)	11樓	B單位
第9座(T9A)	11樓	C單位
第9座(T9B)	11樓	A單位

3. Interior fittings	
Item	Description
(a) Doors	**Balcony:-** Aluminium framed sliding door with fluorocarbon coating fitted with tinted glass with pull handle and lockset. **Utility Platform:** Aluminium framed swing door with clear glass and fitted with lockset and door hinge. **To Flat Roof at the following unit:** Aluminium framed sliding door with fluorocarbon coating fitted with tinted glass with pull handle and lockset at the following living room, dining room and bedroom 3 of Unit A, 17/F of Tower 2(T2A), master bedroom of Unit A, 2/F of Tower 8 and master bedroom of Unit A, 2/F of Tower 9(T9A).

Tower 1	2/F	Unit A, B, C, D, E, F & G
Tower 2(T2A)	2/F	Unit A, B, C & D
Tower 2(T2A)	17/F	Unit A
Tower 2(T2B)	2/F	Unit A, B, C & D
Tower 3	2/F	Unit A, B, C, D, E, F & G
Tower 5	2/F	Unit A, B, C, D, E, F, G, H, I & J
Tower 6(T6A)	2/F	Unit A, B, C, D, E, F & G
Tower 6(T6B)	2/F	Unit A, B, C, D, E & F
Tower 7(T7A)	2/F	Unit A, B, C, D & E
Tower 7(T7B)	2/F	Unit A, B, C, D & E
Tower 8	2/F	Unit A, B, C & D
Tower 9(T9A)	2/F	Unit A, B, C & D
Tower 9(T9B)	2/F	Unit A, B, C, D & E

3. 室內裝置	
細項	描述
(a) 門	**露台：-** 鋁框趟門配有氟化碳噴塗層鑲有色玻璃，拉手及門鎖。 **工作平台:** 鋁框掩門鑲有清玻璃，門鎖及門鉸。 **往下列單位的平台：** 鋁框趟門配有氟化碳噴塗層鑲有色玻璃，拉手及門鎖於以下客廳、飯廳及第2座(T2A)17樓A單位之睡房3、第8座2樓A單位之主人睡房及第9座(T9A)2樓A單位之主人睡房。

第1座	2樓	A, B, C, D, E, F及G單位
第2座(T2A)	2樓	A, B, C及D單位
第2座(T2A)	17樓	A單位
第2座(T2B)	2樓	A, B, C及D單位
第3座	2樓	A, B, C, D, E, F及G單位
第5座	2樓	A, B, C, D, E, F, G, H, I及J單位
第6座(T6A)	2樓	A, B, C, D, E, F及G單位
第6座(T6B)	2樓	A, B, C, D, E及F單位
第7座(T7A)	2樓	A, B, C, D及E單位
第7座(T7B)	2樓	A, B, C, D及E單位
第8座	2樓	A, B, C及D單位
第9座(T9A)	2樓	A, B, C及D單位
第9座(T9B)	2樓	A, B, C, D及E單位

3. Interior fittings	
Item	Description
(a) Doors	**To Flat Roof and Roof at the following unit:** Aluminium framed swing door with clear glass and fitted with lockset and door hinge.

Tower 1	2/F	Unit A	Master Bedroom
Tower 1	2/F	Unit D	Master Bedroom
Tower 1	17/F	Unit A	Kitchen
Tower 1	17/F	Unit B	Stair
Tower 1	R/F	Unit A	Stair
Tower 2(T2A)	2/F	Unit A	Master Bedroom
Tower 2(T2A)	2/F	Unit B	Master Bedroom
Tower 2(T2A)	2/F	Unit C	Kitchen
Tower 2(T2A)	17/F	Unit A	Bedroom3
Tower 2(T2A)	R/F	Unit A	Stair
Tower 2(T2A)	17/F	Unit B	Stair
Tower 2(T2B)	2/F	Unit B	Master Bedroom
Tower 2(T2B)	2/F	Unit C	Kitchen
Tower 3	2/F	Unit D	Kitchen
Tower 3	2/F	Unit E	Master Bedroom, Kitchen
Tower 5	2/F	Unit A	Kitchen
Tower 5	2/F	Unit I	Master Bedroom
Tower 5	2/F	Unit J	Master Bedroom
Tower 6(T6A)	19/F	Unit A	Stair
Tower 6(T6B)	2/F	Unit B	Kitchen
Tower 6(T6B)	2/F	Unit C	Master Bedroom
Tower 7(T7A)	19/F	Unit A	Stair
Tower 7(T7A)	19/F	Unit B	Stair
Tower 7(T7B)	19/F	Unit A	Stair
Tower 7(T7B)	19/F	Unit B	Stair
Tower 8	2/F	Unit C	Master Bedroom
Tower 8	R/F	Unit A	Stair
Tower 9(T9A)	2/F	Unit B	Master Bedroom
Tower 9(T9A)	11/F	Unit A	Master Bedroom
Tower 9(T9A)	11/F	Unit B	Stair
Tower 9(T9A)	11/F	Unit C	Stair
Tower 9(T9A)	R/F	Unit A	Stair
Tower 9(T9B)	2/F	Unit A	Master Bedroom
Tower 9(T9B)	11/F	Unit A	Stair

3. 室內裝置	
細項	描述
(a) 門	**往下列單位的平台及天台：** 鋁框掩門鑲有清玻璃，門鎖及門鉸。

第1座	2樓	A單位	主人睡房
第1座	2樓	D單位	主人睡房
第1座	17樓	A單位	廚房
第1座	17樓	B單位	樓梯
第1座	天台	A單位	樓梯
第2座(T2A)	2樓	A單位	主人睡房
第2座(T2A)	2樓	B單位	主人睡房
第2座(T2A)	2樓	C單位	廚房
第2座(T2A)	17樓	A單位	睡房3
第2座(T2A)	天台	A單位	樓梯
第2座(T2A)	17樓	B單位	樓梯
第2座(T2B)	2樓	B單位	主人睡房
第2座(T2B)	2樓	C單位	廚房
第3座	2樓	D單位	廚房
第3座	2樓	E單位	主人睡房及廚房
第5座	2樓	A單位	廚房
第5座	2樓	I單位	主人睡房
第5座	2樓	J單位	主人睡房
第6座(T6A)	19樓	A單位	樓梯
第6座(T6B)	2樓	B單位	廚房
第6座(T6B)	2樓	C單位	主人睡房
第7座(T7A)	19樓	A單位	樓梯
第7座(T7A)	19樓	B單位	樓梯
第7座(T7B)	19樓	A單位	樓梯
第7座(T7B)	19樓	B單位	樓梯
第8座	2樓	C單位	主人睡房
第8座	天台	A單位	樓梯
第9座(T9A)	2樓	B單位	主人睡房
第9座(T9A)	11樓	A單位	主人睡房
第9座(T9A)	11樓	B單位	樓梯
第9座(T9A)	11樓	C單位	樓梯
第9座(T9A)	天台	A單位	樓梯
第9座(T9B)	2樓	A單位	主人睡房
第9座(T9B)	11樓	A單位	樓梯

3. Interior fittings	
Item	Description
(a) Doors	**To Roof for the following unit:** Metal gate with paint finish.

Tower 1	R/F	Unit A, B, C, D & E
Tower 2(T2A)	R/F	Unit C
Tower 2(T2B)	R/F	Unit A, B, C & D
Tower 3	R/F	Unit A, B, C, D, E, F & G
Tower 5	R/F	Unit A, B, C, D, E, F, G, H, I & J
Tower 6(T6A)	R/F	Unit A, B, C, D, E, F & G
Tower 6(T6B)	R/F	Unit A, B, C, D, E & F
Tower 7(T7A)	R/F	Unit A, C, D & E
Tower 7(T7B)	R/F	Unit B, C, D & E
Tower 8	R/F	Unit A, B & C
Tower 9(T9A)	R/F	Unit A, B & C
Tower 9(T9B)	R/F	Unit A, B, C & D

(b) Bathroom	i. Wooden mirror cabinet with metal frame and wooden vanity counter with metal frame, glass, plastic laminate, and natural stone countertop. Sanitary fitting and equipment include vitreous wash basin with polished chrome finished basin mixer, vitreous water closet, polished chrome plated toilet paper holder and towel bar. Ceiling-mounted type thermo ventilator and duct type exhaust fan are provided. ii. Copper pipe are used for cold and hot water supply system. UPVC pipe are used for flushing water supply system. iii. Press-steel enamel finish bathtub with polished chrome bathroom mixer (applicable to master bathroom and bathroom with bathtub). Tempered clear glass shower cubicle with polished chrome shower mixer (applicable to master bathroom and bathroom with shower cubicle). iv. Bathtub (applicable to master bathroom and bathroom with bathtub) with size 1500(L) x 700mm(W) x 420mm(D) is provided, except master bathroom of villa with bathtub of size 1600(L) x 750mm(W) x 420mm(D) and master bathroom of Unit A, 17/F of Tower 2(T2A) with whirlpool bathtub provided.
(c) Kitchen	**All kitchen:** Stainless steel sink with chrome plated hot and cold water faucet. Copper pipe for cold and hot water supply system. **For all Villas, Special & 4-Bedroom Unit:-** Kitchen is provided with wooden kitchen cabinet finish with plastic laminate finish. **For Other Unit:** Kitchen is provided with wooden kitchen cabinet finished with paint finish panel. For the kitchen appliances provided for each unit, please refer to the "Appliances Schedule".

3. 室內裝置	
細項	描述
(a) 門	**往下列單位的天台：** 油漆金屬閘。

第1座	天台	A、B、C、D及E單位
第2座(T2A)	天台	C單位
第2座(T2B)	天台	A、B、C及D單位
第3座	天台	A、B、C、D、E、F及G單位
第5座	天台	A、B、C、D、E、F、G、H、I及J單位
第6座(T6A)	天台	A、B、C、D、E、F及G單位
第6座(T6B)	天台	A、B、C、D、E及F單位
第7座(T7A)	天台	A、C、D及E單位
第7座(T7B)	天台	B、C、D及E單位
第8座	天台	A、B及C單位
第9座(T9A)	天台	A、B及C單位
第9座(T9B)	天台	A、B、C及D單位

(b) 浴室	i. 裝置木鏡櫃鑲有金屬框架及木製面盆櫃鑲有金屬框架，玻璃，膠板及天然石材檯面。裝設陶瓷洗手盆配鍍鉻水龍頭，陶瓷坐廁，配有鍍鉻廁紙架及毛巾架。裝置天花式浴室寶及管道式抽氣扇。 ii. 冷熱水供水系統採用銅喉管。沖廁供水系統採用膠喉管。 iii. 搪瓷鋼板浴缸配有鍍鉻浴缸龍頭(適用於有浴缸的主人浴室及浴室)。強化清玻璃淋浴間配有鍍鉻淋浴龍頭(適用於有淋浴間的主人浴室及浴室)。 iv. 浴缸尺寸為1500毫米(長) x 700毫米(闊) x 420毫米(深)(適用於有浴缸的主人浴室及浴室)，洋房主人浴室裝設1600毫米(長) x 750毫米(闊) x 420毫米(深)浴缸及第2座(T2A)17樓 A單位主人浴室裝設按摩浴缸除外。
(c) 廚房	**所有廚房:** 不銹鋼洗滌盆配鍍鉻冷熱水水龍頭。冷熱水供水系統採用銅喉管。 **所有洋房，特式單位及4房單位:-** 廚房裝設木製廚櫃配膠板飾面板 **其他單位** 廚房裝設木製廚櫃配油漆面板。 有關單位提供之廚房設備，請參閱「設備說明表」。

3. Interior fittings	
Item	Description
(c) Kitchen	**Type of all other fittings and equipment:** **Smoke detector and sprinkler head installed in the following units:** Tower 3 — 2/F to 19/F — Unit G Tower 5 — 2/F to 19/F — Unit B, E, G & H Tower 6(T6A) — 2/F to 19/F — Unit C, D, E, F & G Tower 6(T6B) — 2/F to 19/F — Unit D, E & F Tower 8 — 2/F to 10/F — Unit C & D Tower 8 — 11/F — Unit B & C
(d) Bedroom	No fittings.
(e) Telephone	Telephone connection points are provided. For the location and number of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions of Residential Units".
(f) Aerial	TV/FM outlets for local TV/FM radio programme are provided. For the location and number of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions of Residential Units".
(g) Electrical Installations	Three phase electricity supply with miniature circuit breakers distribution board is provided for all Villas, 4-Bedroom Units, 3-Bedroom Units, 1-Bedroom Units, Studio Units and units below: Tower 6(T6A) — 2/F — Unit B Tower 6(T6B) — 2/F — Unit A Tower 7(T7A) — 2/F — Unit B Tower 7(T7B) — 2/F — Unit A Tower 8 — 2/F to 10/F — Unit C Tower 8 — 11/F — Unit B Single phase electricity supply with miniature circuit breakers distribution board is provided for other residential units. Electrical conduits are concealed in part and exposed in part[1]. For the location, type and number of electrical fittings, power points and air conditioner points, please refer to the "Schedule of Mechanical & Electrical Provisions of Residential Units".

3. 室內裝置	
細項	描述
(c) 廚房	**所有其他裝置及設置及設備的類型:** **以下單位均設煙霧感應器及消防花灑頭:** 第3座 — 2樓至19樓 — G單位 第5座 — 2樓至19樓 — B、E、G及H單位 第6座(T6A) — 2樓至19樓 — C、D、E、F及G單位 第6座(T6B) — 2樓至19樓 — D、E及F單位 第8座 — 2樓至10樓 — C及D單位 第8座 — 11樓 — B及C單位
(d) 睡房	沒有裝置。
(e) 電話	裝設有電話接駁點。有關接駁點的位置及數目，請參閱「住宅單位機電裝置數量說明表」。
(f) 天線	裝設電視及電台插座，可接收本地電視及電台節目。 有關接駁點的位置及數目，請參閱「住宅單位機電裝置數量說明表」。
(g) 電力裝置	所有洋房，4房單位，3房單位，1房單位，開放式單位及下列單位提供三相電力配電箱並裝置有微型斷路器: 第6座(T6A) — 2樓 — B單位 第6座(T6B) — 2樓 — A單位 第7座(T7A) — 2樓 — B單位 第7座(T7B) — 2樓 — A單位 第8座 — 2樓至10樓 — C單位 第8座 — 11樓 — B單位 其他住宅單位提供單相電力配電箱並裝置有微型斷路器。 電線導管部分隱藏及部分外露[1]。 有關供電附件、電插座及空調機接駁點的位置、類型及數目，請參閱「住宅單位機電裝置數量說明表」。

3. Interior fittings	
Item	Description
(h) Gas Supply	Towngas supply pipe is provided and connected to gas hob and gas water heater, except the residential unit stated below. No towngas supply is provided for the following unit: Tower 3 — 2/F to 19/F — Unit G Tower 5 — 2/F to 19/F — Unit B Tower 5 — 2/F to 19/F — Unit E Tower 5 — 2/F to 19/F — Unit G Tower 5 — 2/F to 19/F — Unit H Tower 6(T6A) — 2/F to 19/F — Unit C Tower 6(T6A) — 2/F to 19/F — Unit D Tower 6(T6A) — 2/F to 19/F — Unit E Tower 6(T6A) — 2/F to 19/F — Unit G Tower 6(T6B) — 2/F to 19/F — Unit D Tower 6(T6B) — 2/F to 19/F — Unit E Tower 6(T6B) — 2/F to 19/F — Unit F Tower 8 — 2/F to 10/F — Unit D Tower 8 — 11/F — Unit C For the location of gas supply points, please refer to the "Schedule of Mechanical & Electrical Provisions of Residential Units".
(i) Washing Machine Connection Point	Water inlet and water outlet connection point are provided for washing machine. Water inlet point of a design of 15mm in diameter and water outlet point of a design of 40mm in diameter are provided for washing machine. For the location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions of Residential Units".
(j) Water Supply	Copper pipes are used for cold and hot water supply system. UPVC pipes are used for flushing water system. Water pipes are concealed in part and exposed in part[2]. Hot water supply by water heater.

3. 室內裝置	
細項	描述
(h) 氣體供應	煤氣喉接駁煤氣煮食爐及煤氣熱水爐(以下單位除外)。 以下單位不設煤氣供應: 第3座 — 2樓至19樓 — G單位 第5座 — 2樓至19樓 — B單位 第5座 — 2樓至19樓 — E單位 第5座 — 2樓至19樓 — G單位 第5座 — 2樓至19樓 — H單位 第6座(T6A) — 2樓至19樓 — C單位 第6座(T6A) — 2樓至19樓 — D單位 第6座(T6A) — 2樓至19樓 — E單位 第6座(T6A) — 2樓至19樓 — G單位 第6座(T6B) — 2樓至19樓 — D單位 第6座(T6B) — 2樓至19樓 — E單位 第6座(T6B) — 2樓至19樓 — F單位 第8座 — 2樓至10樓 — D單位 第8座 — 11樓 — C單位 有關煤氣接駁點的位置及數目，請參閱「住宅單位機電裝置數量說明表」。
(i) 洗衣機接駁點	配備洗衣機來水及去水接駁點。設有洗衣機來水接駁喉位(其設計為直徑15毫米)及去水接駁喉位(其設計為直徑40毫米)。 有關接駁點的位置，請參考「住宅單位機電裝置數量說明表」。
(j) 供水	冷熱供水系統採用銅喉管。沖廁供水系統採用膠喉管。 水管部分隱藏及部分外露[2]。 熱水由熱水爐供應。

4. Miscellaneous

Item	Description
(a) Lifts	**Villa Area** (i) 2 nos. of "FUJITEC" passenger lifts (model no. REXIA) are provided. Floor served by Villa Area lifts:

Lift No.	Floor Served
36, 37	B/F & G/F

Tower

(i) 35 nos. of "FUJITEC" passenger lifts (model no. PMGL) are provided.

Floor served by Tower lifts:

Tower	Lift No.	Floors Served
Tower 1	1-4	B/F, G/F, 2/F – 3/F, 5/F-12/F, 15/F-17/F
Tower 2(T2A) & (T2B)	5-6, 8-9	B/F, G/F, 2/F – 3/F, 5/F-12/F, 15/F-17/F
	7	B/F, G/F, 1/F – 3/F, 5/F-12/F, 15/F-17/F
Tower 3	10	LB/F, B/F, G/F, 2/F – 3/F, 5/F-12/F, 15/F-19/F
	11-13	B/F, G/F, 2/F – 3/F, 5/F-12/F, 15/F-19/F
Tower 5	14-17	B/F, G/F, 2/F – 3/F, 5/F-12/F, 15/F-19/F
Tower 6(T6A) & (T6B)	18-22	B/F, G/F, 2/F – 3/F, 5/F-12/F, 15/F-19/F
Tower 7(T7A) & (T7B)	23-27	B/F, G/F, 2/F – 3/F, 5/F-12/F, 15/F-19/F
Tower 8	28-30	B/F, G/F, 2/F – 3/F, 5/F-11/F
Tower 9 (T9A) & (T9B)	31-35	B/F, G/F, 2/F – 3/F, 5/F-11/F

Clubhouse

(i) 3 nos. of "FUJITEC" passenger lift (model no. REXIA) are provided.

Floor served by Clubhouse lifts:

Lift No.	Served
38	B/F, G/F & R/F
39	B/F & G/F
40	LB/F & B/F

4. 雜項

細項	描述
(a) 升降機	**洋房區** (i)設有2部「富士達」牌載客升降機（型號：REXIA）。 洋房區升降機到達的樓層：

升降機編號	升降機服務之樓層
36, 37	地庫及地下

大廈

(i)設有35部「富士達」牌載客升降機（型號：PMGL）。

大廈升降機到達的樓層：

大廈	升降機編號	升降機服務之樓層
第1座	1-4	地庫、地下、2樓至3樓、5樓至12樓、15樓至17樓
第2座(T2A)及(T2B)	5-6, 8-9	地庫、地下、2樓至3樓、5樓至12樓、15樓至17樓
	7	地庫、地下、1樓至3樓、5樓至12樓、15樓至17樓
第3座	10	地庫低層、地庫、地下、2樓至3樓、5樓至12樓、15樓至19樓
	11-13	地庫、地下、2樓至3樓、5樓至12樓、15樓至19樓
第5座	14-17	地庫、地下、2樓至3樓、5樓至12樓、15樓至19樓
第6座(T6A)及(T6B)	18-22	地庫、地下、2樓至3樓、5樓至12樓、15樓至19樓
第7座(T7A)及(T7B)	23-27	地庫、地下、2樓至3樓、5樓至12樓、15樓至19樓
第8座	28-30	地庫、地下、2樓至3樓、5樓至11樓
第9座(T9A)及(T9B)	31-35	地庫、地下、2樓至3樓、5樓至11樓

會所

(i)設有3部「富士達」牌載客升降機（型號：REXIA）。

會所升降機到達的樓層：

升降機編號	升降機服務之樓層
38	地庫、地下及天台
39	地庫及地下
40	地庫低層及地庫

4. Miscellaneous	
Item	Description
(a) Lifts	**Commercial Accommodation** (i) 5 nos. of "FUJITEC" passenger lift (model no. REXIA) are provided. Floor served by Commercial Accommodation lifts: Lift No. / Floor Served 41-43 / B/F, G/F & 1/F 44 / 1/F & R/F 45 / LB/F, B/F, G/F & 1/F
(b) Letter Box	Stainless steel letter box.
(c) Refuse Collection	Refuse storage and material recovery room is provided in the common area of each residential floor of towers. Refuse collection and material recovery chamber is provided at B/F for collection and removal of refuse by cleaners.
(d) Water Meter, Electricity Meter and Gas Meter	Separate water meter is provided in water meter cabinet on each residential floor of individual unit and B/F of Villa. Separate electricity meter is provided in electrical meter room on each residential floor of individual unit and electrical meter cabinet of Villa at B/F. Space for separate gas meter is provided in the kitchen of individual residential unit (except Studio and 1 Bedroom Unit) and each Villa.

4. 雜項	
細項	描述
(a) 升降機	**商場** (i) 設有5部「富士達」牌載客升降機（型號：REXIA）。 商場升降機到達的樓層： 升降機編號 / 升降機服務之樓層 41-43 / 地庫、地下及1樓 44 / 1樓及天台 45 / 地庫低層、地庫、地下及1樓
(b) 信箱	設置不銹鋼信箱。
(c) 垃圾收集	垃圾儲存及物料回收房位於大廈每層住宅樓層之公用地方。垃圾收集及物料回收房設於地庫。垃圾由清潔工人收集及運走。
(d) 水錶、電錶及氣體錶	獨立水錶分別安裝於大廈每層住宅樓層及洋房地庫之水錶櫃內。獨立電錶安裝於大廈每層住宅樓層之電錶房及洋房地庫之電錶櫃內。每戶住宅單位(開放式及一房單位除外)及每戶洋房之廚房內預留獨立煤氣錶位置。

5. Security facilities
CCTV cameras are provided at entrances of the development, main entrance lobbies of each residential tower, landscaped area, clubhouse, fence wall, carpark, basement lift lobbies and lift cars and connected to the office accommodation for watchman and caretaker. Motion detectors are provided at portion of the fence wall and connect to the office accommodation for watchman and caretaker. Smart card reader for access control is provided at entrance of the development, tower main entrance lobby, carpark lift lobby and clubhouse entrance. Each residential unit is equipped with a door-phone. Each Villa is equipped with a video door-phone which link with a visitor panel for access control at entrance of each Villa. Motion detector is provided at G/F and garden of Villa A to Villa H and connects to security panel of each Villa. Glass break sensor, motion detector is provided at G/F, motion detector, infrared detector are provided at G/F garden of Villa 1 to Villa 17 and connects to security panel of each Villa.

6. Appliances
For brand names and model numbers of appliances, please refer to "Appliances Schedule" below.

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

Remarks:

1. Electrical conduits are concealed in part and exposed in part. Concealed conduit is those placed within concrete. Exposed conduit is not readily visible as it is covered or hidden by false ceiling, bulkhead, block wall and plastering.
2. Water pipes are concealed in part and exposed in part. Concealed water pipe is those that pierce through structural member, structural slab, transfer plate, beam, column and structural wall. Exposed water pipe is not readily visible as it is covered or hidden by false ceiling, bulkhead, block wall and plastering.
3. 4/F, 13/F and 14/F are omitted for Tower 1, Tower 2(T2A), Tower 2(T2B), Tower 3, Tower 5, Tower 6(T6A), Tower 6(T6B), Tower 7(T7A) and Tower 7(T7B).
4. 4/F is omitted for Tower 8, Tower 9(T9A) and Tower 9(T9B).
5. Villa 4, Villa 13 and Villa 14 are omitted.

5. 保安設施
發展項目之入口、每座入口大堂、園景區、會所、圍牆、停車場、地庫升降機大堂及升降機內均裝設閉路電視接駁到保安人員辦事處。 部分圍牆上裝設移動感應器接駁到保安人員辦事處。 發展項目之入口，大廈入口大堂，停車場升降機大堂及會所入口均裝有智能卡讀卡器。 每個住宅單位均裝設對講機。 每戶洋房均裝設視像對講機接駁到洋房入口的訪客對講機。 洋房A號至H號地下及花園裝設移動感應器接駁到相關洋房之保安控制系統。 洋房1號至17號地下裝設玻璃破碎探測器、移動感應器，及花園裝設接移動感應器、紅外線移動感應器接駁到相關洋房之保安控制系統。

6. 設備
有關設備品牌名稱及產品型號，請參閱「設備說明表」。

賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

備註:

1. 電線導管部分隱藏及部份部分外露。隱藏導管置於混凝土內。外露導管因被假天花、隔板、磚牆及灰泥覆蓋或掩藏，故不易看見。
2. 水管部分隱藏及部份部分外露。隱藏水管穿過結構構件、結構樓板、轉換層、橫樑、支柱及結構牆。外露水管因被假天花、隔板、磚牆及灰泥覆蓋或掩藏，故不易看見。
3. 第1座、第2座(T2A)、第2座(T2B)、第3座、第5座、第6座(T6A)、第6座(T6B)、第7座(T7A)及第7座(T7B)均不設4樓、13樓及14樓。
4. 第8座、第9座(T9A)及第9座(T9B)均不設4樓。
5. 不設4號、13號及14號洋房。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Villa 1 1號洋房	Villa 2 - 3 2號至 3號洋房	Villa 5 5號洋房	Villa 6 - 11, 13 - 17 6號至11號, 13號至17號洋房	Villa 12 12號洋房	Villa A - D & F A號至D號及 F號洋房	Villa E E號洋房	Villa G G號洋房	Villa H H號洋房
Main Entrance 大門入口	Visitor Panel 訪客控制板	1	1	1	1	1	1	1	1	1
	Door Bell Push Button 門鈴按鈕	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	1	1	1	1	1	1	1	1	1
Living Room / Dining Room 客廳 / 飯廳	Switch for Indoor A/C Unit 室內冷氣機接線位	3	3	3	3	3	3	3	3	3
	13A Twin Socket Outlet 13A雙位電插座	3	3	3	3	3	3	4	3	3
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	1	1	1	1	1	1	1	1	1
	TV/FM Outlet 電視及電台插座	2	2	2	2	2	2	2	2	2
	Telephone Outlet 電話插座	2	2	2	2	2	2	2	2	2
	Switch for Lavatory Exhaust Fan 洗手間抽氣扇開關掣	1	1	1	1	1	1	1	1	1
	Switch for Kitchen Exhaust Fan & Gas Water Heater 廚房抽氣扇及熱水爐開關掣	1	1	1	1	1	1	1	1	1
	Lighting Switch 燈掣	7	7	7	7	10	6	6	6	6
	Lighting Point 燈位	5	5	5	5	36	4	17	4	4
	Video Door Phone 視像對講機	1	1	1	1	1	1	1	1	1
Space Outside Bedrooms at Upper Floor 上層睡房外之空間	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	1	1	1	1	1	1	1	1	1
	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	1	1	1	1	1	1	1
	Lighting Switch 燈掣	2	2	2	2	2	1	1	1	1
	Lighting Point 燈位	2	2	2	2	4	2	2	2	2
	Fire Extinguisher 滅火器	1	1	1	1	1	1	1	1	1
Master Bedroom 主人睡房	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	2	2	2	2	2	2	2	2	2
	TV/FM Outlet 電視及電台插座	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1	1	1	1	1	1
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	1	1	1	1	1	1	1	1	1
	Lighting Switch 燈掣	3	3	3	3	5	3	4	3	3
	Lighting Point 燈位	3	3	3	3	13	2	19	2	2

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. Villa 4, 13 and 14 are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4號、13號及14號洋房。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Villa 1 1號洋房	Villa 2 - 3 2號至 3號洋房	Villa 5 5號洋房	Villa 6 - 11, 13 - 17 6號至11號, 13號至17號洋房	Villa 12 12號洋房	Villa A - D & F A號至D號及 F號洋房	Villa E E號洋房	Villa G G號洋房	Villa H H號洋房
Bedroom 1 睡房1	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	1	1	1	1	1	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	2	2	2	2	2	3	3	3	3
	TV/FM Outlet 電視及電台插座	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1	1	1	1	1	1
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	1	1	1	1	1	-	-	-	-
	Lighting Switch 燈掣	2	2	2	2	3	1	2	1	1
	Lighting Point 燈位	2	2	2	2	5	1	9	1	1
Bedroom 2 睡房2	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	-	-	-	-	-	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	3	3	3	3	3	2	2	2	2
	TV/FM Outlet 電視及電台插座	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1	1	1	1	1	1
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	-	-	-	-	1	1	1	1
	Lighting Switch 燈掣	1	1	1	1	3	2	3	2	2
	Lighting Point 燈位	1	1	1	1	4	2	11	2	2
Study 書房	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	1	1	1	1	1	1	1
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	2	2	2	2	2	2	2	2	2
	TV/FM Outlet 電視及電台插座	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1	1	1	1	1	1
	Lighting Switch 燈掣	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	1	1	1	1	1	1	9	1	1

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. Villa 4, 13 and 14 are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4號、13號及14號洋房。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Villa 1 1號洋房	Villa 2 - 3 2號至3號洋房	Villa 5 5號洋房	Villa 6 - 17 6號至17號洋房	Villa A - D & F A號至D號及F號洋房	Villa E E號洋房	Villa G G號洋房	Villa H H號洋房
Master Bathroom 主人房浴室	13A Twin Socket Outlet 13A雙位電插座	1	1	1	1	1	1	1	1
	Fused Spur Unit 接線位連保險絲	2	2	2	2	2	2	2	2
	20A Double Pole Switch 20A雙極開關掣	1	1	1	1	1	1	1	1
	Lighting Point 燈位	7	7	7	7	6	7	6	6
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	1	1	1	1	1	1	1
Bathroom 1 浴室 1	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	1	1	1	1	1	1	1	1
	Fused Spur Unit 接線位連保險絲	2	2	2	2	2	2	2	2
	20A Double Pole Switch 20A雙極開關掣	1	1	1	1	1	1	1	1
	Lighting Point 燈位	4	4	4	4	3	3	3	3
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	1	1	1	1	1	1	1
Bathroom 2 浴室 2	13A Twin Socket Outlet 13A雙位電插座	1	1	1	1	1	1	1	1
	Fused Spur Unit 接線位連保險絲	2	2	2	2	2	2	2	2
	20A Double Pole Switch 20A雙極開關掣	1	1	1	1	1	1	1	1
	Lighting Point 燈位	4	4	4	4	5	5	5	5
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	1	1	1	1	1	1	1
Lavatory 1 洗手間 1	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	1	1	1	1	1	1	1	1
	Lighting Point 燈位	2	2	2	2	2	2	2	2
Lavatory 2 洗手間 2	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	1	1	1	1	1	1	1	1
	Lighting Point 燈位	1	1	1	1	1	1	1	1

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. Villa 4, 13 and 14 are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4號、13號及14號洋房。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Villa 1 1號洋房	Villa 2 - 3 2號至3號洋房	Villa 5 5號洋房	Villa 6 - 17 6號至17號洋房	Villa A - D & F A號至D號及F號洋房	Villa E E號洋房	Villa G G號洋房	Villa H H號洋房
Kitchen 廚房	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	1	1	1	1	1	1
	13A Single Socket Outlet connected with kitchen appliance 單位電插座 (已接駁廚房設備)	5	5	5	5	5	5	5	5
	13A Twin Socket Outlet 雙位電插座	2	2	2	2	2	2	2	2
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	1	1	1	1	1	1	1	1
	Fused Spur Unit 接線位連保險絲	8	8	8	8	8	8	8	8
	Cable Connection Unit 接線位	4	4	4	4	3	3	3	3
	20A Double Pole Switch 20A雙極開關掣	3	3	3	3	3	3	3	3
	Town Gas Meter & Connection Point 煤氣錶及接駁點	1	1	1	1	1	1	1	1
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	1	1	1	1	1	1	1
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點(來水位)	1	1	1	1	1	1	1	1
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點(去水位)	1	1	1	1	1	1	1	1
	Lighting Point 燈位	5	5	5	5	5	5	5	5
	Lighting Switch 燈掣	-	-	-	-	-	-	-	-
	Door Bell 門鈴	1	1	1	1	1	1	1	1
	Miniature Circuit Breakers Board 總電掣箱	-	-	-	-	-	-	-	-
	Fire Extinguisher 滅火器	1	1	1	1	1	1	1	1
Utility Room 多功能房	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	1	1	1	1	1	1
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	1	1	1	1	1	1	1	1
	TV/FM Outlet 電視及電台插座	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	2	2	2	2	2	2	2	2
	Lighting Point 燈位	1	1	1	1	1	1	1	1
	Switch for Exhaust Fan 抽氣扇開關掣	1	1	1	1	1	1	1	1
	Miniature Circuit Breakers Board 總電掣箱	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. Villa 4, 13 and 14 are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4號、13號及14號洋房。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Villa 1 1號洋房	Villa 2 - 3 2號至3號洋房	Villa 5 5號洋房	Villa 6 - 17 6號至17號洋房	Villa A - D & F A號至D號及F號洋房	Villa E E號洋房	Villa G G號洋房	Villa H H號洋房
Internal Staircase 內置樓梯	Lighting Switch 燈掣	3	3	3	3	6	6	6	6
	Lighting Point 燈位	12	12	12	12	10	9	10	10
	Sprinkler Head 消防花灑頭	1	1	1	1	1	1	1	1
	Smoke Detector 煙霧感應器	1	1	1	1	1	1	1	1
Balcony 露台	Balcony Light 露台燈	1	1	1	1	1	1	1	1
Roof 天台	Isolator for Jacuzzi 按摩池開關掣	1	1	1	1	-	-	-	-
	13A Watertight Socket Outlet 防水電插座	2	2	2	2	2	2	2	2
	Lighting Point 燈位	6	7	7	7	6	6	6	6
Private Garden 私人花園	13A Single Watertight Socket Outlet 防水電插座	2	2	2	2	-	-	-	-
	13A Twin Watertight Socket Outlet 雙位防水電插座	-	-	-	-	1	1	1	1
	Lighting Point 燈位	6	6	8	6	5	5	6	8
Pool 泳池	Lighting Point 燈位	-	-	-	-	2 (Villa A) 3 (Villa B - D&F)	3	3	2
Filtration Plant 過濾機房	Isolator for Filtration Pump 過濾泵開關掣	-	-	-	-	1	1	1	1
VRV Area 可變冷媒流量冷氣機區域	Isolator for VRV 可變冷媒流量冷氣機開關掣	1	1	1	1	1	1	1	1
	Lighting Point 燈位	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. Villa 4, 13 and 14 are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4號、13號及14號洋房。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 1 第1座																				
		2/F 2樓							3/F, 5/F - 12/F, 15/F - 16/F (except 15/F Unit B) 3樓, 5樓至12樓, 15樓至16樓 (除15樓B單位)							15/F 15樓	17/F 17樓					
		A	B	C	D	E	F	G	A	B	C	D	E	F	G	B	A	B	C	D	E	F
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Living Room / Dining Room 客廳 / 飯廳	Switch for Indoor-A/C Unit 室內冷氣機接線位	2	1	2	1	1	1	1	2	1	2	1	1	1	1	1	2	2	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	3	4	4	4	4	4
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Telephone Outlet 電話插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Switch for Kitchen Exhaust Fan & Gas Water Heater 廚房抽氣扇及熱水爐開關掣	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Switch 燈掣	6	6	6	6	5	5	5	6	6	6	6	5	5	5	7	6	7	6	5	5	5
	Lighting Point 燈位	4	4	4	3	4	4	4	4	4	4	3	4	4	4	20	5	4	3	4	4	4
	Door Phone 對講機	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fire Damper 防火閘	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-
Master Bedroom 主人睡房	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	3	3	3	3	2	2	2	3	3	3	3	2	2	2	3	2	3	3	2	2	2
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	1	1	1	-	-	-	-	1	1	1	-	-	-	-	1	1	1	-	-	-	-
	Lighting Switch 燈掣	2	2	2	2	1	1	1	2	2	2	1	1	1	1	2	2	2	1	1	1	1
	Lighting Point 燈位	1	1	2	1	1	1	1	1	1	2	1	1	1	1	1	2	2	1	1	1	1

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 1 第1座																				
		2/F 2樓							3/F, 5/F - 12/F, 15/F - 16/F (except 15/F Unit B) 3樓, 5樓至12樓, 15樓至16樓 (除15樓B單位)							15/F 15樓	17/F 17樓					
		A	B	C	D	E	F	G	A	B	C	D	E	F	G	B	A	B	C	D	E	F
Bedroom 睡房	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	-	-	1	1	1	-	-	-	-	1	1	1	-	-	-	-	1	1	1
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	2	2	2	-	-	-	-	2	2	2	-	-	-	-	2	2	2
	TV/FM Outlet 電視及電台插座	-	-	-	-	1	1	1	-	-	-	-	1	1	1	-	-	-	-	1	1	1
	Telephone Outlet 電話插座	-	-	-	-	1	1	1	-	-	-	-	1	1	1	-	-	-	-	1	1	1
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	-	-	-	-	1	1	1	-	-	-	-	1	1	1	-	-	-	-	1	1	1
	Lighting Point 燈位	-	-	-	-	1	1	1	-	-	-	-	1	1	1	-	-	-	-	1	1	1
Bedroom 1 睡房 1	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	1	1	-	-	-	1	1	1	1	-	-	-	1	1	1	1	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	2	2	2	2	-	-	-	2	2	2	2	-	-	-	2	2	2	2	-	-	-
	TV/FM Outlet 電視及電台插座	1	1	1	1	-	-	-	1	1	1	1	-	-	-	1	1	1	1	-	-	-
	Telephone Outlet 電話插座	1	1	1	1	-	-	-	1	1	1	1	-	-	-	1	1	1	1	-	-	-
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	1	1	1	-	-	-	1	1	1	1	-	-	-	2	1	1	1	-	-	-
	Lighting Point 燈位	1	1	1	1	-	-	-	1	1	1	1	-	-	-	6	1	1	1	-	-	-
Bedroom 2 睡房 2	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	1	1	-	-	-	1	1	1	1	-	-	-	1	1	1	1	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	2	2	2	2	-	-	-	2	2	2	2	-	-	-	2	2	2	2	-	-	-
	TV/FM Outlet 電視及電台插座	1	1	1	1	-	-	-	1	1	1	1	-	-	-	1	1	1	1	-	-	-
	Telephone Outlet 電話插座	1	1	1	1	-	-	-	1	1	1	1	-	-	-	1	1	1	1	-	-	-
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	1	1	1	-	-	-	1	1	1	1	-	-	-	1	1	1	1	-	-	-
	Lighting Point 燈位	1	1	1	1	-	-	-	1	1	1	1	-	-	-	5	1	1	1	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 1 第1座																				
		2/F 2樓							3/F, 5/F - 12/F, 15/F - 16/F 3樓, 5樓至12樓, 15樓至16樓							17/F 17樓					
		A	B	C	D	E	F	G	A	B	C	D	E	F	G	A	B	C	D	E	F
Bedroom 3 睡房3	Switch for Indoor A/C Unit 室內冷氣機接線位	1	-	1	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	2	-	2	-	-	-	-	2	-	2	-	-	-	-	2	2	-	-	-	-
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	1	-	1	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-
	Telephone Outlet 電話插座	1	-	1	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Lighting Switch 燈掣	1	-	1	-	-	-	-	1	-	1	-	-	-	-	2	1	-	-	-	-
	Lighting Point 燈位	1	-	1	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-
Master Bathroom 主人房浴室	13A Twin Socket Outlet 13A雙位電插座	1	1	1	-	-	-	-	1	1	1	-	-	-	-	1	1	-	-	-	-
	Fused Spur Unit 接線位連保險絲	2	2	2	-	-	-	-	2	2	2	-	-	-	-	2	2	-	-	-	-
	20A Double Pole Switch 20A雙極開關掣	1	1	1	-	-	-	-	1	1	1	-	-	-	-	1	1	-	-	-	-
	Lighting Point 燈位	4	4	5	-	-	-	-	4	4	5	-	-	-	-	5	5	-	-	-	-
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	1	1	-	-	-	-	1	1	1	-	-	-	-	1	1	-	-	-	-
	Fire Damper 防火閘	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bathroom 浴室	13A Twin Socket Outlet 13A雙位電插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	1	1	1	1	1
	Fused Spur Unit 接線位連保險絲	2	2	2	2	2	2	2	2	2	2	2	2	2	2	-	2	2	2	2	2
	20A Double Pole Switch 20A雙極開關掣	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	1	1	1	1	1
	Lighting Point 燈位	4	4	4	4	4	4	4	4	4	4	4	4	4	4	-	4	4	4	4	4
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	1	1	1	1	1
	Fire Damper 防火閘	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	1	1	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 1 第1座																				
		2/F 2樓							3/F, 5/F - 12/F, 15/F - 16/F 3樓, 5樓至12樓, 15樓至16樓							17/F 17樓					
		A	B	C	D	E	F	G	A	B	C	D	E	F	G	A	B	C	D	E	F
Bathroom 1 浴室 1	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	20A Double Pole Switch 20A雙極開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Lighting Point 燈位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Bathroom 2 浴室2	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	20A Double Pole Switch 20A雙極開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Lighting Point 燈位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Lavatory 洗手間	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	1	-	1	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-
	Lighting Point 燈位	1	-	1	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-
Kitchen 廚房	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Single Socket Outlet connected with kitchen appliance 單位電插座 (已接駁廚房設備)	2	4	2	4	3	3	3	2	4	2	4	3	3	3	5	2	4	3	3	3
	13A Twin Socket Outlet 雙位電插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1	2	2	2	2	2
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	5	5	5	5	5	5	5	5	5	5	5	5	5	5	6	5	5	5	5	5
	20A Double Pole Switch 20A雙極開關掣	3	-	3	-	-	-	-	3	-	3	-	-	-	-	3	3	-	-	-	-
	Cable Connection Unit 接線位	1	1	2	2	1	1	1	1	1	2	2	1	1	1	2	2	2	1	1	1
	Town Gas Meter & Connection Point 煤氣錶及接駁點	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點(來水位)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點(去水位)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 1 第1座																				
		2/F 2樓							3/F, 5/F - 12/F, 15/F - 16/F 3樓, 5樓至12樓, 15樓至16樓							17/F 17樓					
		A	B	C	D	E	F	G	A	B	C	D	E	F	G	A	B	C	D	E	F
Kitchen 廚房	Lighting Point 燈位	4	4	5	4	3	3	3	4	4	5	4	3	3	3	5	5	4	3	3	3
	Lighting Switch 燈掣	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	Door Bell 門鈴	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Miniature Circuit Breakers Board 總電掣箱	-	-	-	1	1	1	-	-	-	-	1	1	1	-	-	-	1	1	1	-
Store Room 儲物室	Switch for Indoor A/C Unit 室內冷氣機接線位	-	1	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	1
	13A Single Socket Outlet 13A單位電插座	-	1	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	1
	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	-	1	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	1
	Lighting Point 燈位	-	1	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	1
	Switch for Exhaust Fan 抽氣扇開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Miniature Circuit Breakers Board 總電掣箱	-	1	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	1
	Fire Damper 防火閘	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Utility Room 多功能房	Switch for Indoor A/C Unit 室內冷氣機接線位	1	-	1	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-
	13A Single Socket Outlet 13A單位電插座	1	-	1	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	-	1	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-
	Lighting Point 燈位	1	-	1	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-
	Switch for Exhaust Fan 抽氣扇開關掣	1	-	1	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-
	Miniature Circuit Breakers Board 總電掣箱	1	-	1	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-
	Fire Damper 防火閘	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 1 第1座																				
		2/F 2樓							3/F, 5/F - 12/F, 15/F - 16/F 3樓, 5樓至12樓, 15樓至16樓							17/F 17樓					
		A	B	C	D	E	F	G	A	B	C	D	E	F	G	A	B	C	D	E	F
Store Room (Under Stair) 儲物室(樓梯下)	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	Lighting Point 燈位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	Switch for Exhaust Fan 抽氣扇開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Miniature Circuit Breakers Board 總電掣箱	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Internal Staircase 內置樓梯	Lighting Switch 燈掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	Lighting Point 燈位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
Balcony 露台	Balcony Light 露台燈	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1
Utility Platform 工作平台	Lighting Point 燈位	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Air-Conditioner Platform 空調機平台	Isolator for Outdoor Air-Conditioner 室外空調機開關掣	3	3	4	1	-	-	3	3	3	4	3	2	2	3	5	4	3	2	2	3
Flat Roof 平台	Isolator for Outdoor Air Conditioner 室外空調機開關掣	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Watertight Lighting Switch 防水燈掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Watertight Socket Outlet 防水電插座	2	2	1	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	4	3	3	1	3	3	4	-	-	-	-	-	-	-	1	-	-	-	-	-
Roof 天台	Isolator for Filtration Pump 過濾泵開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	13A Watertight Socket Outlet 防水電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	-
	Lighting Point 燈位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	8	6	5	5	-
	Watertight Lighting Switch 防水燈掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Flat Roof access from Master Bedroom 由主人睡房進入之平台	Isolator for Outdoor Air Conditioner 室外空調機開關掣	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Watertight Socket Outlet 防水電插座	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 2 (T2A) 第2座 (T2A)											Tower 2 (T2B) 第2座 (T2B)											
		2/F 2樓				3/F, 5/F - 12/F, 15/F - 16/F 3樓, 5樓至12樓, 15樓至16樓				17/F 17樓			2/F 2樓				3/F, 5/F - 12/F, 15/F - 16/F 3樓, 5樓至12樓, 15樓至16樓				17/F 17樓			
		A	B	C	D	A	B	C	D	A	B	C	A	B	C	D	A	B	C	D	A	B	C	D
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Living Room / Dining Room 客廳 / 飯廳	Switch for Indoor A/C Unit 室內冷氣機接線位	2	2	1	1	2	2	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	4	4	4	4	4	4	4	4	3	4	4	4	4	4	4	4	4	4	4	4	4	4	4
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Telephone Outlet 電話插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Switch for Lavatory Exhaust Fan 洗手間抽氣扇開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Switch for Kitchen Exhaust Fan & Gas Water Heater 廚房抽氣扇及熱水爐開關掣	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Switch 燈掣	6	6	6	6	6	6	6	6	6	7	6	6	6	6	5	6	6	6	5	6	6	6	5
	Lighting Point 燈位	3	3	4	4	3	3	4	4	5	4	4	3	4	4	3	3	4	4	3	3	4	4	3
	Door Phone 對講機	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Master Bedroom 主人睡房	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	3	3	3	3	3	3	3	3	2	3	3	2	2	3	2	2	2	3	2	2	2	3	2
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	1	1	1	-	1	1	1	-	1	1	-	-	-	1	-	-	-	1	-	-	-	1	-
	Lighting Switch 燈掣	2	3	2	1	2	2	2	1	2	2	1	1	1	2	1	1	1	2	1	1	1	2	1
	Lighting Point 燈位	2	2	1	1	2	2	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 2 (T2A) 第2座 (T2A)											Tower 2 (T2B) 第2座 (T2B)											
		2/F 2樓				3/F, 5/F - 12/F, 15/F - 16/F 3樓, 5樓至12樓, 15樓至16樓				17/F 17樓			2/F 2樓				3/F, 5/F - 12/F, 15/F - 16/F 3樓, 5樓至12樓, 15樓至16樓				17/F 17樓			
		A	B	C	D	A	B	C	D	A	B	C	A	B	C	D	A	B	C	D	A	B	C	D
Bedroom 睡房	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	1	1	1	-	1
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	2	2	-	2	2	2	-	2
	TV/FM Outlet 電視及電台插座	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	1	1	1	-	1
	Telephone Outlet 電話插座	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	1	1	1	-	1
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	1	1	1	-	1
	Lighting Point 燈位	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	1	1	1	-	1
Bedroom 1 睡房1	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	1	1	1	1	1	1	1	1	1	-	-	1	-	-	-	1	-	-	-	1	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	2	2	2	2	2	2	2	2	2	2	2	-	-	2	-	-	-	2	-	-	-	2	-
	TV/FM Outlet 電視及電台插座	1	1	1	1	1	1	1	1	1	1	1	-	-	1	-	-	-	1	-	-	-	1	-
	Telephone Outlet 電話插座	1	1	1	1	1	1	1	1	1	1	1	-	-	1	-	-	-	1	-	-	-	1	-
	Switch for Exhaust Fan 抽氣扇開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	1	1	1	1	1	1	1	1	1	1	-	-	1	-	-	-	1	-	-	-	1	-
	Lighting Point 燈位	1	1	1	1	1	1	1	1	1	1	1	-	-	1	-	-	-	1	-	-	-	1	-
Bedroom 2 睡房2	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	1	1	1	1	1	1	1	1	1	-	-	1	-	-	-	1	-	-	-	1	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	2	2	2	2	2	2	2	2	2	2	2	-	-	2	-	-	-	2	-	-	-	2	-
	TV/FM Outlet 電視及電台插座	1	1	1	1	1	1	1	1	1	1	1	-	-	1	-	-	-	1	-	-	-	1	-
	Telephone Outlet 電話插座	1	1	1	1	1	1	1	1	1	1	1	-	-	1	-	-	-	1	-	-	-	1	-
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	1	1	1	1	1	1	1	1	1	1	-	-	1	-	-	-	1	-	-	-	1	-
	Lighting Point 燈位	1	1	1	1	1	1	1	1	1	1	1	-	-	1	-	-	-	1	-	-	-	1	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 2 (T2A) 第2座 (T2A)											Tower 2 (T2B) 第2座 (T2B)											
		2/F 2樓				3/F, 5/F - 12/F, 15/F - 16/F 3樓, 5樓至12樓, 15樓至16樓				17/F 17樓			2/F 2樓				3/F, 5/F - 12/F, 15/F - 16/F 3樓, 5樓至12樓, 15樓至16樓				17/F 17樓			
		A	B	C	D	A	B	C	D	A	B	C	A	B	C	D	A	B	C	D	A	B	C	D
Bedroom 3 睡房3	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	2	2	-	-	2	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	2	2	-	-	2	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	1	1	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Master Bathroom 主人房浴室	13A Twin Socket Outlet 13A雙位電插座	1	1	1	-	1	1	1	-	1	1	-	-	-	1	-	-	-	1	-	-	-	1	-
	Fused Spur Unit 接線位連保險絲	2	2	2	-	2	2	2	-	2	2	-	-	-	2	-	-	-	2	-	-	-	2	-
	20A Double Pole Switch 20A雙極開關掣	1	1	1	-	1	1	1	-	2	1	-	-	-	1	-	-	-	1	-	-	-	1	-
	Lighting Point 燈位	5	5	4	-	5	5	4	-	7	4	-	-	-	4	-	-	-	4	-	-	-	4	-
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	1	1	-	1	1	1	-	1	1	-	-	-	1	-	-	-	1	-	-	-	1	-
Bathroom 浴室	13A Twin Socket Outlet 13A雙位電插座	-	-	1	1	-	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fused Spur Unit 接線位連保險絲	-	-	2	2	-	-	2	2	-	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	20A Double Pole Switch 20A雙極開關掣	-	-	1	1	-	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	-	-	4	4	-	-	4	4	-	4	4	4	4	4	4	4	4	4	4	4	4	4	4
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	-	-	1	1	-	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fire Damper 防火閘	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1
Bathroom 1 浴室 1	13A Twin Socket Outlet 13A雙位電插座	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	2	2	-	-	2	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	20A Double Pole Switch 20A雙極開關掣	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	4	4	-	-	4	4	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 2 (T2A) 第2座 (T2A)											Tower 2 (T2B) 第2座 (T2B)											
		2/F 2樓				3/F, 5/F - 12/F, 15/F - 16/F 3樓, 5樓至12樓, 15樓至16樓				17/F 17樓			2/F 2樓				3/F, 5/F - 12/F, 15/F - 16/F 3樓, 5樓至12樓, 15樓至16樓				17/F 17樓			
		A	B	C	D	A	B	C	D	A	B	C	A	B	C	D	A	B	C	D	A	B	C	D
Bathroom 2 浴室 2	13A Twin Socket Outlet 13A雙位電插座	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	2	2	-	-	2	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	20A Double Pole Switch 20A雙極開關制	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	4	4	-	-	4	4	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lavatory 洗手間	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kitchen 廚房	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Single Socket Outlet connected with kitchen appliance 單位電插座 (已接駁廚房設備)	2	2	4	4	2	2	4	4	5	4	4	3	3	4	4	3	3	4	3	3	3	4	4
	13A Twin Socket Outlet 雙位電插座	2	2	2	2	2	2	2	2	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	5	5	5	5	5	5	5	5	6	5	5	5	5	5	5	5	5	5	5	5	5	5	5
	20A Double Pole Switch 20A雙極開關制	3	3	-	-	3	3	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Cable Connection Unit 接線位	2	2	2	1	2	2	2	1	2	2	1	1	2	2	1	1	2	2	1	1	3	2	1
	Town Gas Meter & Connection Point 煤氣錶及接駁點	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點(來水位)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點(去水位)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	5	5	3	4	5	5	3	4	5	3	4	3	3	3	3	3	3	3	3	3	3	3	3
	Lighting Switch 燈掣	-	-	1	-	-	-	1	-	-	1	-	-	-	1	-	-	-	1	-	-	-	1	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 2 (T2A) 第2座 (T2A)											Tower 2 (T2B) 第2座 (T2B)											
		2/F 2樓				3/F, 5/F - 12/F, 15/F - 16/F 3樓, 5樓至12樓, 15樓至16樓				17/F 17樓			2/F 2樓				3/F, 5/F - 12/F, 15/F - 16/F 3樓, 5樓至12樓, 15樓至16樓				17/F 17樓			
		A	B	C	D	A	B	C	D	A	B	C	A	B	C	D	A	B	C	D	A	B	C	D
Kitchen 廚房	Door Bell 門鈴	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Miniature Circuit Breakers Board 總電掣箱	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Instantaneous Electric Water Heater with Switch 即熱式電熱水爐連開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fire Damper 防火閘	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1
Utility Room 多功能房	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Single Socket Outlet 13A單位電插座	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Switch for Exhaust Fan 抽氣扇開關掣	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Miniature Circuit Breakers Board 總電掣箱	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fire Damper 防火閘	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Store Room 儲物室	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	1	-	-	-	1	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1
	13A Twin Socket Outlet 13A雙位電插座	-	-	2	-	-	-	2	-	-	-	-	2	2	2	-	2	2	2	-	2	2	2	-
	TV/FM Outlet 電視及電台插座	-	-	1	-	-	-	1	-	-	-	-	1	1	1	-	1	1	1	-	1	1	1	-
	Telephone Outlet 電話插座	-	-	1	-	-	-	1	-	-	-	-	1	1	1	-	1	1	1	-	1	1	1	-
	Lighting Switch 燈掣	-	-	1	-	-	-	1	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	-	-	1	-	-	-	1	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1
	Switch for Exhaust Fan 抽氣扇開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Miniature Circuit Breakers Board 總電掣箱	-	-	1	-	-	-	1	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1
	Fire Damper 防火閘	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 2 (T2A) 第2座 (T2A)											Tower 2 (T2B) 第2座 (T2B)											
		2/F 2樓				3/F, 5/F - 12/F, 15/F - 16/F 3樓, 5樓至12樓, 15樓至16樓				17/F 17樓			2/F 2樓				3/F, 5/F - 12/F, 15/F - 16/F 3樓, 5樓至12樓, 15樓至16樓				17/F 17樓			
		A	B	C	D	A	B	C	D	A	B	C	A	B	C	D	A	B	C	D	A	B	C	D
Store Room (Under Stair) 儲物室(樓梯下)	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Switch for Exhaust Fan 抽氣扇開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Miniature Circuit Breakers Board 總電掣箱	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Internal Staircase 內置樓梯	Lighting Switch 燈掣	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Balcony 露台	Balcony Light 露台燈	-	-	-	-	1	1	1	1	-	1	1	-	-	-	-	1	1	1	1	1	1	1	1
Utility Platform 工作平台	Lighting Point 燈位	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-
Air-Conditioner Platform 空調機平台	Isolator for Outdoor Air-Conditioner 室外空調機開關掣	4	-	3	-	4	4	3	3	5	3	3	3	-	-	3	3	3	3	3	3	3	3	3
Flat Roof 平台	Isolator for Outdoor Air Conditioner 室外空調機開關掣	-	4	-	3	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-
	Watertight Lighting Switch 防水燈掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Watertight Socket Outlet 防水電插座	2	1	2	2	-	-	-	-	1	-	-	2	2	2	2	-	-	-	-	-	-	-	-
	Lighting Point 燈位	4	3	3	5	-	-	-	-	2	-	-	3	5	5	3	-	-	-	-	-	-	-	-
Roof 天台	Isolator for Filtration Pump 過濾泵開關掣	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Watertight Socket Outlet 防水電插座	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-	2	2	2	2
	Lighting Point 燈位	-	-	-	-	-	-	-	-	8	8	6	-	-	-	-	-	-	-	-	6	6	6	6
	Watertight Lighting Switch 防水燈掣	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	1
	Hose Reel Set 消防喉轆	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 2 (T2A) 第2座 (T2A)											Tower 2 (T2B) 第2座 (T2B)											
		2/F 2樓				3/F, 5/F - 12/F, 15/F - 16/F 3樓, 5樓至12樓, 15樓至16樓				17/F 17樓			2/F 2樓				3/F, 5/F - 12/F, 15/F - 16/F 3樓, 5樓至12樓, 15樓至16樓				17/F 17樓			
		A	B	C	D	A	B	C	D	A	B	C	A	B	C	D	A	B	C	D	A	B	C	D
Flat Roof access from Kitchen 由廚房進入之平台	Isolator for Outdoor Air Conditioner 室外空調機開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Watertight Socket Outlet 防水電插座	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Flat Roof access from Master Bedroom 由主人睡房進入之平台	Isolator for Outdoor Air Conditioner 室外空調機開關掣	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Watertight Socket Outlet 防水電插座	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Flat Roof access from Bedroom 3 由睡房3進入之平台	Isolator for Outdoor Air Conditioner 室外空調機開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Watertight Socket Outlet 防水電插座	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 3 第3座																				
		2/F 2樓							3/F, 5/F - 12/F, 15/F - 18/F 3樓, 5樓至12樓, 15樓至18樓							19/F 19樓						
		A	B	C	D	E	F	G	A	B	C	D	E	F	G	A	B	C	D	E	F	G
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Living Room / Dining Room 客廳 / 飯廳	Switch for Indoor-A/C Unit 室內冷氣機接線位	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	4	4	4	4	4	4	3	4	4	4	4	4	4	3	4	4	4	4	4	4	3
	TV/FM Outlet 電視及電台插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Telephone Outlet 電話插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Switch for Lavatory Exhaust Fan 洗手間抽氣扇開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Switch for Kitchen Exhaust Fan & Gas Water Heater 廚房抽氣扇及熱水爐開關掣	1	1	1	1	1	1	-	1	1	1	1	1	1	-	1	1	1	1	1	1	-
	Switch for Kitchen Exhaust Fan & Electrical Water Heater 廚房抽氣扇爐及電熱水爐開關掣	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1
	Switch for Electrical Water Heater 電熱水爐開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	5	6	6	6	6	6	4	5	6	6	6	6	6	4	5	6	6	6	6	6	4
	Lighting Point 燈位	4	4	4	4	4	4	3	4	4	4	4	4	4	3	4	4	4	4	4	4	3
	Door Phone 對講機	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fire Damper 防火閘	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Master Bedroom 主人睡房	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	1	1	1	1	-	1	1	1	1	1	1	-	1	1	1	1	1	1	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	3	3	3	3	3	3	-	3	3	3	3	3	3	-	3	3	3	3	3	3	-
	TV/FM Outlet 電視及電台插座	1	1	1	1	1	1	-	1	1	1	1	1	1	-	1	1	1	1	1	1	-
	Telephone Outlet 電話插座	1	1	1	1	1	1	-	1	1	1	1	1	1	-	1	1	1	1	1	1	-
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	1	1	1	1	1	-	-	1	1	1	1	1	-	-	1	1	1	1	1	-
	Lighting Switch 燈掣	1	2	2	2	2	2	-	1	2	2	2	2	2	-	1	2	2	2	2	2	-
	Lighting Point 燈位	1	1	1	1	1	1	-	1	1	1	1	1	1	-	1	1	1	1	1	1	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 3 第3座																						
		2/F 2樓							3/F, 5/F - 12/F, 15/F - 18/F 3樓, 5樓至12樓, 15樓至18樓							19/F 19樓						
		A	B	C	D	E	F	G	A	B	C	D	E	F	G	A	B	C	D	E	F	G
Bedroom 1 睡房 1	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	1	1	1	1	-	1	1	1	1	1	1	-	1	1	1	1	1	1	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	2	2	2	2	2	2	-	2	2	2	2	2	2	-	2	2	2	2	2	2	-
	TV/FM Outlet 電視及電台插座	1	1	1	1	1	1	-	1	1	1	1	1	1	-	1	1	1	1	1	1	-
	Telephone Outlet 電話插座	1	1	1	1	1	1	-	1	1	1	1	1	1	-	1	1	1	1	1	1	-
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	1	1	1	1	1	-	1	1	1	1	1	1	-	1	1	1	1	1	1	-
	Lighting Point 燈位	2	1	1	1	1	1	-	2	1	1	1	1	1	-	2	1	1	1	1	1	-
Bedroom 2 睡房 2	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	1	1	1	1	-	1	1	1	1	1	1	-	1	1	1	1	1	1	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	2	2	2	2	2	2	-	2	2	2	2	2	2	-	2	2	2	2	2	2	-
	TV/FM Outlet 電視及電台插座	1	1	1	1	1	1	-	1	1	1	1	1	1	-	1	1	1	1	1	1	-
	Telephone Outlet 電話插座	1	1	1	1	1	1	-	1	1	1	1	1	1	-	1	1	1	1	1	1	-
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	1	1	1	1	1	-	1	1	1	1	1	1	-	1	1	1	1	1	1	-
	Lighting Point 燈位	1	1	1	1	1	1	-	1	1	1	1	1	1	-	1	1	1	1	1	1	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 3 第3座																				
		2/F 2樓							3/F, 5/F - 12/F, 15/F - 18/F 3樓, 5樓至12樓, 15樓至18樓							19/F 19樓						
		A	B	C	D	E	F	G	A	B	C	D	E	F	G	A	B	C	D	E	F	G
Master Bathroom 主人房浴室	13A Twin Socket Outlet 13A雙位電插座	-	1	1	1	1	1	-	-	1	1	1	1	1	-	-	1	1	1	1	1	-
	Fused Spur Unit 接線位連保險絲	-	2	2	2	2	2	-	-	2	2	2	2	2	-	-	2	2	2	2	2	-
	20A Double Pole Switch 20A雙極開關掣	-	1	1	1	1	1	-	-	1	1	1	1	1	-	-	1	1	1	1	1	-
	Lighting Point 燈位	-	4	4	4	4	5	-	-	4	4	4	4	5	-	-	4	4	4	4	5	-
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	-	1	1	1	1	1	-	-	1	1	1	1	1	-	-	1	1	1	1	1	-
	Fire Damper 防火閘	-	-	1	-	-	1	-	-	-	1	-	-	1	-	-	-	1	-	-	1	-
Bathroom 浴室	13A Twin Socket Outlet 13A雙位電插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fused Spur Unit 接線位連保險絲	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	20A Double Pole Switch 20A雙極開關掣	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	1	1	1	1	1	-	1	1	1	1	1	1	-	1	1	1	1	1	1	-
	Fire Damper 防火閘	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 3 第3座																					
		2/F 2樓							3/F, 5/F - 12/F, 15/F - 18/F 3樓, 5樓至12樓, 15樓至18樓							19/F 19樓						
		A	B	C	D	E	F	G	A	B	C	D	E	F	G	A	B	C	D	E	F	G
Kitchen & Open Kitchen 廚房及開放式廚房	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Single Socket Outlet connected with kitchen appliance 單位電插座 (已接駁廚房設備)	4	4	4	4	4	4	3	4	4	4	4	4	4	3	4	4	4	4	4	4	3
	13A Twin Socket Outlet 雙位電插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Fused Spur Unit 接線位連保險絲	5	5	5	5	5	5	2	5	5	5	5	5	5	2	5	5	5	5	5	5	2
	20A Double Pole Switch 20A雙極開關掣	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1
	Cable Connection Unit 接線位	1	1	2	2	2	2	1	1	1	2	2	2	2	1	1	1	2	2	2	2	1
	Town Gas Meter & Connection Point 煤氣錶及接駁點	1	1	1	1	1	1	-	1	1	1	1	1	1	-	1	1	1	1	1	1	-
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	1	1	1	1	1	-	1	1	1	1	1	1	-	1	1	1	1	1	1	-
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點(來水位)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點(去水位)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	2	4	4	3	3	4	-	2	4	4	3	3	4	-	2	4	4	3	3	4	-
	Lighting Switch 燈掣	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-
	Door Bell 門鈴	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Miniature Circuit Breakers Board 總電掣箱	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Instantaneous Electric Water Heater with Switch 即熱式電熱水爐連開關掣	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	2
	Sprinkler Head 消防花灑頭	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	2
	Smoke Detector 煙霧感應器	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1
	Fire Damper 防火閘	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 3 第3座																						
		2/F 2樓							3/F, 5/F - 12/F, 15/F - 18/F 3樓, 5樓至12樓, 15樓至18樓							19/F 19樓						
		A	B	C	D	E	F	G	A	B	C	D	E	F	G	A	B	C	D	E	F	G
Balcony 露台	Balcony Light 露台燈	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Utility Platform 工作平台	Lighting Point 燈位	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-
Air-Conditioner Platform 空調機平台	Isolator for Outdoor Air-Conditioner 室外空調機開關掣	3	3	-	-	-	1	-	3	3	3	3	3	3	1	3	3	3	3	3	3	1
Flat Roof 平台	Isolator for Outdoor Air Conditioner 室外空調機開關掣	-	-	3	3	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Watertight Lighting Switch 防水燈掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Watertight Socket Outlet 防水電插座	1	1	2	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	3	3	3	6	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Roof 天台	13A Watertight Socket Outlet 防水電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	2	2
	Lighting Point 燈位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	8	7	8	8	6	3
	Watertight Lighting Switch 防水燈掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 5 第5座																													
		2/F 2樓										3/F, 5/F - 12/F, 15/F - 18/F 3樓, 5樓至12樓, 15樓至18樓										19/F 19樓									
		A	B	C	D	E	F	G	H	I	J	A	B	C	D	E	F	G	H	I	J	A	B	C	D	E	F	G	H	I	J
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Living Room / Dining Room 客廳 / 飯廳	Switch for Indoor-A/C Unit 室內冷氣機接線位	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	4	3	4	4	3	4	3	3	4	4	4	3	4	4	3	4	3	3	4	4	4	3	4	4	3	4	3	3	4	4
	TV/FM Outlet 電視及電台插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Telephone Outlet 電話插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	1	1	1	1	-	1	-	-	1	1	1	1	1	1	-	1	-	-	1	1	1	1	1	1	-	1	-	-	1	1
	Switch for Kitchen Exhaust Fan 廚房抽氣扇開關掣	-	-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-
	Switch for Kitchen Exhaust Fan & Gas Water Heater 廚房抽氣扇及熱水爐開關掣	1	-	1	1	-	1	-	-	1	1	1	-	1	1	-	1	-	-	1	1	1	-	1	1	-	1	-	-	1	1
	Switch for Kitchen Exhaust Fan & Electrical Water Heater 廚房抽氣扇爐及電熱水爐開關掣	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	6	4	5	6	4	5	4	4	5	6	6	4	5	6	4	5	4	4	5	6	6	4	5	6	4	5	4	4	5	6
	Lighting Point 燈位	4	3	4	4	2	3	2	2	4	4	4	3	4	4	2	3	2	2	4	4	4	3	4	4	2	3	2	2	4	4
	Door Phone 對講機	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fire Damper 防火閘	-	1	-	-	1	-	1	1	-	-	-	1	-	-	1	-	1	1	-	-	-	1	-	-	1	-	1	1	-	-
Master Bedroom 主人睡房	Switch for Indoor A/C Unit 室內冷氣機接線位	1	-	1	1	-	1	-	-	1	1	1	-	1	1	-	1	-	-	1	1	1	-	1	1	-	1	-	-	1	1
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	3	-	3	3	-	2	-	-	2	2	3	-	3	3	-	2	-	-	2	2	3	-	3	3	-	2	-	-	2	2
	TV/FM Outlet 電視及電台插座	1	-	1	1	-	1	-	-	1	1	1	-	1	1	-	1	-	-	1	1	1	-	1	1	-	1	-	-	1	1
	Telephone Outlet 電話插座	1	-	1	1	-	1	-	-	1	1	1	-	1	1	-	1	-	-	1	1	1	-	1	1	-	1	-	-	1	1
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	-	1	2	-	1	-	-	1	1	1	-	1	2	-	1	-	-	1	1	1	-	1	2	-	1	-	-	1	1
	Lighting Point 燈位	1	-	1	1	-	1	-	-	1	1	1	-	1	1	-	1	-	-	1	1	1	-	1	1	-	1	-	-	1	1

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 5 第5座																													
		2/F 2樓										3/F, 5/F - 12/F, 15/F - 18/F 3樓, 5樓至12樓, 15樓至18樓										19/F 19樓									
		A	B	C	D	E	F	G	H	I	J	A	B	C	D	E	F	G	H	I	J	A	B	C	D	E	F	G	H	I	J
Bedroom 睡房	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	-	-	1	1	1	1	1	1	-	-	-	-	1	1	1	1	1	1	-	-	-	-	1	1	1	1	1	1
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	2	2	2	2	2	2	-	-	-	-	2	2	2	2	2	2	-	-	-	-	2	2	2	2	2	2
	TV/FM Outlet 電視及電台插座	-	-	-	-	1	1	1	1	1	1	-	-	-	-	1	1	1	1	1	1	-	-	-	-	1	1	1	1	1	1
	Telephone Outlet 電話插座	-	-	-	-	1	1	1	1	1	1	-	-	-	-	1	1	1	1	1	1	-	-	-	-	1	1	1	1	1	1
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-
	Lighting Switch 燈掣	-	-	-	-	2	1	2	2	1	1	-	-	-	-	2	1	2	2	1	1	-	-	-	-	2	1	2	2	1	1
	Lighting Point 燈位	-	-	-	-	1	1	1	1	1	1	-	-	-	-	1	1	1	1	1	1	-	-	-	-	1	1	1	1	1	1
	Switch for Electrical Water Heater 電熱水爐開關掣	-	-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-
Bedroom 1 睡房 1	Switch for Indoor A/C Unit 室內冷氣機接線位	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	2	-	2	2	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	Telephone Outlet 電話插座	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	Lighting Point 燈位	1	-	2	1	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-
Bedroom 2 睡房 2	Switch for Indoor A/C Unit 室內冷氣機接線位	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	2	-	2	2	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	Telephone Outlet 電話插座	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	Lighting Point 燈位	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 5 第5座																													
		2/F 2樓										3/F, 5/F - 12/F, 15/F - 18/F 3樓, 5樓至12樓, 15樓至18樓										19/F 19樓									
		A	B	C	D	E	F	G	H	I	J	A	B	C	D	E	F	G	H	I	J	A	B	C	D	E	F	G	H	I	J
Master Bathroom 主人房浴室	13A Twin Socket Outlet 13A雙位電插座	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	20A Double Pole Switch 20A雙極開關掣	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Lighting Point 燈位	-	-	-	4	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Bathroom 浴室	13A Twin Socket Outlet 13A雙位電插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fused Spur Unit 接線位連保險絲	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	20A Double Pole Switch 20A雙極開關掣	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	-	1	1	-	1	-	-	1	1	1	-	1	1	-	1	-	-	1	1	1	-	1	1	-	1	-	-	1	1
	Fire Damper 防火閘	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 5 第5座																													
		2/F 2樓										3/F, 5/F - 12/F, 15/F - 18/F 3樓, 5樓至12樓, 15樓至18樓										19/F 19樓									
		A	B	C	D	E	F	G	H	I	J	A	B	C	D	E	F	G	H	I	J	A	B	C	D	E	F	G	H	I	J
Kitchen & Open Kitchen 廚房及開放式廚房	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Single Socket Outlet connected with kitchen appliance 單位電插座 (已接駁廚房設備)	4	3	4	4	3	3	3	3	3	3	4	3	4	4	3	3	3	3	3	3	4	3	4	4	3	3	3	3	3	3
	13A Twin Socket Outlet 雙位電插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Fused Spur Unit 接線位連保險絲	5	2	5	5	2	5	2	2	5	5	5	2	5	5	2	5	2	2	5	5	5	2	5	5	2	5	2	2	5	5
	20A Double Pole Switch 20A雙極開關掣	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Cable Connection Unit 接線位	1	1	1	1	2	1	2	2	1	1	1	1	1	1	2	1	2	2	1	1	1	1	1	1	2	1	2	2	1	1
	45A Double Pole Switch 45A雙極開關制	-	-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-
	Town Gas Meter & Connection Point 煤氣錶及接駁點	1	-	1	1	-	1	-	-	1	1	1	-	1	1	-	1	-	-	1	1	1	-	1	1	-	1	-	-	1	1
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	-	1	1	-	1	-	-	1	1	1	-	1	1	-	1	-	-	1	1	1	-	1	1	-	1	-	-	1	1
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點(來水位)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點(去水位)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	4	-	2	4	1	3	1	1	3	3	4	-	2	4	1	3	1	1	3	3	4	-	2	4	1	3	1	1	3	3
	Lighting Switch 燈掣	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Door Bell 門鈴	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Miniature Circuit Breakers Board 總電掣箱	1	1	1	1	1	-	1	1	1	-	1	1	1	1	1	-	1	1	1	-	1	1	1	1	1	-	1	1	1	-
	Instantaneous Electric Water Heater with Switch 即熱式電熱水爐連開關掣	-	2	-	-	2	-	2	2	-	-	-	2	-	-	2	-	2	2	-	-	-	2	-	-	2	-	2	2	-	-
	Sprinkler Head 消防花灑頭	-	2	-	-	2	-	2	2	-	-	-	2	-	-	2	-	2	2	-	-	-	2	-	-	2	-	2	2	-	-
	Smoke Detector 煙霧感應器	-	1	-	-	1	-	1	1	-	-	-	1	-	-	1	-	1	1	-	-	-	1	-	-	1	-	1	1	-	-
	Fire Damper 防火閘	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 5 第5座																															
		2/F 2樓										3/F, 5/F - 12/F, 15/F - 18/F 3樓, 5樓至12樓, 15樓至18樓										19/F 19樓									
		A	B	C	D	E	F	G	H	I	J	A	B	C	D	E	F	G	H	I	J	A	B	C	D	E	F	G	H	I	J
Store Room 儲物室	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2
	TV/FM Outlet 電視及電台插座	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
	Telephone Outlet 電話插座	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
	Lighting Switch 燈掣	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
	Lighting Point 燈位	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
	Switch for Exhaust Fan 抽氣扇開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Miniature Circuit Breakers Board 總電掣箱	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
	Fire Damper 防火閘	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Internal Staircase 內置樓梯	Lighting Switch 燈掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balcony 露台	Balcony Light 露台燈	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Utility Platform 工作平台	Lighting Point 燈位	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Air-Conditioner Platform 空調機平台	Isolator for Outdoor Air-Conditioner 室外空調機開關掣	-	1	3	3	1	2	1	1	2	-	3	1	3	3	1	2	1	1	3	3	3	1	3	3	1	2	1	1	3	3
Flat Roof 平台	Isolator for Outdoor Air Conditioner 室外空調機開關掣	3	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Watertight Lighting Switch 防水燈掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Watertight Socket Outlet 防水電插座	2	1	1	1	2	2	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	7	3	2	3	2	2	2	2	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Roof 天台	13A Watertight Socket Outlet 防水電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	2	2	2	2	2
	Lighting Switch 燈掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1
	Watertight Lighting Point 防水燈位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	4	6	6	4	6	4	4	7	7

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 6 (T6A) 第6座 (T6A)																											
		2/F & 3/F 2樓及3樓	2/F 2樓						3/F 3樓						5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓							19/F 19樓						
		B	A	C	D	E	F	G	A	C	D	E	F	G	A	B	C	D	E	F	G	A	B	C	D	E	F	G
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Living Room / Dining Room 客廳 / 飯廳	Switch for Indoor-A/C Unit 室內冷氣機接線位	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	3	5	3	3	3	3	3	5	3	3	3	3	3	5	4	3	3	3	3	3	4	4	3	3	3	3	3	3
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Telephone Outlet 電話插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	1	-	-	-	1	1	1	-	-	-	1	1	1	1	-	-	-	1	1	1	1	-	-	-	1	1
	Switch for Lavatory Exhaust Fan 洗手間抽氣扇開關掣	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Switch for Kitchen Exhaust Fan & Gas Water Heater 廚房抽氣扇及熱水爐開關掣	1	1	-	-	-	1	-	1	-	-	-	1	-	1	1	-	-	-	1	-	1	1	-	-	-	1	-
	Switch for Kitchen Exhaust Fan 廚房抽氣扇開關掣	-	-	1	1	1	-	-	-	1	1	1	-	-	-	-	1	1	1	-	-	-	-	1	1	1	-	-
	Lighting Switch 燈掣	4	6	4	4	4	5	4	6	4	4	4	5	4	6	6	4	4	4	5	4	6	6	4	4	4	5	4
	Lighting Point 燈位	3	4	2	2	2	3	3	4	2	2	2	3	3	4	4	2	2	2	3	3	4	4	3	2	2	3	3
	Door Phone 對講機	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Switch for Kitchen Exhaust Fan & Electrical Water Heater 廚房抽氣扇及電熱水爐開關掣	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
	Fire Damper 防火閘	-	-	1	1	1	-	-	-	1	1	1	-	-	-	-	1	1	1	-	-	-	-	1	1	1	-	-
Master Bedroom 主人睡房	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	-	-	-	1	-	1	-	-	-	1	-	1	1	-	-	-	1	-	1	1	-	-	-	1	-
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	3	3	-	-	-	2	-	3	-	-	-	2	-	3	3	-	-	-	2	-	3	3	-	-	-	2	-
	TV/FM Outlet 電視及電台插座	1	1	-	-	-	1	-	1	-	-	-	1	-	1	1	-	-	-	1	-	1	1	-	-	-	1	-
	Telephone Outlet 電話插座	1	1	-	-	-	1	-	1	-	-	-	1	-	1	1	-	-	-	1	-	1	1	-	-	-	1	-
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	1	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-
	Lighting Switch 燈掣	3	2	-	-	-	1	-	2	-	-	-	1	-	2	2	-	-	-	1	-	2	2	-	-	-	1	-
	Lighting Point 燈位	3	1	-	-	-	1	-	1	-	-	-	1	-	1	1	-	-	-	1	-	1	1	-	-	-	1	-
	Switch for Electrical Water Heater 電熱水爐開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fire Damper 防火閘	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 6 (T6A) 第6座 (T6A)																											
		2/F & 3/F 2樓及3樓	2/F 2樓						3/F 3樓						5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓							19/F 19樓						
		B	A	C	D	E	F	G	A	C	D	E	F	G	A	B	C	D	E	F	G	A	B	C	D	E	F	G
Bedroom 睡房	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	1	1	1	1	-	-	1	1	1	1	-	-	-	1	1	1	1	-	-	-	1	1	1	1	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	-	2	2	2	2	-	-	2	2	2	2	-	-	-	2	2	2	2	-	-	-	2	2	2	2	-
	TV/FM Outlet 電視及電台插座	-	-	1	1	1	1	-	-	1	1	1	1	-	-	-	1	1	1	1	-	-	-	1	1	1	1	-
	Telephone Outlet 電話插座	-	-	1	1	1	1	-	-	1	1	1	1	-	-	-	1	1	1	1	-	-	-	1	1	1	1	-
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	-	1	1	1	-	-	-	1	1	1	-	-	-	-	1	1	1	-	-	-	-	1	1	1	-	-
	Lighting Switch 燈掣	-	-	2	2	2	1	-	-	2	2	2	1	-	-	-	2	2	2	1	-	-	-	2	2	2	1	-
	Lighting Point 燈位	-	-	1	1	1	1	-	-	1	1	1	1	-	-	-	1	1	1	1	-	-	-	1	1	1	1	-
	Switch for Electrical Water Heater 電熱水爐開關掣	-	-	1	1	1	-	-	-	1	1	1	-	-	-	-	1	1	1	-	-	-	-	1	1	1	-	-
Bedroom 1 睡房 1	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	2	2	-	-	-	-	-	2	-	-	-	-	-	2	2	-	-	-	-	-	2	2	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	1	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-
	Telephone Outlet 電話插座	1	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-
	Lighting Point 燈位	1	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-
	Fire Damper 防火閘	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 6 (T6A) 第6座 (T6A)																											
		2/F & 3/F 2樓及3樓	2/F 2樓						3/F 3樓						5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓							19/F 19樓						
		B	A	C	D	E	F	G	A	C	D	E	F	G	A	B	C	D	E	F	G	A	B	C	D	E	F	G
Bedroom 2 睡房 2	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	2	2	-	-	-	-	-	2	-	-	-	-	-	2	2	-	-	-	-	-	2	2	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	1	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-
	Telephone Outlet 電話插座	1	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-
	Lighting Point 燈位	1	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-
Bedroom 3 睡房3	Switch for Indoor A/C Unit 室內冷氣機接線位	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Master Bathroom 主人房浴室	13A Twin Socket Outlet 13A雙位電插座	1	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	2	2	-	-	-	-	-	2	-	-	-	-	-	2	2	-	-	-	-	-	2	2	-	-	-	-	-
	20A Double Pole Switch 20A雙極開關掣	1	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-
	Lighting Point 燈位	5	4	-	-	-	-	-	4	-	-	-	-	-	4	4	-	-	-	-	-	4	4	-	-	-	-	-
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-
	Fire Damper 防火閘	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 6 (T6A) 第6座 (T6A)																											
		2/F & 3/F 2樓及3樓	2/F 2樓						3/F 3樓						5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓							19/F 19樓						
		B	A	C	D	E	F	G	A	C	D	E	F	G	A	B	C	D	E	F	G	A	B	C	D	E	F	G
Bathroom 浴室	13A Twin Socket Outlet 13A雙位電插座	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	20A Double Pole Switch 20A雙極開關掣	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	1	-	-	-	1	-	1	-	-	-	1	-	1	1	-	-	-	1	-	1	1	-	-	-	1	-
	Fire Damper 防火閘	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lavatory 1 洗手間 1	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lavatory 2 洗手間 2	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 6 (T6A) 第6座 (T6A)																											
		2/F & 3/F 2樓及3樓	2/F 2樓						3/F 3樓						5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓							19/F 19樓						
		B	A	C	D	E	F	G	A	C	D	E	F	G	A	B	C	D	E	F	G	A	B	C	D	E	F	G
Kitchen & Open Kitchen 廚房及開放式廚房	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Single Socket Outlet connected with kitchen appliance 單位電插座 (已接駁廚房設備)	5	4	3	3	3	3	3	4	3	3	3	3	3	4	4	3	3	3	3	3	4	4	3	3	3	3	3
	13A Twin Socket Outlet 雙位電插座	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	6	5	2	2	2	4	2	5	2	2	2	4	2	5	5	2	2	2	4	2	5	5	2	2	2	4	2
	20A Double Pole Switch 20A雙極開關掣	3	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-	1	1
	Cable Connection Unit 接線位	2	1	2	2	2	2	1	1	2	2	2	2	1	1	1	2	2	2	2	1	1	1	2	2	2	2	1
	45A Double Pole Switch 45A雙極開關制	-	-	1	1	1	-	-	-	1	1	1	-	-	-	-	1	1	1	-	-	-	-	1	1	1	-	-
	Town Gas Meter & Connection Point 煤氣錶及接駁點	1	1	-	-	-	1	-	1	-	-	-	1	-	1	1	-	-	-	1	-	1	1	-	-	-	1	-
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	1	-	-	-	1	-	1	-	-	-	1	-	1	1	-	-	-	1	-	1	1	-	-	-	1	-
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點(來水位)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點(去水位)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	5	4	2	1	1	1	-	4	2	1	1	1	-	4	4	2	1	1	1	-	4	4	2	1	1	1	-
	Lighting Switch 燈掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Door Bell 門鈴	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Miniature Circuit Breakers Board 總電掣箱	-	1	1	1	1	1	1	1	1	1	1	1	1	1	-	1	1	1	1	1	1	-	1	1	1	1	1
	Instantaneous Electric Water Heater with Switch 即熱式電熱水爐連開關掣	-	-	2	2	2	-	2	-	2	2	2	-	2	-	-	2	2	2	-	2	-	-	2	2	2	-	2
	Sprinkler Head 消防花灑頭	-	-	2	2	2	2	2	-	2	2	2	2	2	-	-	2	2	2	2	2	-	-	2	2	2	2	2
	Smoke Detector 煙霧感應器	-	-	1	1	1	1	1	-	1	1	1	1	1	-	-	1	1	1	1	1	-	-	1	1	1	1	1
	Fire Damper 防火閘	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 6 (T6A) 第6座 (T6A)																												
		2/F & 3/F 2樓及3樓	2/F 2樓						3/F 3樓						5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓							19/F 19樓							
		B	A	C	D	E	F	G	A	C	D	E	F	G	A	B	C	D	E	F	G	A	B	C	D	E	F	G
Store Room 儲物室	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	Lighting Point 燈位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	Switch for Exhaust Fan 抽氣扇開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Miniature Circuit Breakers Board 總電掣箱	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	Fire Damper 防火閘	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Utility Room 多功能房	Switch for Indoor A/C Unit 室內冷氣機接線位	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Single Socket Outlet 13A單位電插座	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Switch for Exhaust Fan 抽氣扇開關掣	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Miniature Circuit Breakers Board 總電掣箱	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 6 (T6A) 第6座 (T6A)																											
		2/F & 3/F 2樓及3樓	2/F 2樓						3/F 3樓						5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓							19/F 19樓						
		B	A	C	D	E	F	G	A	C	D	E	F	G	A	B	C	D	E	F	G	A	B	C	D	E	F	G
Store Room (Under Stair) 儲物室(樓梯下)	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Lighting Point 燈位	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Switch for Exhaust Fan 抽氣扇開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Miniature Circuit Breakers Board 總電掣箱	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Internal Staircase 內置樓梯	Lighting Switch 燈掣	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Lighting Point 燈位	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-
Balcony 露台	Balcony Light 露台燈	1	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Utility Platform 工作平台	Lighting Point 燈位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Air-Conditioner Platform 空調機平台	Isolator for Outdoor Air-Conditioner 室外空調機開關掣	3	-	-	-	-	3	1	3	1	1	1	3	1	3	3	1	1	1	3	1	3	3	1	1	1	3	1
Flat Roof 平台	Isolator for Outdoor Air Conditioner 室外空調機開關掣	2	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Watertight Lighting Switch 防水燈掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Watertight Socket Outlet 防水電插座	2	2	2	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	5	4	2	2	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Isolator for Jacuzzi 按摩池開關掣	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Roof 天台	13A Watertight Socket Outlet 防水電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	2	2
	Watertight Lighting Switch 防水燈掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1
	Lighting Point 燈位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	7	4	4	4	5	4
Space Outside Bedrooms at Upper Floor 上層睡房外之空間	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 6 (T6B) 第6座 (T6B)																						
		2/F & 3/F 2樓及3樓	2/F 2樓					3/F 3樓					5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓						19/F 19樓					
		A	B	C	D	E	F	B	C	D	E	F	A	B	C	D	E	F	A	B	C	D	E	F
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Living Room / Dining Room 客廳 / 飯廳	Switch for Indoor-A/C Unit 室內冷氣機接線位	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	3	4	4	3	3	3	4	4	3	3	3	4	4	4	3	3	3	4	4	4	3	3	3
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Telephone Outlet 電話插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	1	1	-	-	-	1	1	-	-	-	1	1	1	-	-	-	1	1	1	-	-	-
	Switch for Lavatory Exhaust Fan 洗手間抽氣扇開關掣	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Switch for Kitchen Exhaust Fan & Gas Water Heater 廚房抽氣扇及熱水爐開關掣	1	1	1	-	-	-	1	1	-	-	-	1	1	1	-	-	-	1	1	1	-	-	-
	Switch for Kitchen Exhaust Fan 廚房抽氣扇開關掣	-	-	-	1	1	1	-	-	1	1	1	-	-	-	1	1	1	-	-	-	1	1	1
	Lighting Switch 燈掣	4	6	5	4	4	4	6	5	4	4	4	6	6	5	4	4	4	6	6	5	4	4	4
	Lighting Point 燈位	3	4	4	2	2	2	4	4	2	2	2	4	4	4	2	2	2	4	4	4	2	2	2
	Door Phone 對講機	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Switch for Kitchen Exhaust Fan & Electrical Water Heater 廚房抽氣扇及電熱水爐開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fire Damper 防火閘	-	-	-	1	1	1	-	-	1	1	1	-	-	-	1	1	1	-	-	-	1	1	1
Master Bedroom 主人睡房	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	1	-	-	-	1	1	-	-	-	1	1	1	-	-	-	1	1	1	-	-	-
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	3	3	2	-	-	-	3	2	-	-	-	3	3	2	-	-	-	3	3	2	-	-	-
	TV/FM Outlet 電視及電台插座	1	1	1	-	-	-	1	1	-	-	-	1	1	1	-	-	-	1	1	1	-	-	-
	Telephone Outlet 電話插座	1	1	1	-	-	-	1	1	-	-	-	1	1	1	-	-	-	1	1	1	-	-	-
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	Lighting Switch 燈掣	3	1	1	-	-	-	2	1	-	-	-	2	1	1	-	-	-	2	1	1	-	-	-
	Lighting Point 燈位	2	1	1	-	-	-	1	1	-	-	-	1	1	1	-	-	-	1	1	1	-	-	-
	Switch for Electrical Water Heater 電熱水爐開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fire Damper 防火閘	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 6 (T6B) 第6座 (T6B)																							
		2/F & 3/F 2樓及3樓	2/F 2樓					3/F 3樓					5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓						19/F 19樓						
		A	B	C	D	E	F	B	C	D	E	F	A	B	C	D	E	F	A	B	C	D	E	F	
Bedroom 睡房	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	1	1	1	1	-	1	1	1	1	-	-	1	1	1	1	-	-	1	1	1	1	
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	13A Twin Socket Outlet 13A雙位電插座	-	-	2	2	2	2	-	2	2	2	2	-	-	2	2	2	2	-	-	2	2	2	2	
	TV/FM Outlet 電視及電台插座	-	-	1	1	1	1	-	1	1	1	1	-	-	1	1	1	1	-	-	1	1	1	1	
	Telephone Outlet 電話插座	-	-	1	1	1	1	-	1	1	1	1	-	-	1	1	1	1	-	-	1	1	1	1	
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	-	-	1	1	1	-	-	1	1	1	-	-	-	1	1	1	-	-	-	1	1	1	
	Lighting Switch 燈掣	-	-	1	2	2	2	-	1	2	2	2	-	-	1	2	2	2	-	-	1	2	2	2	
	Lighting Point 燈位	-	-	1	1	1	1	-	1	1	1	1	-	-	1	1	1	1	-	-	1	1	1	1	
	Switch for Electrical Water Heater 電熱水爐開關掣	-	-	-	1	1	1	-	-	1	1	1	-	-	-	1	1	1	-	-	-	1	1	1	
Bedroom 1 睡房 1	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	13A Twin Socket Outlet 13A雙位電插座	2	2	-	-	-	-	2	-	-	-	-	2	2	-	-	-	-	2	2	-	-	-	-	
	TV/FM Outlet 電視及電台插座	1	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	
	Telephone Outlet 電話插座	1	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Lighting Switch 燈掣	1	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	
	Lighting Point 燈位	1	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	
	Fire Damper 防火閘	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 6 (T6B) 第6座 (T6B)																						
		2/F & 3/F 2樓及3樓	2/F 2樓					3/F 3樓					5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓						19/F 19樓					
		A	B	C	D	E	F	B	C	D	E	F	A	B	C	D	E	F	A	B	C	D	E	F
Bedroom 2 睡房 2	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	2	2	-	-	-	-	2	-	-	-	-	2	2	-	-	-	-	2	2	-	-	-	-
	TV/FM Outlet 電視及電台插座	1	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-
	Telephone Outlet 電話插座	1	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-
	Lighting Point 燈位	1	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-
Bedroom 3 睡房3	Switch for Indoor A/C Unit 室內冷氣機接線位	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Master Bathroom 主人房浴室	13A Twin Socket Outlet 13A雙位電插座	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-
	20A Double Pole Switch 20A雙極開關掣	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	Lighting Point 燈位	5	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	4	-	-	-	-	-
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	Fire Damper 防火閘	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 6 (T6B) 第6座 (T6B)																							
		2/F & 3/F 2樓及3樓	2/F 2樓					3/F 3樓					5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓						19/F 19樓						
		A	B	C	D	E	F	B	C	D	E	F	A	B	C	D	E	F	A	B	C	D	E	F	
Bathroom 浴室	13A Twin Socket Outlet 13A雙位電插座	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Fused Spur Unit 接線位連保險絲	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
	20A Double Pole Switch 20A雙極開關掣	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Lighting Point 燈位	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	1	1	-	-	-	1	1	-	-	-	1	1	1	-	-	-	1	1	1	-	-	-	
	Fire Damper 防火閘	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lavatory 1 洗手間 1	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Fused Spur Unit 接線位連保險絲	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Lighting Point 燈位	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lavatory 2 洗手間 2	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Fused Spur Unit 接線位連保險絲	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Lighting Point 燈位	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 6 (T6B) 第6座 (T6B)																						
		2/F & 3/F 2樓及3樓	2/F 2樓					3/F 3樓					5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓						19/F 19樓					
		A	B	C	D	E	F	B	C	D	E	F	A	B	C	D	E	F	A	B	C	D	E	F
Kitchen & Open Kitchen 廚房及開放式廚房	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Single Socket Outlet connected with kitchen appliance 單位電插座 (已接駁廚房設備)	5	4	3	3	3	3	4	3	3	3	3	4	4	3	3	3	3	4	4	3	3	3	3
	13A Twin Socket Outlet 雙位電插座	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	6	5	5	2	2	2	5	5	2	2	2	5	5	5	2	2	2	5	5	5	2	2	2
	20A Double Pole Switch 20A雙極開關掣	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Cable Connection Unit 接線位	2	2	1	2	2	2	2	1	2	2	2	2	2	1	2	2	2	2	2	1	2	2	2
	45A Double Pole Switch 45A雙極開關制	-	-	-	1	1	1	-	-	1	1	1	-	-	-	1	1	1	-	-	-	1	1	1
	Town Gas Meter & Connection Point 煤氣錶及接駁點	1	1	1	-	-	-	1	1	-	-	-	1	1	1	-	-	-	1	1	1	-	-	-
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	1	1	-	-	-	1	1	-	-	-	1	1	1	-	-	-	1	1	1	-	-	-
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點(來水位)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點(去水位)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	5	3	3	1	1	1	3	3	1	1	1	4	3	3	1	1	1	4	3	3	1	1	1
	Lighting Switch 燈掣	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	Door Bell 門鈴	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Miniature Circuit Breakers Board 總電掣箱	-	1	1	1	1	1	1	1	1	1	1	-	1	1	1	1	1	-	1	1	1	1	1
	Instantaneous Electric Water Heater with Switch 即熱式電熱水爐連開關掣	-	-	-	2	2	2	-	-	2	2	2	-	-	-	2	2	2	-	-	-	2	2	2
	Sprinkler Head 消防花灑頭	-	-	-	2	2	2	-	-	2	2	2	-	-	-	2	2	2	-	-	-	2	2	2
	Smoke Detector 煙霧感應器	-	-	-	1	1	1	-	-	1	1	1	-	-	-	1	1	1	-	-	-	1	1	1
	Fire Damper 防火閘	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 6 (T6B) 第6座 (T6B)																							
		2/F & 3/F 2樓及3樓	2/F 2樓					3/F 3樓					5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓						19/F 19樓						
		A	B	C	D	E	F	B	C	D	E	F	A	B	C	D	E	F	A	B	C	D	E	F	
Store Room 儲物室	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	
	TV/FM Outlet 電視及電台插座	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
	Telephone Outlet 電話插座	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
	Lighting Switch 燈掣	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
	Lighting Point 燈位	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
	Switch for Exhaust Fan 抽氣扇開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Miniature Circuit Breakers Board 總電掣箱	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
	Fire Damper 防火閘	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Utility Room 多功能房	Switch for Indoor A/C Unit 室內冷氣機接線位	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	13A Single Socket Outlet 13A單位電插座	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TV/FM Outlet 電視及電台插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Telephone Outlet 電話插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Lighting Switch 燈掣	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Lighting Point 燈位	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Switch for Exhaust Fan 抽氣扇開關掣	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Miniature Circuit Breakers Board 總電掣箱	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 6 (T6B) 第6座 (T6B)																						
		2/F & 3/F 2樓及3樓	2/F 2樓					3/F 3樓					5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓						19/F 19樓					
		A	B	C	D	E	F	B	C	D	E	F	A	B	C	D	E	F	A	B	C	D	E	F
Internal Staircase 內置樓梯	Lighting Switch 燈掣	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balcony 露台	Balcony Light 露台燈	1	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Utility Platform 工作平台	Lighting Point 燈位	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Air-Conditioner Platform 空調機平台	Isolator for Outdoor Air-Conditioner 室外空調機開關掣	3	-	-	1	1	-	3	3	1	1	1	3	3	3	1	1	1	3	3	3	1	1	1
Flat Roof 平台	Isolator for Outdoor Air Conditioner 室外空調機開關掣	2	3	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Watertight Lighting Switch 防水燈掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Watertight Socket Outlet 防水電插座	2	2	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	5	9	4	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Isolator for Jacuzzi 按摩池開關掣	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Roof 天台	13A Watertight Socket Outlet 防水電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	2
	Watertight Lighting Switch 防水燈掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1
	Lighting Point 燈位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	7	6	4	4	4
Space Outside Bedrooms at Upper Floor 上層睡房外之空間	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 7 (T7A) 第7座 (T7A)																			
		2/F & 3/F 2樓及3樓	2/F 2樓				3/F 3樓				5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓					19/F 19樓				
		B	A	C	D	E	A	C	D	E	A	B	C	D	E	A	B	C	D	E
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Living Room / Dining Room 客廳 / 飯廳	Switch for Indoor-A/C Unit 室內冷氣機接線位	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	3	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Telephone Outlet 電話插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Switch for Lavatory Exhaust Fan 洗手間抽氣扇開關掣	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Switch for Kitchen Exhaust Fan & Gas Water Heater 廚房抽氣扇及熱水爐開關掣	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Switch 燈掣	5	6	5	5	5	6	5	5	5	6	6	5	5	5	6	6	5	5	5
	Lighting Point 燈位	29	4	3	3	4	4	3	3	4	4	4	3	3	4	4	4	3	3	4
	Door Phone 對講機	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fire Damper 防火閘	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Master Bedroom 主人睡房	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	4	3	2	2	2	3	2	2	2	3	3	2	2	2	3	3	2	2	2
	TV/FM Outlet 電視及電台插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	1	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-
	Lighting Switch 燈掣	3	2	1	1	1	2	1	1	1	2	2	1	1	1	2	2	1	1	1
	Lighting Point 燈位	16	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 7 (T7A) 第7座 (T7A)																			
		2/F & 3/F 2樓及3樓	2/F 2樓				3/F 3樓				5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓					19/F 19樓				
		B	A	C	D	E	A	C	D	E	A	B	C	D	E	A	B	C	D	E
Bedroom 睡房	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	1	1	1	-	1	1	1	-	-	1	1	1	-	-	1	1	1
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	-	2	2	2	-	2	2	2	-	-	2	2	2	-	-	2	2	2
	TV/FM Outlet 電視及電台插座	-	-	1	1	1	-	1	1	1	-	-	1	1	1	-	-	1	1	1
	Telephone Outlet 電話插座	-	-	1	1	1	-	1	1	1	-	-	1	1	1	-	-	1	1	1
	Switch for Exhaust Fan 抽氣扇開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Switch for Thermo Ventilator for Bathroom 浴室寶開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	-	-	1	1	1	-	1	1	1	-	-	1	1	1	-	-	1	1	1
	Lighting Point 燈位	-	-	1	1	1	-	1	1	1	-	-	1	1	1	-	-	1	1	1
Bedroom 1 睡房 1	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	2	2	-	-	-	2	-	-	-	2	2	-	-	-	2	2	-	-	-
	TV/FM Outlet 電視及電台插座	1	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-
	Telephone Outlet 電話插座	1	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-
	Switch for Exhaust Fan 抽氣扇開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-
	Lighting Point 燈位	10	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 7 (T7A) 第7座 (T7A)																			
		2/F & 3/F 2樓及3樓	2/F 2樓				3/F 3樓				5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓					19/F 19樓				
		B	A	C	D	E	A	C	D	E	A	B	C	D	E	A	B	C	D	E
Bedroom 2 睡房 2	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	2	2	-	-	-	2	-	-	-	2	2	-	-	-	2	2	-	-	-
	TV/FM Outlet 電視及電台插座	1	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-
	Telephone Outlet 電話插座	1	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-
	Switch for Exhaust Fan 抽氣扇開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-
	Lighting Point 燈位	3	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-
Bedroom 3 睡房3	Switch for Indoor A/C Unit 室內冷氣機接線位	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Switch for Exhaust Fan 抽氣扇開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Master Bathroom 主人房浴室	13A Twin Socket Outlet 13A雙位電插座	1	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-
	Fused Spur Unit 接線位連保險絲	2	2	-	-	-	2	-	-	-	2	2	-	-	-	2	2	-	-	-
	20A Double Pole Switch 20A雙極開關掣	1	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-
	Lighting Point 燈位	5	4	-	-	-	4	-	-	-	4	4	-	-	-	4	4	-	-	-
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-
	Fire Damper 防火閘	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 7 (T7A) 第7座 (T7A)																			
		2/F & 3/F 2樓及3樓	2/F 2樓				3/F 3樓				5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓					19/F 19樓				
		B	A	C	D	E	A	C	D	E	A	B	C	D	E	A	B	C	D	E
Bathroom 浴室	13A Twin Socket Outlet 13A雙位電插座	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	20A Double Pole Switch 20A雙極開關掣	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fire Damper 防火閘	-	-	1	1	-	-	1	1	-	-	-	1	1	-	-	-	1	1	-
Lavatory 洗手間	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Fire Damper 防火閘	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lavatory 1 洗手間 1	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 7 (T7A) 第7座 (T7A)																			
		2/F & 3/F 2樓及3樓	2/F 2樓				3/F 3樓				5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓					19/F 19樓				
		B	A	C	D	E	A	C	D	E	A	B	C	D	E	A	B	C	D	E
Lavatory 2 洗手間 2	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kitchen 廚房	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Single Socket Outlet connected with kitchen appliance 單位電插座(已接駁廚房設備)	5	4	3	3	3	4	3	3	3	4	4	3	3	3	4	4	3	3	3
	13A Twin Socket Outlet 雙位電插座	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	6	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
	20A Double Pole Switch 20A雙極開關掣	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Cable Connection Unit 接線位	2	2	2	2	1	2	2	2	1	2	1	2	2	1	2	1	2	2	1
	Town Gas Meter & Connection Point 煤氣錶及接駁點	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點(來水位)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點(去水位)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	5	4	3	3	3	4	3	3	3	4	4	3	3	3	4	3	3	3	3
	Lighting Switch 燈掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Door Bell 門鈴	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Miniature Circuit Breakers Board 總電掣箱	-	-	1	1	1	-	1	1	1	-	-	1	1	1	1	1	1	1	1
	Instantaneous Electric Water Heater with Switch 即熱式電熱水爐連開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Sprinkler Head 消防花灑頭	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 7 (T7A) 第7座 (T7A)																			
		2/F & 3/F 2樓及3樓	2/F 2樓				3/F 3樓				5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓					19/F 19樓				
		B	A	C	D	E	A	C	D	E	A	B	C	D	E	A	B	C	D	E
Utility Room 多功能房	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	13A Single Socket Outlet 13A單位電插座	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Switch for Exhaust Fan 抽氣扇開關掣	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Miniature Circuit Breakers Board 總電掣箱	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Fire Damper 防火閘	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Store Room 儲物室	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Lighting Point 燈位	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Switch for Exhaust Fan 抽氣扇開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Miniature Circuit Breakers Board 總電掣箱	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 7 (T7A) 第7座 (T7A)																			
		2/F & 3/F 2樓及3樓	2/F 2樓				3/F 3樓				5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓					19/F 19樓				
		B	A	C	D	E	A	C	D	E	A	B	C	D	E	A	B	C	D	E
Store Room (Under Stair) 儲物室(樓梯下)	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	Lighting Point 燈位	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	Switch for Exhaust Fan 抽氣扇開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Miniature Circuit Breakers Board 總電掣箱	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Internal Staircase 內置樓梯	Lighting Switch 燈掣	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	Lighting Point 燈位	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-
Balcony 露台	Balcony Light 露台燈	1	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Utility Platform 工作平台	Lighting Point 燈位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Air-Conditioner Platform空調機平台	Isolator for Outdoor Air-Conditioner 室外空調機開關掣	3	3	-	-	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
Flat Roof 平台	Isolator for Outdoor Air Conditioner 室外空調機開關掣	2	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Watertight Lighting Switch 防水燈掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Watertight Socket Outlet 防水電插座	2	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	5	5	3	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Isolator for Jacuzzi 按摩池開關掣	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Roof 天台	13A Watertight Socket Outlet 防水電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2
	Lighting Point 燈位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	7	5	5	6
	Watertight Lighting Switch 防水燈掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
	Hose Reel Set 消防喉轆	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Space Outside Bedrooms at Upper Floor 上層睡房外之空間	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 7 (T7B) 第7座 (T7B)																			
		2/F & 3/F 2樓及3樓	2/F 2樓				3/F 3樓				5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓					19/F 19樓				
		A	B	C	D	E	B	C	D	E	A	B	C	D	E	A	B	C	D	E
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Living Room / Dining Room 客廳 / 飯廳	Switch for Indoor-A/C Unit 室內冷氣機接線位	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	3	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Telephone Outlet 電話插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Switch for Lavatory Exhaust Fan 洗手間抽氣扇開關掣	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Switch for Kitchen Exhaust Fan & Gas Water Heater 廚房抽氣扇及熱水爐開關掣	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Switch 燈掣	5	6	5	5	5	6	5	5	5	6	6	5	5	5	6	7	5	5	5
	Lighting Point 燈位	4	4	4	3	3	4	4	3	3	4	4	4	3	3	4	4	4	3	3
	Door Phone 對講機	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fire Damper 防火閘	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Master Bedroom 主人睡房	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	3	3	2	2	2	3	2	2	2	3	3	2	2	2	3	3	2	2	2
	TV/FM Outlet 電視及電台插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	1	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-
	Lighting Switch 燈掣	3	2	1	1	1	2	1	1	1	2	2	1	1	1	2	2	1	1	1
	Lighting Point 燈位	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 7 (T7B) 第7座 (T7B)																			
		2/F & 3/F 2樓及3樓	2/F 2樓				3/F 3樓				5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓					19/F 19樓				
		A	B	C	D	E	B	C	D	E	A	B	C	D	E	A	B	C	D	E
Bedroom 睡房	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	1	1	1	-	1	1	1	-	-	1	1	1	-	-	1	1	1
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	-	2	2	2	-	2	2	2	-	-	2	2	2	-	-	2	2	2
	TV/FM Outlet 電視及電台插座	-	-	1	1	1	-	1	1	1	-	-	1	1	1	-	-	1	1	1
	Telephone Outlet 電話插座	-	-	1	1	1	-	1	1	1	-	-	1	1	1	-	-	1	1	1
	Switch for Exhaust Fan 抽氣扇開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Switch for Thermo Ventilator for Bathroom 浴室寶開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	-	-	1	1	1	-	1	1	1	-	-	1	1	1	-	-	1	1	1
	Lighting Point 燈位	-	-	1	1	1	-	1	1	1	-	-	1	1	1	-	-	1	1	1
Bedroom 1 睡房 1	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	2	2	-	-	-	2	-	-	-	2	2	-	-	-	2	2	-	-	-
	TV/FM Outlet 電視及電台插座	1	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-
	Telephone Outlet 電話插座	1	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-
	Switch for Exhaust Fan 抽氣扇開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-
	Lighting Point 燈位	1	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 7 (T7B) 第7座 (T7B)																			
		2/F & 3/F 2樓及3樓	2/F 2樓				3/F 3樓				5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓					19/F 19樓				
		A	B	C	D	E	B	C	D	E	A	B	C	D	E	A	B	C	D	E
Bedroom 2 睡房 2	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	2	2	-	-	-	2	-	-	-	2	2	-	-	-	2	2	-	-	-
	TV/FM Outlet 電視及電台插座	1	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-
	Telephone Outlet 電話插座	1	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-
	Switch for Exhaust Fan 抽氣扇開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-
	Lighting Point 燈位	1	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-
Bedroom 3 睡房3	Switch for Indoor A/C Unit 室內冷氣機接線位	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Switch for Exhaust Fan 抽氣扇開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Master Bathroom 主人房浴室	13A Twin Socket Outlet 13A雙位電插座	1	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-
	Fused Spur Unit 接線位連保險絲	2	2	-	-	-	2	-	-	-	2	2	-	-	-	2	2	-	-	-
	20A Double Pole Switch 20A雙極開關掣	1	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-
	Lighting Point 燈位	5	4	-	-	-	4	-	-	-	4	4	-	-	-	4	4	-	-	-
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-
	Fire Damper 防火閘	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 7 (T7B) 第7座 (T7B)																			
		2/F & 3/F 2樓及3樓	2/F 2樓				3/F 3樓				5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓					19/F 19樓				
		A	B	C	D	E	B	C	D	E	A	B	C	D	E	A	B	C	D	E
Bathroom 浴室	13A Twin Socket Outlet 13A雙位電插座	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	20A Double Pole Switch 20A雙極開關掣	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fire Damper 防火閘	-	-	-	1	1	-	-	1	1	-	-	-	1	1	-	-	-	1	1
Lavatory 洗手間	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Lighting Point 燈位	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Fire Damper 防火閘	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Lavatory 1 洗手間 1	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 7 (T7B) 第7座 (T7B)																			
		2/F & 3/F 2樓及3樓	2/F 2樓				3/F 3樓				5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓					19/F 19樓				
		A	B	C	D	E	B	C	D	E	A	B	C	D	E	A	B	C	D	E
Lavatory 2 洗手間 2	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kitchen 廚房	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Single Socket Outlet connected with kitchen appliance 單位電插座 (已接駁廚房設備)	5	4	3	3	3	4	3	3	3	4	4	3	3	3	4	4	3	3	3
	13A Twin Socket Outlet 雙位電插座	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	6	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
	20A Double Pole Switch 20A雙極開關掣	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Cable Connection Unit 接線位	2	1	1	2	2	1	1	2	2	1	1	1	2	2	1	1	1	2	2
	Town Gas Meter & Connection Point 煤氣錶及接駁點	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點(來水位)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點(去水位)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	5	4	3	3	3	4	3	3	3	4	4	3	3	3	4	3	3	3	3
	Lighting Switch 燈掣	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-
	Door Bell 門鈴	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Miniature Circuit Breakers Board 總電掣箱	-	-	1	1	1	-	1	1	1	-	-	1	1	1	1	-	1	1	1
	Instantaneous Electric Water Heater with Switch 即熱式電熱水爐連開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Sprinkler Head 消防花灑頭	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 7 (T7B) 第7座 (T7B)																			
		2/F & 3/F 2樓及3樓	2/F 2樓				3/F 3樓				5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓					19/F 19樓				
		A	B	C	D	E	B	C	D	E	A	B	C	D	E	A	B	C	D	E
Utility Room 多功能房	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	13A Single Socket Outlet 13A單位電插座	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Lighting Point 燈位	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Switch for Exhaust Fan 抽氣扇開關掣	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Miniature Circuit Breakers Board 總電掣箱	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Fire Damper 防火閘	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Store Room 儲物室	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Switch for Exhaust Fan 抽氣扇開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Miniature Circuit Breakers Board 總電掣箱	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 7 (T7B) 第7座 (T7B)																			
		2/F & 3/F 2樓及3樓	2/F 2樓				3/F 3樓				5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓					19/F 19樓				
		A	B	C	D	E	B	C	D	E	A	B	C	D	E	A	B	C	D	E
Store Room (Under Stair) 儲物室(樓梯下)	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	Lighting Point 燈位	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	Switch for Exhaust Fan 抽氣扇開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Miniature Circuit Breakers Board 總電掣箱	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Internal Staircase 內置樓梯	Lighting Switch 燈掣	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Lighting Point 燈位	2	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-
Balcony 露台	Balcony Light 露台燈	1	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Utility Platform 工作平台	Lighting Point 燈位	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-
Air-Conditioner Platform空調機平台	Isolator for Outdoor Air-Conditioner 室外空調機開關掣	3	3	3	-	-	3	3	3	3	3	3	3	3	3	3	3	3	3	3
Flat Roof 平台	Isolator for Outdoor Air Conditioner 室外空調機開關掣	2	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Watertight Lighting Switch 防水燈掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Watertight Socket Outlet 防水電插座	2	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	5	5	3	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Isolator for Jacuzzi 按摩池開關掣	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Roof 天台	13A Watertight Socket Outlet 防水電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2
	Lighting Point 燈位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	8	6	6	5
	Watertight Lighting Switch 防水燈掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
	Hose Reel Set 消防喉轆	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Space Outside Bedrooms at Upper Floor 上層睡房外之空間	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F, 13/F and 14/F are omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓、13樓及14樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 8 第8座														
		2/F 2樓				3/F, 5/F - 7/F, 9/F - 10/F 3樓, 5樓至7樓, 9樓至10樓				11/F 11樓			8/F 8樓			
		A	B	C	D	A	B	C	D	A	B	C	A	B	C	D
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Living Room / Dining Room 客廳 / 飯廳	Switch for Indoor-A/C Unit 室內冷氣機接線位	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	4	4	3	3	4	4	3	3	3	3	3	4	4	3	3
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Telephone Outlet 電話插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	1	1	1	-	1	1	1	-	1	1	-	1	1	1	-
	Switch for Lavatory Exhaust Fan 洗手間抽氣扇開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Switch for Kitchen Exhaust Fan & Gas Water Heater 廚房抽氣扇及熱水爐開關掣	1	1	-	-	1	1	-	-	1	-	-	1	1	-	-
	Switch for Kitchen Exhaust Fan 廚房抽氣扇開關掣	-	-	1	1	-	-	1	1	-	1	1	-	-	1	1
	Lighting Switch 燈掣	6	6	5	4	6	6	5	4	6	5	4	6	7	5	4
	Lighting Point 燈位	4	3	3	2	4	3	3	2	4	3	2	4	8	3	2
	Door Phone 對講機	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fire Damper 防火閘	1	-	1	-	1	-	1	-	1	1	-	1	-	1	-
	Switch for Electrical Water Heater 電熱水爐開關掣	-	-	1	-	-	-	1	-	-	1	-	-	-	1	-
Master Bedroom 主人睡房	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	1	-	1	1	1	-	1	1	-	1	1	1	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	3	3	2	-	3	3	2	-	2	2	-	3	3	2	-
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	1	1	1	-	1	1	1	-	1	1	-	1	1	1	-
	Telephone Outlet 電話插座	1	1	1	-	1	1	1	-	1	1	-	1	1	1	-
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	1	1	-	-	1	1	-	-	1	-	-	1	1	-	-
	Lighting Switch 燈掣	3	2	1	-	2	2	1	-	2	1	-	2	2	1	-
	Lighting Point 燈位	1	2	1	-	1	2	1	-	2	1	-	1	2	1	-
	Fire Damper 防火閘	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F is omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 8 第8座														
		2/F 2樓				3/F, 5/F - 7/F, 9/F - 10/F 3樓, 5樓至7樓, 9樓至10樓				11/F 11樓			8/F 8樓			
		A	B	C	D	A	B	C	D	A	B	C	A	B	C	D
Bedroom 睡房	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	1	1	-	-	1	1	-	1	1	-	-	1	1
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	-	2	2	-	-	2	2	-	2	2	-	-	2	2
	TV/FM Outlet 電視及電台插座	-	-	1	1	-	-	1	1	-	1	1	-	-	1	1
	Telephone Outlet 電話插座	-	-	1	1	-	-	1	1	-	1	1	-	-	1	1
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	-	-	1	-	-	-	1	-	-	1	-	-	-	1
	Lighting Switch 燈掣	-	-	1	2	-	-	1	2	-	1	2	-	-	1	2
	Lighting Point 燈位	-	-	1	1	-	-	1	1	-	1	1	-	-	1	1
	Switch for Electrical Water Heater 電熱水爐開關掣	-	-	-	1	-	-	-	1	-	-	1	-	-	-	1
Bedroom 1 睡房 1	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	-	-	1	1	-	-	1	-	-	1	1	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	2	2	-	-	2	2	-	-	2	-	-	2	2	-	-
	TV/FM Outlet 電視及電台插座	1	1	-	-	1	1	-	-	1	-	-	1	1	-	-
	Telephone Outlet 電話插座	1	1	-	-	1	1	-	-	1	-	-	1	1	-	-
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	1	-	-	1	1	-	-	1	-	-	1	1	-	-
	Lighting Point 燈位	1	1	-	-	1	1	-	-	1	-	-	1	1	-	-
Bedroom 2 睡房 2	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	-	-	1	1	-	-	1	-	-	1	1	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	2	2	-	-	2	2	-	-	2	-	-	2	2	-	-
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	1	1	-	-	1	1	-	-	1	-	-	1	1	-	-
	Telephone Outlet 電話插座	1	1	-	-	1	1	-	-	1	-	-	1	1	-	-
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Lighting Switch 燈掣	1	1	-	-	1	1	-	-	2	-	-	1	1	-	-
	Lighting Point 燈位	1	1	-	-	1	1	-	-	2	-	-	1	1	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F is omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 8 第8座														
		2/F 2樓				3/F, 5/F - 7/F, 9/F - 10/F 3樓, 5樓至7樓, 9樓至10樓				11/F 11樓			8/F 8樓			
		A	B	C	D	A	B	C	D	A	B	C	A	B	C	D
Bedroom 3 睡房3	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Telephone Outlet 電話插座	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Lighting Point 燈位	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Master Bathroom 主人房浴室	13A Twin Socket Outlet 13A雙位電插座	1	1	-	-	1	1	-	-	1	-	-	1	1	-	-
	Fused Spur Unit 接線位連保險絲	2	2	-	-	2	2	-	-	2	-	-	2	2	-	-
	20A Double Pole Switch 20A雙極開關掣	1	1	-	-	1	1	-	-	1	-	-	1	1	-	-
	Lighting Point 燈位	4	4	-	-	4	4	-	-	5	-	-	4	4	-	-
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	1	-	-	1	1	-	-	1	-	-	1	1	-	-
Bathroom 浴室	13A Twin Socket Outlet 13A雙位電插座	1	1	1	1	1	1	1	1	-	1	1	1	1	1	1
	Fused Spur Unit 接線位連保險絲	2	2	2	2	2	2	2	2	-	2	2	2	2	2	2
	20A Double Pole Switch 20A雙極開關掣	1	1	1	1	1	1	1	1	-	1	1	1	1	1	1
	Lighting Point 燈位	4	4	4	4	4	4	4	4	-	4	4	4	4	4	4
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	1	-	-	1	1	-	-	-	-	-	1	1	-	-
Bathroom 1 浴室 1	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	20A Double Pole Switch 20A雙極開關掣	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Lighting Point 燈位	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F is omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 8 第8座														
		2/F 2樓				3/F, 5/F - 7/F, 9/F - 10/F 3樓, 5樓至7樓, 9樓至10樓				11/F 11樓			8/F 8樓			
		A	B	C	D	A	B	C	D	A	B	C	A	B	C	D
Bathroom 2 浴室2	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	20A Double Pole Switch 20A雙極開關掣	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Lighting Point 燈位	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Lavatory 洗手間	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	1	1	-	-	1	1	-	-	1	-	-	1	1	-	-
	Lighting Point 燈位	1	1	-	-	1	1	-	-	1	-	-	1	1	-	-
Kitchen & Open Kitchen 廚房及開放式廚房	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Single Socket Outlet connected with kitchen appliance 單位電插座(已接駁廚房設備)	4	4	3	3	4	4	3	3	5	3	3	4	4	3	3
	13A Twin Socket Outlet 雙位電插座	2	2	2	2	2	2	2	2	1	2	2	2	2	2	2
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	5	5	3	2	5	5	3	2	6	3	2	5	5	3	2
	20A Double Pole Switch 20A雙極開關掣	-	-	1	-	-	-	1	-	3	1	-	-	-	1	-
	Cable Connection Unit 接線位	2	1	2	2	2	1	2	2	2	2	2	2	1	2	2
	45A Double Pole Switch 45A雙極開關掣	-	-	-	1	-	-	-	1	-	-	1	-	-	-	1
	Town Gas Meter & Connection Point 煤氣錶及接駁點	1	1	1	-	1	1	1	-	1	1	-	1	1	1	-
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	1	-	-	1	1	-	-	1	-	-	1	1	-	-
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點(來水位)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點(去水位)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	4	4	1	1	4	4	1	1	5	1	1	4	4	1	1
	Lighting Switch 燈掣	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-
	Door Bell 門鈴	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Miniature Circuit Breakers Board 總電掣箱	-	-	1	1	-	-	1	1	-	1	1	-	-	1	1
	Switch for Induction Cooker 電磁煮食爐開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Switch for Electrical Water Heater 電熱水爐開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Instantaneous Electric Water Heater with Switch 即熱式電熱水爐連開關掣	-	-	2	2	-	-	2	2	-	2	2	-	-	2	2
	Sprinkler Head 消防花灑頭	-	-	2	2	-	-	2	2	-	2	2	-	-	2	2
	Smoke Detector 煙霧感應器	-	-	1	1	-	-	1	1	-	1	1	-	-	1	1
	Fire Damper 防火閘	-	-	-	1	-	-	-	1	-	-	1	-	-	-	1

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F is omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 8 第8座														
		2/F 2樓				3/F, 5/F - 7/F, 9/F - 10/F 3樓, 5樓至7樓, 9樓至10樓				11/F 11樓			8/F 8樓			
		A	B	C	D	A	B	C	D	A	B	C	A	B	C	D
Utility Room 多功能房	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	-	-	1	1	-	-	1	-	-	1	1	-	-
	13A Single Socket Outlet 13A單位電插座	1	1	-	-	1	1	-	-	1	-	-	1	1	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	1	-	-	1	1	-	-	1	-	-	1	1	-	-
	Lighting Point 燈位	1	1	-	-	1	1	-	-	1	-	-	1	1	-	-
	Switch for Exhaust Fan 抽氣扇開關掣	1	1	-	-	1	1	-	-	1	-	-	1	1	-	-
	Miniature Circuit Breakers Board 總電掣箱	1	-	-	-	1	-	-	-	1	-	-	1	-	-	-
	Fire Damper 防火閘	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Store Room 儲物室	Switch for Indoor A/C Unit 室內冷氣機接線位	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-
	TV/FM Outlet 電視及電台插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-
	Lighting Point 燈位	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-
	Switch for Exhaust Fan 抽氣扇開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Miniature Circuit Breakers Board 總電掣箱	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F is omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 8 第8座														
		2/F 2樓				3/F, 5/F - 7/F, 9/F - 10/F 3樓, 5樓至7樓, 9樓至10樓				11/F 11樓			8/F 8樓			
		A	B	C	D	A	B	C	D	A	B	C	A	B	C	D
Store Room (Under Stair) 儲物室(樓梯下)	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Lighting Point 燈位	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Switch for Exhaust Fan 抽氣扇開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Miniature Circuit Breakers Board 總電掣箱	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Internal Staircase 內置樓梯	Lighting Switch 燈掣	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Lighting Point 燈位	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Balcony 露台	Balcony Light 露台燈	-	-	-	-	1	1	1	1	-	1	1	1	1	1	1
Utility Platform 工作平台	Lighting Point 燈位	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-
Air-Conditioner Platform 空調機平台	Isolator for Outdoor Air-Conditioner 室外空調機開關掣	3	-	-	1	3	3	2	1	5	2	1	3	3	2	1
Flat Roof 平台	Isolator for Outdoor Air Conditioner 室外空調機開關掣	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	Watertight Lighting Switch 防水燈掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Watertight Socket Outlet 防水電插座	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	3	6	6	3	-	-	-	-	-	-	-	-	-	-	-
Roof 天台	Isolator for Filtration Pump 過濾泵開關掣	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	13A Watertight Socket Outlet 防水電插座	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-
	Watertight Lighting Switch 防水燈掣	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	Lighting Point 燈位	-	-	-	-	-	-	-	-	11	6	6	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F is omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 9 (T9A) 第9座 (T9A)												Tower 9 (T9B) 第9座 (T9B)													
		2/F 2樓				3/F, 5/F - 10/F (except 5/F Unit B) 3樓, 5樓至10樓 (除5樓B單位)				5/F 5樓	11/F 11樓			2/F 2樓					3/F, 5/F - 10/F 3樓, 5樓至10樓					11/F 11樓				
		A	B	C	D	A	B	C	D	B	A	B	C	A	B	C	D	E	A	B	C	D	E	A	B	C	D	E
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Living Room / Dining Room 客廳 / 飯廳	Switch for Indoor A/C Unit 室內冷氣機接線位	1	2	1	1	1	2	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	4	4	4	4	4	4	4	4	4	3	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Telephone Outlet 電話插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Switch for Lavatory Exhaust Fan 洗手間抽氣扇開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Switch for Kitchen Exhaust Fan & Gas Water Heater 廚房抽氣扇及熱水爐開關掣	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Switch 燈掣	6	6	6	6	6	6	6	6	8	6	6	6	6	5	5	5	5	6	5	5	5	5	6	5	5	5	5
	Lighting Point 燈位	4	4	3	4	4	4	3	4	22	4	3	4	4	3	3	3	3	4	3	3	3	3	4	3	3	3	3
	Door Phone 對講機	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Master Bedroom 主人睡房	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	3	3	3	3	3	3	3	3	3	2	3	3	3	2	2	2	2	3	2	2	2	2	3	2	2	2	2
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	Lighting Switch 燈掣	3	3	2	2	2	3	2	2	6	3	2	2	3	1	1	1	1	3	1	1	1	1	3	1	1	1	1
	Lighting Point 燈位	1	2	2	2	1	2	2	2	11	2	2	2	2	1	1	1	1	2	1	1	1	1	2	1	1	1	1
	Fire Damper 防火閘	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F is omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 9 (T9A) 第9座 (T9A)												Tower 9 (T9B) 第9座 (T9B)												
		2/F 2樓				3/F, 5/F - 10/F (except 5/F Unit B) 3樓, 5樓至10樓 (除5樓B單位)				5/F 5樓	11/F 11樓			2/F 2樓					3/F, 5/F - 10/F 3樓, 5樓至10樓					11/F 11樓				
		A	B	C	D	A	B	C	D	B	A	B	C	A	B	C	D	E	A	B	C	D	E	A	B	C	D	E
Bedroom 睡房	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	1	1	1	-	1	1	1	1
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	2	2	2	2	-	2	2	2	2
	TV/FM Outlet 電視及電台插座	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	1	1	1	-	1	1	1	1
	Telephone Outlet 電話插座	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	1	1	1	-	1	1	1	1
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	1	1	1	-	1	1	1	1
	Lighting Point 燈位	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	1	1	1	-	1	1	1	1
Bedroom 1 睡房1	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	2	2	2	2	2	2	2	2	2	2	2	2	2	-	-	-	-	2	-	-	-	-	2	-	-	-	-
	TV/FM Outlet 電視及電台插座	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	Telephone Outlet 電話插座	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	Lighting Point 燈位	1	1	1	1	1	1	1	1	6	1	1	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
Bedroom 2 睡房2	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	2	2	2	2	2	2	2	2	3	2	2	2	2	-	-	-	-	2	-	-	-	-	2	-	-	-	-
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	Telephone Outlet 電話插座	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	1	1	1	1	1	1	1	2	2	1	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	Lighting Point 燈位	1	1	1	1	1	1	1	1	6	2	1	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F is omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 9 (T9A) 第9座 (T9A)												Tower 9 (T9B) 第9座 (T9B)												
		2/F 2樓				3/F, 5/F - 10/F (except 5/F Unit B) 3樓, 5樓至10樓 (除5樓B單位)				5/F 5樓	11/F 11樓			2/F 2樓					3/F, 5/F - 10/F 3樓, 5樓至10樓					11/F 11樓				
		A	B	C	D	A	B	C	D	B	A	B	C	A	B	C	D	E	A	B	C	D	E	A	B	C	D	E
Bedroom 3 睡房3	Switch for Indoor A/C Unit 室內冷氣機接線位	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	2	-	-	-	2	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Switch for Bathroom Exhaust Fan & Thermal Ventilator 浴室抽氣扇及浴室寶開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	-	1	-	-	-	1	-	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Master Bathroom 主人房浴室	13A Twin Socket Outlet 13A雙位電插座	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	Fused Spur Unit 接線位連保險絲	2	2	2	2	2	2	2	2	2	2	2	2	2	-	-	-	-	2	-	-	-	-	2	-	-	-	-
	20A Double Pole Switch 20A雙極開關掣	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	Lighting Point 燈位	4	5	4	4	4	5	4	4	5	5	4	4	4	-	-	-	-	4	-	-	-	-	4	-	-	-	-
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	Fire Damper 防火閘	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bathroom 浴室	13A Twin Socket Outlet 13A雙位電插座	1	1	1	1	1	1	1	1	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fused Spur Unit 接線位連保險絲	2	2	2	2	2	2	2	2	2	-	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	20A Double Pole Switch 20A雙極開關掣	1	1	1	1	1	1	1	1	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	4	4	4	4	4	4	4	4	4	-	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	1	1	1	1	1	1	1	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fire Damper 防火閘	-	-	1	1	-	-	1	1	-	-	1	1	-	1	1	1	-	-	1	1	1	-	-	1	1	1	-
Bathroom 1 浴室 1	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	20A Double Pole Switch 20A雙極開關掣	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fire Damper 防火閘	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F is omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 9 (T9A) 第9座 (T9A)											Tower 9 (T9B) 第9座 (T9B)													
		2/F 2樓				3/F, 5/F - 10/F 3樓, 5樓至10樓				11/F 11樓			2/F 2樓					3/F, 5/F - 10/F 3樓, 5樓至10樓					11/F 11樓				
		A	B	C	D	A	B	C	D	A	B	C	A	B	C	D	E	A	B	C	D	E	A	B	C	D	E
Bathroom 2 浴室 2	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	20A Double Pole Switch 20A雙極開關制	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lavatory 洗手間	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	1	1	1	1	1	1	1	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	1	1	1	1	1	1	1	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Fire Damper 防火閘	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kitchen 廚房	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Single Socket Outlet connected with kitchen appliance 單位電插座(已接駁廚房設備)	4	2	4	4	4	2	4	4	5	4	4	4	3	3	3	3	4	3	3	3	3	4	3	3	3	3
	13A Twin Socket Outlet 雙位電插座	2	2	2	2	2	2	2	2	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	13A Twin Socket Outlet w/USB Outlet 13A雙位電插座連USB插座	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲	5	5	5	5	5	5	5	5	6	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
	20A Double Pole Switch 20A雙極開關制	-	3	-	-	-	3	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Cable Connection Unit 接線位	2	2	1	1	2	2	1	1	2	1	1	1	2	2	2	2	1	2	2	2	2	1	2	2	2	2
	Town Gas Meter & Connection Point 煤氣錶及接駁點	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Town Gas Water Heater Remote Control 煤氣熱水爐溫度控制	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點(來水位)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點(去水位)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	4	5	4	4	4	5	4	4	5	4	4	4	3	3	3	3	4	3	3	3	3	4	3	3	3	3
	Lighting Switch 燈掣	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Door Bell 門鈴	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Miniature Circuit Breakers Board 總電掣箱	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	1	1	1	-	-	1
	Instantaneous Electric Water Heater with Switch 即熱式電熱水爐連開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Sprinkler Head 消防花灑頭	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Smoke Detector 煙霧感應器	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fire Damper 防火閘	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F is omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 9 (T9A) 第9座 (T9A)											Tower 9 (T9B) 第9座 (T9B)													
		2/F 2樓				3/F, 5/F - 10/F 3樓, 5樓至10樓				11/F 11樓			2/F 2樓					3/F, 5/F - 10/F 3樓, 5樓至10樓					11/F 11樓				
		A	B	C	D	A	B	C	D	A	B	C	A	B	C	D	E	A	B	C	D	E	A	B	C	D	E
Utility Room 多功能房	Switch for Indoor A/C Unit 室內冷氣機接線位	1	1	1	1	1	1	1	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	13A Single Socket Outlet 13A單位電插座	1	1	1	1	1	1	1	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視及電台插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣	1	1	1	1	1	1	1	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	1	1	1	1	1	1	1	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Switch for Exhaust Fan 抽氣扇開關掣	1	1	1	1	1	1	1	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Miniature Circuit Breakers Board 總電掣箱	1	1	-	1	1	1	-	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Fire Damper 防火閘	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Store Room 儲物室	Switch for Indoor A/C Unit 室內冷氣機接線位	-	-	1	-	-	-	1	-	-	1	-	-	-	1	1	1	-	-	1	1	1	-	-	1	1	1
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	-	1	-	-	-	1	-	-	1	-	-	-	2	2	2	-	-	2	2	2	-	-	2	2	2
	TV/FM Outlet 電視及電台插座	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	1	-	-	1	1	1
	Telephone Outlet 電話插座	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	1	-	-	1	1	1
	Lighting Switch 燈掣	-	-	1	-	-	-	1	-	-	1	-	-	-	1	1	1	-	-	1	1	1	-	-	1	1	1
	Lighting Point 燈位	-	-	1	-	-	-	1	-	-	1	-	-	-	1	1	1	-	-	1	1	1	-	-	1	1	1
	Switch for Exhaust Fan 抽氣扇開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Miniature Circuit Breakers Board 總電掣箱	-	-	1	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1	1	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F is omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Appliance 設備	Tower 9 (T9A) 第9座 (T9A)											Tower 9 (T9B) 第9座 (T9B)													
		2/F 2樓				3/F, 5/F - 10/F 3樓, 5樓至10樓				11/F 11樓			2/F 2樓					3/F, 5/F - 10/F 3樓, 5樓至10樓					11/F 11樓				
		A	B	C	D	A	B	C	D	A	B	C	A	B	C	D	E	A	B	C	D	E	A	B	C	D	E
Store Room (Under Stair) 儲物室(樓梯下)	Lighting Switch 燈掣	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Lighting Point 燈位	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Internal Staircase 內置樓梯	Lighting Switch 燈掣	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Lighting Point 燈位	-	-	-	-	-	-	-	-	4	3	3	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
Balcony 露台	Balcony Light 露台燈	-	-	-	-	1	1	1	1	-	1	1	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1
Utility Platform 工作平台	Lighting Point 燈位	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
Air-Conditioner Platform 空調機平台	Isolator for Outdoor Air-Conditioner 室外空調機開關掣	3	4	2	2	3	4	3	3	5	3	3	2	2	2	2	3	3	3	3	3	3	3	3	3	3	3
Flat Roof 平台	Isolator for Outdoor Air Conditioner 室外空調機開關掣	-	-	1	1	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	Watertight Lighting Switch 防水燈掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Watertight Socket Outlet 防水電插座	2	1	2	2	-	-	-	-	-	-	-	1	2	2	2	2	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	3	3	3	3	-	-	-	-	-	-	-	3	3	3	3	3	-	-	-	-	-	-	-	-	-	-
Roof 天台	Isolator for Filtration Pump 過濾泵開關掣	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Watertight Socket Outlet 防水電插座	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-
	Watertight Lighting Switch 防水燈掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
	Lighting Point 燈位	-	-	-	-	-	-	-	-	12	7	7	-	-	-	-	-	-	-	-	-	-	8	6	6	6	-
Flat Roof access from Master Bedroom 由主人睡房進入之平台	Isolator for Outdoor Air Conditioner 室外空調機開關掣	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13A Watertight Socket Outlet 防水電插座	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位	-	3	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. "1, 2, ..."denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. 4/F is omitted.

備註：

1. "1, 2, ..."表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 不設4樓。

Appliances Schedule
設備説明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	House Number 洋房編號	
				Villa 1 - 17 1號至17號洋房	Villa A - H A號至H號洋房
Living Room / Dining Room, Study Room, Master Bedroom, Bedroom 1, Bedroom 2 and Utility (if applicable) 客廳 / 飯廳、書房、主人睡房、睡房1、睡房2及多功能房(如適用)	Variable Refrigerant Volume Air-conditioner Indoor Unit 可變冷媒流量冷氣機(室內機)	Panasonic	S-28MK2E5A	v	v
			S-45MK1E5A	v	v
			S-45MZ1H4A	v	v
			S-73MZ1H4A	v	v
	Variable Refrigerant Volume Air-conditioner Outdoor Unit 可變冷媒流量冷氣機(室外機)	Panasonic	U-18ME1H8	v	v
	Video Doorphone 視像對講機	Urmet	nexo 1708/1	v	v
Kitchen 廚房	Cooker hood 抽油煙機	Miele	DA 422-6	v	v
	Gas Hob (Wok Burner) 煤氣煮食爐(炒鑊用)	Miele	CS 1018	v	v
	Gas Hob (2-Burners) 煤氣煮食爐(雙爐頭)	Miele	CS 1013-1	v	v
	Barbecue Grill 燒烤爐	Miele	CS 1312 BG	v	v
	Steam Oven 蒸爐	Miele	DG 6200	v	v
	Oven 焗爐	Miele	H 2661 B	v	v
	Refrigerator 雪櫃	Sub-Zero	ICBBI-36S/S/TH	v	v
	Washer-dryer 洗衣乾衣機	Miele	WT 2798i WPM Stainless Steel	v	v
	Wine conditioning unit 酒櫃	Miele	KWT 4154UG-1	v	v
	Coffee Machine 咖啡機	Miele	CVA 6401	v	v
	Dishwasher 洗碗碟機	Miele	G 6160 SCVi	v	v
	Gas Water Heater 煤氣熱水爐	TGC	TNJW221TFQL	v	v
	Variable Refrigerant Volume Air-conditioner Indoor Unit 可變冷媒流量冷氣機(室內機)	Panasonic	S-45MZ1H4A	v	v
	Ventilation Fan 抽氣扇	Panasonic	FV-20NS3H	v	v
Space Outside Bedrooms at 1/F 1樓房間對外空間	Variable Refrigerant Volume Air-conditioner Indoor Unit 可變冷媒流量冷氣機(室內機)	Panasonic	S-28MZ1H4A	v	v

Notes :

1. v means such appliance(s) is/are provided and/or installed in the residential unit.
2. Villa 4, 13, 14 are omitted.

備註：

1. v表示此設備於該住宅單位內提供及/或安裝。
2. 不設4號、13號及14號洋房。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.
賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備說明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	House Number 洋房編號	
				Villa 1 - 17 1號至17號洋房	Villa A - H A號至H號洋房
Master Bathroom 主人浴室	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	v
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	v	v
Bathroom 1 浴室1	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	v
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	v	v
Bathroom 2 浴室2	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	v
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	v	v
Lavatory 1 洗手間1	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	v
Lavatory 2 洗手間2	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	v
Filtration Plant Area 濾水設備位置	Filtration Pump 循環過濾泵	Pentair	P-WFL-101	-	v
	Cartridge Filter 過濾器	Hayward	C-751	-	v
	Salt Chlorinator 鹽電解機	Auto-Pilot	Co-pilot Nano System	-	v
	Ozone Generator 臭氧機	Auto-Pilot	Co-pilot Nano System	-	v
Roof 天台	Jacuzzi 按摩池	VILLEROY & BOCH	USR6LSSA1121	v	-

Notes :

1. v means such appliance(s) is/are provided and/or installed in the residential unit.
2. Villa 4, 13, 14 are omitted.

備註：

1. v表示此設備於該住宅單位內提供及/或安裝。
2. 不設4號、13號及14號洋房。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備説明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	Tower 1 第1座																		
				2/F 2樓							3/F, 5/F - 12/F, 15/F - 16/F 3樓, 5樓至12樓, 15樓至16樓							17/F 17樓					
				A	B	C	D	E	F	G	A	B	C	D	E	F	G	A	B	C	D	E	F
Living Room / Dining Room, Master Bedroom, Bedroom, Bedroom 1, Bedroom 2 and Bedroom 3 客廳 / 飯廳、主人睡房、睡房、睡房1、睡房2及睡房3	Split Type Air-conditioner Indoor Unit 分體式冷氣機(室內機)	Panasonic	CS-E12PKA	-	-	v	v	-	-	v	-	-	v	v	-	-	v	-	v	v	-	-	v
			CS-RE18RKA	-	-	-	-	v	v	v	-	-	-	-	v	v	v	v	-	-	v	v	v
			CS-RE24RKA	-	v	-	v	-	-	-	-	v	-	v	-	-	-	v	-	v	-	-	-
			CS-E9RKDW	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
			CS-E15RKDW	v	v	v	-	v	v	-	v	v	v	-	v	v	-	-	v	-	v	v	-
			CS-MYE9PKZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	v	-	-	-	-	-
			CS-MYE18PKZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	v	-	-	-	-	-
	Split Type Air-conditioner Outdoor Unit 分體式冷氣機(室外機) (Outdoor units for store Room/ Utility Room included 已包括供儲物室/ 多功能房用之室外機)	Panasonic	CU-E12PKA	-	-	v	v	-	-	v	-	-	v	v	-	-	v	-	v	v	-	-	v
			CU-RE18RKA	-	-	-	-	v	v	v	-	-	-	-	v	v	v	v	-	-	v	v	v
			CU-RE24RKA	-	v	-	v	-	-	-	-	v	-	v	-	-	-	v	-	v	-	-	-
			CU-2E18PBD	v	v	v	v	-	-	v	v	v	v	v	-	-	v	v	v	v	-	-	v
			U-4E23JBE	v	v	v	-	v	v	-	v	v	v	-	v	v	-	-	v	-	v	v	-
			CU-4E34PBZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	v	-	-	-	-	-
	Doorphone 對講機	Urmet	miro 1150/1	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Kitchen 廚房	Cooker hood 抽油煙機	Miele	DA 3496	v	-	v	-	-	-	-	v	-	v	-	-	-	-	-	v	-	-	-	-
			DA 429-6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	v	-	-	-	-	-
		SIEMENS 西門子	LI67SA530B	-	-	-	-	v	v	v	-	-	-	-	v	v	v	-	-	-	v	v	v
			LI97SA530B	-	v	-	v	-	-	-	-	v	-	v	-	-	-	-	-	v	-	-	-
	Gas Hob (Wok Burner) 煤氣煮食爐(炒鑊用)	Miele	CS 1018	v	-	v	-	-	-	-	v	-	v	-	-	-	-	v	v	-	-	-	-
	Gas Hob (2-Burners) 煤氣煮食爐(雙爐頭)		CS 1013-1	v	-	v	-	-	-	-	v	-	v	-	-	-	-	v	v	-	-	-	-
	Gas Hob (Wok Burner) 煤氣煮食爐(炒鑊用)	SIEMENS 西門子	ER326AB92X	-	v	-	v	v	v	v	-	v	-	v	v	v	v	-	-	v	v	v	v
	Gas Hob (2-Burners) 煤氣煮食爐(雙爐頭)		ER326BB90X	-	v	-	v	v	v	v	-	v	-	v	v	v	v	-	-	v	v	v	v

Notes :

1. For Microwave Oven w/Grill, Model No : BE634LGS1B is the left-hinged type.
2. For Microwave Oven w/Grill, Model No : BE634RGS1B is the right-hinged type.
3. 4/F, 13/F and 14/F are omitted.
4. v means such appliance(s) is/are provided and/or installed in the residential unit.

備註：

1. 型號為BE634LGS1B的微波燒烤為左鉸型。
2. 型號為BE634RGS1B的微波燒烤為右鉸型。
3. 不設4樓、13樓及14樓。
4. v表示此設備於該住宅單位內提供及/或安裝。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.
賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備說明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	Tower 1 第1座																			
				2/F 2樓							3/F, 5/F - 12/F, 15/F - 16/F 3樓, 5樓至12樓, 15樓至16樓							17/F 17樓					
				A	B	C	D	E	F	G	A	B	C	D	E	F	G	A	B	C	D	E	F
Kitchen 廚房	Barbecue Grill 燒烤爐	Miele	CS 1312 BG	v	-	v	-	-	-	-	v	-	v	-	-	-	-	v	v	-	-	-	-
	Microwave Oven w/ Grill 微波燒烤爐	SIEMENS 西門子	BE634LGS1B/BE634RGS1B	-	v	-	v	v	v	v	-	v	-	v	v	v	v	-	-	v	v	v	v
	Steam Oven 蒸爐	Miele	DG 6200	v	-	v	-	-	-	-	v	-	v	-	-	-	-	v	v	-	-	-	-
		SIEMENS 西門子	HB25D5L2	-	v	-	v	-	-	-	-	v	-	v	-	-	-	-	-	v	-	-	-
	Oven 焗爐	Miele	H 2661 B	v	-	v	-	-	-	-	v	-	v	-	-	-	-	v	v	-	-	-	-
	Refrigerator 雪櫃	SIEMENS 西門子	KI34NP60HK	v	v	v	v	v	v	v	v	v	v	v	v	v	v	-	v	v	v	v	v
			KI24LV20HK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Sub-Zero	ICBBI-36S/S/TH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	v	-	-	-	-	-
	Washer-dryer 洗衣乾衣機	Miele	WT 2798i WPM Stainless Steel	-	-	-	-	-	-	-	-	-	-	-	-	-	-	v	-	-	-	-	-
		SIEMENS 西門子	WK14D321HK	v	v	v	v	v	v	v	v	v	v	v	v	v	v	-	v	v	v	v	v
	Wine conditioning unit 酒櫃	Miele	KWT 4154 UG-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	v	-	-	-	-	-
	Coffee Machine 咖啡機	Miele	CVA 6401	-	-	-	-	-	-	-	-	-	-	-	-	-	-	v	-	-	-	-	-
	Dishwasher 洗碗碟機	Miele	G 6160 SCVi	-	-	-	-	-	-	-	-	-	-	-	-	-	-	v	-	-	-	-	-
	Gas Water Heater 煤氣熱水爐	TGC	TNJW161TFQL	-	-	-	v	v	v	v	-	-	-	v	v	v	v	-	-	v	v	v	v
			TNJW221TFQL	v	v	v	-	-	-	-	v	v	v	-	-	-	-	v	v	-	-	-	-
	Ventilation Fan 抽氣扇	Panasonic	FV-18NF3H	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Store Room 儲物室	Split Type Air-conditioner Indoor Unit 分體式冷氣機(室內機)	Panasonic	CS-E9RKDW	-	v	-	-	-	-	v	-	v	-	-	-	-	v	-	-	-	-	-	v
Utility Room 多功能房	Split Type Air-conditioner Indoor Unit 分體式冷氣機(室內機)	Panasonic	CS-E9RKDW	v	-	v	-	-	-	-	v	-	v	-	-	-	-	v	v	-	-	-	-
Master Bathroom 主人浴室	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	v	v	-	-	-	-	v	v	v	-	-	-	-	v	v	-	-	-	-
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	v	v	v	-	-	-	-	v	v	v	-	-	-	-	v	v	-	-	-	-

Notes :

1. For Microwave Oven w/Grill, Model No : BE634LGS1B is the left-hinged type.
2. For Microwave Oven w/Grill, Model No : BE634RGS1B is the right-hinged type.
3. 4/F, 13/F and 14/F are omitted.
4. v means such appliance(s) is/are provided and/or installed in the residential unit.

備註：

1. 型號為BE634LGS1B的微波燒烤為左鉸型。
2. 型號為BE634RGS1B的微波燒烤為右鉸型。
3. 不設4樓、13樓及14樓。
4. v表示此設備於該住宅單位內提供及/或安裝。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備説明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	Tower 1 第1座																			
				2/F 2樓							3/F, 5/F - 12/F, 15/F - 16/F 3樓, 5樓至12樓, 15樓至16樓							17/F 17樓					
				A	B	C	D	E	F	G	A	B	C	D	E	F	G	A	B	C	D	E	F
Bathroom 浴室	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	v	v	v	v	v	v	v	v	v	v	v	v	v	-	v	v	v	v	v
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	v	v	v	v	v	v	v	v	v	v	v	v	v	v	-	v	v	v	v	v
Bathroom 1 浴室1	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	-	-	-	-	-	-	-	-	-	-	-	-	-	-	v	-	-	-	-	-
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	-	-	-	-	-	-	-	-	-	-	-	-	-	-	v	-	-	-	-	-
Bathroom 2 浴室2	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	-	-	-	-	-	-	-	-	-	-	-	-	-	-	v	-	-	-	-	-
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	-	-	-	-	-	-	-	-	-	-	-	-	-	-	v	-	-	-	-	-
Lavatory 洗手間	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	-	v	-	-	-	-	v	-	v	-	-	-	-	v	v	-	-	-	-
Filtration Pit 濾水設備位置	Filtration Pump 循環過濾泵	Pentair	P-WFL-101	-	-	-	-	-	-	-	-	-	-	-	-	-	-	v	-	-	-	-	-
	Hydro-Jet Pump 按摩泵	Pentair	P-WFL-151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	v	-	-	-	-	-
	Cartridge Filter 過濾器	Hayward	C-751	-	-	-	-	-	-	-	-	-	-	-	-	-	-	v	-	-	-	-	-
	Salt Chlorinator 鹽電解機	Auto-Pilot	Co-pilot Nano System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	v	-	-	-	-	-
	Ozone Generator 臭氧機	Auto-Pilot	Co-pilot Nano System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	v	-	-	-	-	-

Notes :

1. For Microwave Oven w/Grill, Model No : BE634LGS1B is the left-hinged type.
2. For Microwave Oven w/Grill, Model No : BE634RGS1B is the right-hinged type.
3. 4/F, 13/F and 14/F are omitted.
4. v means such appliance(s) is/are provided and/or installed in the residential unit.

備註：

1. 型號為BE634LGS1B的微波燒烤為左鉸型。
2. 型號為BE634RGS1B的微波燒烤為右鉸型。
3. 不設4樓、13樓及14樓。
4. v表示此設備於該住宅單位內提供及/或安裝。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.
賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備説明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	Tower 2 (T2A) 第2座 (T2A)											Tower 2 (T2B) 第2座 (T2B)							
				2/F 2樓				3/F, 5/F - 12/F, 15/F - 16/F 3樓, 5樓至12樓, 15樓至16樓				17/F 17樓			2/F 2樓				3/F, 5/F - 12/F, 15/F - 17/F 3樓, 5樓至12樓, 15樓至17樓			
				A	B	C	D	A	B	C	D	A	B	C	A	B	C	D	A	B	C	D
Living Room / Dining Room, Master Bedroom, Bedroom, Bedroom 1, Bedroom 2 and Bedroom 3 客廳 / 飯廳、主人睡房、睡房、睡房1、睡房2及睡房3	Split Type Air-conditioner Indoor Unit 分體式冷氣機(室內機)	Panasonic	CS-E9PKA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			CS-E12PKA	v	v	-	v	v	v	-	v	-	v	v	v	v	-	v	v	v	-	v
			CS-RE18RKA	-	-	-	-	-	-	-	-	v	-	-	v	v	-	v	v	v	-	v
			CS-RE24RKA	-	-	v	v	-	-	v	v	v	v	v	-	-	v	-	-	-	v	-
			CS-E9RKDW	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
			CS-E15RKDW	v	v	v	-	v	v	v	-	-	-	-	-	-	v	-	-	-	v	-
			CS-MYE9PKZ	-	-	-	-	-	-	-	-	v	-	-	-	-	-	-	-	-	-	-
			CS-MYE18PKZ	-	-	-	-	-	-	-	-	v	-	-	-	-	-	-	-	-	-	-
	Split Type Air-conditioner Outdoor Unit 分體式冷氣機(室外機) (Outdoor Units for Store Room / Utility Room included 已包括供儲物室 / 多功能房用之室外機)	Panasonic	CU-E9PKA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			CU-E12PKA	v	v	-	v	v	v	-	v	-	v	v	v	v	-	v	v	v	-	v
			CU-RE18RKA	-	-	-	-	-	-	-	-	v	-	-	v	v	-	v	v	v	-	v
			CU-RE24RKA	-	-	v	v	-	-	v	v	v	v	v	-	-	v	-	-	-	v	-
			CU-2E18PBD	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
			U-4E23JBE	v	v	v	-	v	v	v	-	-	-	-	-	-	v	-	-	-	v	-
			CU-4E34PBZ	-	-	-	-	-	-	-	-	v	-	-	-	-	-	-	-	-	-	-
	Doorphone 對講機	Urmet	miro 1150/1	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Kitchen 廚房	Cooker hood 抽油煙機	Miele	DA 3496	v	v	-	-	v	v	-	-	-	-	-	-	-	-	-	-	-	-	-
			DA 429-6	-	-	-	-	-	-	-	-	v	-	-	-	-	-	-	-	-	-	-
		SIEMENS 西門子	LI67SA530B	-	-	-	-	-	-	-	-	-	-	-	v	v	-	v	v	v	-	v
			LI97SA530B	-	-	v	v	-	-	v	v	-	v	v	-	-	v	-	-	-	v	-
	Gas Hob (Wok Burner) 煤氣煮食爐(炒鑊用)	Miele	CS 1018	v	v	-	-	v	v	-	-	v	-	-	-	-	-	-	-	-	-	-
	Gas Hob (2-Burners) 煤氣煮食爐(雙爐頭)		CS 1013-1	v	v	-	-	v	v	-	-	v	-	-	-	-	-	-	-	-	-	-
	Gas Hob (Wok Burner) 煤氣煮食爐(炒鑊用)	SIEMENS 西門子	ER326AB92X	-	-	v	v	-	-	v	v	-	v	v	v	v	v	v	v	v	v	v
	Gas Hob (2-Burners) 煤氣煮食爐(雙爐頭)		ER326BB90X	-	-	v	v	-	-	v	v	-	v	v	v	v	v	v	v	v	v	v

Notes :

1. For Microwave Oven w/Grill, Model No : BE634LGS1B is the left-hinged type.
2. For Microwave Oven w/Grill, Model No : BE634RGS1B is the right-hinged type.
3. 4/F, 13/F and 14/F are omitted.
4. v means such appliance(s) is/are provided and/or installed in the residential unit.

備註：

1. 型號為BE634LGS1B的微波燒烤為左鉸型。
2. 型號為BE634RGS1B的微波燒烤為右鉸型。
3. 不設4樓、13樓及14樓。
4. v表示此設備於該住宅單位內提供及/或安裝。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備説明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	Tower 2 (T2A) 第2座 (T2A)											Tower 2 (T2B) 第2座 (T2B)							
				2/F 2樓				3/F, 5/F - 12/F, 15/F - 16/F 3樓, 5樓至12樓, 15樓至16樓				17/F 17樓			2/F 2樓				3/F, 5/F - 12/F, 15/F - 17/F 3樓, 5樓至12樓, 15樓至17樓			
				A	B	C	D	A	B	C	D	A	B	C	A	B	C	D	A	B	C	D
Kitchen 廚房	Barbecue Grill 燒烤爐	Miele	CS 1312 BG	v	v	-	-	v	v	-	-	v	-	-	-	-	-	-	-	-	-	-
	Microwave Oven w/ Grill 微波燒烤爐	SIEMENS 西門子	BE634LGS1B/BE634RGS1B	-	-	v	v	-	-	v	v	-	v	v	v	v	v	v	v	v	v	v
	Steam Oven 蒸爐	Miele	DG 6200	v	v	-	-	v	v	-	-	v	-	-	-	-	-	-	-	-	-	-
		SIEMENS 西門子	HB25D5L2	-	-	v	v	-	-	v	v	-	v	v	-	-	v	-	-	-	v	-
	Oven 焗爐	Miele	H 2661 B	v	v	-	-	v	v	-	-	v	-	-	-	-	-	-	-	-	-	-
	Refrigerator 雪櫃	SIEMENS 西門子	KI34NP60HK	v	v	v	v	v	v	v	v	-	v	v	v	v	v	v	v	v	v	v
			KI24LV20HK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Sub-Zero	ICBBI-36S/S/TH	-	-	-	-	-	-	-	-	v	-	-	-	-	-	-	-	-	-	-
	Washer-dryer 洗衣乾衣機	Miele	WT 2798i WPM Stainless Steel	-	-	-	-	-	-	-	-	v	-	-	-	-	-	-	-	-	-	-
		SIEMENS 西門子	WK14D321HK	v	v	v	v	v	v	v	v	-	v	v	v	v	v	v	v	v	v	v
	Wine conditioning unit 酒櫃	Miele	KWT 4154 UG-1	-	-	-	-	-	-	-	-	v	-	-	-	-	-	-	-	-	-	-
	Coffee Machine 咖啡機	Miele	CVA 6401	-	-	-	-	-	-	-	-	v	-	-	-	-	-	-	-	-	-	-
	Dishwasher 洗碗碟機	Miele	G 6160 SCVi	-	-	-	-	-	-	-	-	v	-	-	-	-	-	-	-	-	-	-
	Gas Water Heater 煤氣熱水爐	TGC	TNJW161TFQL	-	-	-	v	-	-	-	v	-	-	v	v	v	-	v	v	v	-	v
			TNJW221TFQL	v	v	v	-	v	v	v	-	v	v	-	-	-	v	-	-	-	v	-
	Ventilation Fan 抽氣扇	Panasonic	FV-18NF3H	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Store Room 儲物室	Split Type Air-conditioner Indoor Unit 分體式冷氣機(室內機)	Panasonic	CS-E9RKDW	-	-	v	-	-	-	v	-	-	-	-	v	v	v	v	v	v	v	v
Utility Room 多功能房	Split Type Air-conditioner Indoor Unit 分體式冷氣機(室內機)	Panasonic	CS-E9RKDW	v	v	-	-	v	v	-	-	v	-	-	-	-	-	-	-	-	-	-

Notes :

1. For Microwave Oven w/Grill, Model No : BE634LGS1B is the left-hinged type.
2. For Microwave Oven w/Grill, Model No : BE634RGS1B is the right-hinged type.
3. 4/F, 13/F and 14/F are omitted.
4. v means such appliance(s) is/are provided and/or installed in the residential unit.

備註：

1. 型號為BE634LGS1B的微波燒烤為左鉸型。
2. 型號為BE634RGS1B的微波燒烤為右鉸型。
3. 不設4樓、13樓及14樓。
4. v表示此設備於該住宅單位內提供及/或安裝。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備説明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	Tower 2 (T2A) 第2座 (T2A)											Tower 2 (T2B) 第2座 (T2B)							
				2/F 2樓				3/F, 5/F - 12/F, 15/F - 16/F 3樓, 5樓至12樓, 15樓至16樓				17/F 17樓			2/F 2樓				3/F, 5/F - 12/F, 15/F - 17/F 3樓, 5樓至12樓, 15樓至17樓			
				A	B	C	D	A	B	C	D	A	B	C	A	B	C	D	A	B	C	D
Master Bathroom 主人浴室	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	v	v	-	v	v	v	-	v	v	-	-	-	v	-	-	-	v	-
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	v	v	v	-	v	v	v	-	v	v	-	-	-	v	-	-	-	v	-
Bathroom 浴室	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	-	-	v	v	-	-	v	v	-	v	v	v	v	v	v	v	v	v	v
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	-	-	v	v	-	-	v	v	-	v	v	v	v	v	v	v	v	v	v
Bathroom 1 浴室1	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	v	-	-	v	v	-	-	v	-	-	-	-	-	-	-	-	-	-
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	v	v	-	-	v	v	-	-	v	-	-	-	-	-	-	-	-	-	-
Bathroom 2 浴室2	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	v	-	-	v	v	-	-	v	-	-	-	-	-	-	-	-	-	-
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	v	v	-	-	v	v	-	-	v	-	-	-	-	-	-	-	-	-	-
Lavatory 洗手間	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	v	-	-	v	v	-	-	v	-	-	-	-	-	-	-	-	-	-
Filtration Pit 濾水設備位置	Filtration Pump 循環過濾泵	Pentair	P-WFL-101	-	-	-	-	-	-	-	-	v	-	-	-	-	-	-	-	-	-	-
	Hydro-Jet Pump 按摩泵	Pentair	P-WFL-151	-	-	-	-	-	-	-	-	v	-	-	-	-	-	-	-	-	-	-
	Cartridge Filter 過濾器	Hayward	C-751	-	-	-	-	-	-	-	-	v	-	-	-	-	-	-	-	-	-	-
	Salt Chlorinator 鹽電解機	Auto-Pilot	Co-pilot Nano System	-	-	-	-	-	-	-	-	v	-	-	-	-	-	-	-	-	-	-
	Ozone Generator 臭氧機	Auto-Pilot	Co-pilot Nano System	-	-	-	-	-	-	-	-	v	-	-	-	-	-	-	-	-	-	-

Notes :

1. For Microwave Oven w/Grill, Model No : BE634LGS1B is the left-hinged type.
2. For Microwave Oven w/Grill, Model No : BE634RGS1B is the right-hinged type.
3. 4/F, 13/F and 14/F are omitted.
4. v means such appliance(s) is/are provided and/or installed in the residential unit.

備註：

1. 型號為BE634LGS1B的微波燒烤為左鉸型。
2. 型號為BE634RGS1B的微波燒烤為右鉸型。
3. 不設4樓、13樓及14樓。
4. v表示此設備於該住宅單位內提供及/或安裝。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.
賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備説明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	Tower 3 第3座													
				2/F 2樓							3/F, 5/F - 12/F, 15/F - 19/F 3樓, 5樓至12樓, 15樓至19樓						
				A	B	C	D	E	F	G	A	B	C	D	E	F	G
Living Room / Dining Room, Master Bedroom, Bedroom, Bedroom 1, Bedroom 2 and Bedroom 3 客廳 / 飯廳、主人睡房、睡房、睡房1、睡房2及睡房3	Split Type Air-conditioner Indoor Unit 分體式冷氣機(室內機)	Panasonic	CS-E9PKA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			CS-E12PKA	v	v	v	v	v	v	-	v	v	v	v	v	v	-
			CS-RE18RKA	-	-	-	-	-	-	v	-	-	-	-	-	-	v
			CS-RE24RKA	v	v	v	v	v	v	-	v	v	v	v	v	v	-
			CS-E9RKDW	v	v	v	v	v	v	-	v	v	v	v	v	v	-
			CS-E15RKDW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			CS-MYE9PKZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			CS-MYE18PKZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Split Type Air-conditioner Outdoor Unit 分體式冷氣機(室外機) (Outdoor Units for Store Room/ Utility Room included 已包括供儲物室/多功能房用之室外機)	Panasonic	CU-E9PKA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			CU-E12PKA	v	v	v	v	v	v	-	v	v	v	v	v	v	-
			CU-RE18RKA	-	-	-	-	-	-	v	-	-	-	-	-	-	v
			CU-RE24RKA	v	v	v	v	v	v	-	v	v	v	v	v	v	-
			CU-2E18PBD	v	v	v	v	v	v	-	v	v	v	v	v	v	-
			U-4E23JBE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			CU-4E34PBZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Doorphone 對講機	Urmet	miro 1150/1	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Kitchen & Open Kitchen 廚房及開放式廚房	Cooker hood 抽油煙機	SIEMENS 西門子	LI67SA530B	-	-	-	-	-	-	v	-	-	-	-	-	-	v
			LI97SA530B	v	v	v	v	v	v	-	v	v	v	v	v	v	-
	Gas Hob (Wok Burner) 煤氣煮食爐(炒鑊用)	SIEMENS 西門子	ER326AB92X	v	v	v	-	v	v	-	v	v	v	v	v	v	-
			ER3A6AB70X	-	-	-	v	-	-	-	-	-	-	-	-	-	-
	Gas Hob (2-Burners) 煤氣煮食爐(雙爐頭)		ER326BB90X	v	v	v	-	v	v	-	v	v	v	v	v	v	-
			ER3A6BB70X	-	-	-	v	-	-	-	-	-	-	-	-	-	-
	Induction hob 電磁煮食爐	SIEMENS 西門子	EH375FBB1E	-	-	-	-	-	-	v	-	-	-	-	-	-	v

Notes :
1. For Microwave Oven w/Grill, Model No : BE634LGS1B is the left-hinged type.
2. For Microwave Oven w/Grill, Model No : BE634RGS1B is the right-hinged type.
3. 4/F, 13/F and 14/F are omitted.
4. v means such appliance(s) is/are provided and/or installed in the residential unit.

備註：
1. 型號為BE634LGS1B的微波燒烤為左鉸型。
2. 型號為BE634RGS1B的微波燒烤為右鉸型。
3. 不設4樓、13樓及14樓。
4. v表示此設備於該住宅單位內提供及/或安裝。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.
賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備說明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	Tower 3 第3座												
				2/F 2樓							3/F, 5/F - 12/F, 15/F - 19/F 3樓, 5樓至12樓, 15樓至19樓						
				A	B	C	D	E	F	G	A	B	C	D	E	F	G
Kitchen & Open Kitchen 廚房及開放式廚房	Microwave Oven w/ Grill 微波燒烤爐	SIEMENS 西門子	BE634LGS1B/BE634RGS1B	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	Steam Oven 蒸爐	SIEMENS 西門子	HB25D5L2	v	v	v	v	v	v	-	v	v	v	v	v	v	-
	Refrigerator 雪櫃	SIEMENS 西門子	KI34NP60HK	v	v	v	-	v	v	-	v	v	v	v	v	v	-
			KI24LV20HK	-	-	-	-	-	-	v	-	-	-	-	-	-	v
			KI86NAF31K	-	-	-	v	-	-	-	-	-	-	-	-	-	-
	Washer-dryer 洗衣乾衣機	Miele	WT 2798i WPM Stainless Steel	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		SIEMENS 西門子	WK14D321HK	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	Instantaneous Electric Water Heater 即熱式電熱水爐	Stiebel Eltron 斯寶亞創	DHE 21S Li	-	-	-	-	-	-	v	-	-	-	-	-	-	v
			DHM 6	-	-	-	-	-	-	v	-	-	-	-	-	-	v
	Gas Water Heater 煤氣熱水爐	TGC	TNJW161TFQL	v	-	-	-	-	-	-	v	-	-	-	-	-	-
			TNJW221TFQL	-	v	v	v	v	v	-	-	v	v	v	v	v	-
	Ventilation Fan 抽氣扇	Panasonic	FV-18NF3H	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Master Bathroom 主人浴室	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	-	v	v	v	v	v	-	-	v	v	v	v	v	-
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	-	v	v	v	v	v	-	-	v	v	v	v	v	-
Bathroom 浴室	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	v	v	v	v	v	v	v	v	v	v	v	v	v	v

Notes :

1. For Microwave Oven w/Grill, Model No : BE634LGS1B is the left-hinged type.
2. For Microwave Oven w/Grill, Model No : BE634RGS1B is the right-hinged type.
3. 4/F, 13/F and 14/F are omitted.
4. v means such appliance(s) is/are provided and/or installed in the residential unit.

備註：

1. 型號為BE634LGS1B的微波燒烤為左鉸型。
2. 型號為BE634RGS1B的微波燒烤為右鉸型。
3. 不設4樓、13樓及14樓。
4. v表示此設備於該住宅單位內提供及/或安裝。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.
賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備説明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	Tower 5 第5座																	
				2/F 2樓										3/F, 5/F - 12/F, 15/F - 19/F 3樓, 5樓至12樓, 15樓至19樓									
				A	B	C	D	E	F	G	H	I	J	A	B	C	D	E	F	G	H	I	J
Living Room/Dining Room, Master Bedroom, Bedroom, Bedroom 1, Bedroom 2 and Bedroom 3 客廳/飯廳、主人睡房、睡房、睡房1、睡房2及睡房3	Split Type Air-conditioner Indoor Unit 分體式冷氣機(室內機)	Panasonic	CS-E9PKA	-	-	-	-	-	-	-	-	v	-	-	-	-	-	-	-	-	-	v	-
			CS-E12PKA	v	-	v	v	-	-	-	-	v	v	v	-	v	v	-	-	-	-	v	v
			CS-RE18RKA	v	v	-	-	-	v	-	-	v	v	v	v	-	-	-	v	-	-	v	v
			CS-RE24RKA	-	-	v	v	-	-	-	-	-	-	-	-	v	v	-	-	-	-	-	-
			CS-E9RKDW	v	-	v	v	-	v	-	-	-	v	v	-	v	v	-	v	-	-	-	v
			CS-E15RKDW	-	-	-	-	-	v	-	-	-	-	-	-	-	-	-	v	-	-	-	-
			CS-MYE9PKZ	-	-	-	-	v	-	v	v	-	-	-	-	-	-	v	-	v	v	-	-
			CS-MYE18PKZ	-	-	-	-	v	-	v	v	-	-	-	-	-	-	v	-	v	v	-	-
	Split Type Air-conditioner Outdoor Unit 分體式冷氣機(室外機) (Outdoor Units for Store Room / Utility Room included 已包括供儲物室 / 多功能房用之室外機)	Panasonic	CU-E9PKA	-	-	-	-	-	-	-	-	v	-	-	-	-	-	-	-	-	-	v	-
			CU-E12PKA	v	-	v	v	-	-	-	-	v	v	v	-	v	v	-	-	-	-	v	v
			CU-RE18RKA	v	v	-	-	-	v	-	-	v	v	v	v	-	-	-	v	-	-	v	v
			CU-RE24RKA	-	-	v	v	-	-	-	-	-	-	-	-	v	v	-	-	-	-	-	-
			CU-2E18PBD	v	-	v	v	-	-	-	-	-	v	v	-	v	v	-	-	-	-	-	v
			U-4E23JBE	-	-	-	-	-	v	-	-	-	-	-	-	-	-	-	v	-	-	-	-
			CU-4E34PBZ	-	-	-	-	v	-	v	v	-	-	-	-	-	-	v	-	v	v	-	-
	Doorphone 對講機	Urmet	miro 1150/1	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Kitchen & Open Kitchen 廚房及開放式廚房	Cooker hood 抽油煙機	SIEMENS 西門子	LI67SA530B	-	v	-	-	v	v	v	v	v	v	-	v	-	-	v	v	v	v	v	v
			LI97SA530B	v	-	v	v	-	-	-	-	-	-	v	-	v	v	-	-	-	-	-	-
	Gas Hob (Wok Burner) 煤氣煮食爐(炒鑊用)	SIEMENS 西門子	ER326AB92X	v	-	v	v	-	v	-	-	v	v	v	-	v	v	-	v	-	-	v	v
	Gas Hob (2-Burners) 煤氣煮食爐(雙爐頭)		ER326BB90X	v	-	v	v	-	v	-	-	v	v	v	-	v	v	-	v	-	-	v	v
	Induction hob 電磁煮食爐	SIEMENS 西門子	EH375FBB1E	-	v	-	-	-	-	-	-	-	-	v	-	-	-	-	-	-	-	-	-
			EH675LDC1E	-	-	-	-	v	-	v	v	-	-	-	-	-	-	v	-	v	v	-	-

Notes :

1. For Microwave Oven w/Grill, Model No : BE634LGS1B is the left-hinged type.
2. For Microwave Oven w/Grill, Model No : BE634RGS1B is the right-hinged type.
3. 4/F, 13/F and 14/F are omitted.
4. v means such appliance(s) is/are provided and/or installed in the residential unit.

備註：

1. 型號為BE634LGS1B的微波燒烤為左鉸型。
2. 型號為BE634RGS1B的微波燒烤為右鉸型。
3. 不設4樓、13樓及14樓。
4. v表示此設備於該住宅單位內提供及/或安裝。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.
賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備説明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	Tower 5 第5座																			
				2/F 2樓										3/F, 5/F - 12/F, 15/F - 19/F 3樓, 5樓至12樓, 15樓至19樓									
				A	B	C	D	E	F	G	H	I	J	A	B	C	D	E	F	G	H	I	J
Kitchen & Open Kitchen 廚房及開放式廚房	Microwave Oven w/ Grill 微波燒烤爐	SIEMENS 西門子	BE634LGS1B/BE634RGS1B	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	Steam Oven 蒸爐	SIEMENS 西門子	HB25D5L2	v	-	v	v	-	-	-	-	-	-	v	-	v	v	-	-	-	-	-	-
	Refrigerator 雪櫃	SIEMENS 西門子	KI34NP60HK	v	-	v	v	v	v	v	v	v	v	v	-	v	v	v	v	v	v	v	v
			KI24LV20HK	-	v	-	-	-	-	-	-	-	-	-	v	-	-	-	-	-	-	-	-
	Washer-dryer 洗衣乾衣機	SIEMENS 西門子	WK14D321HK	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	Instantaneous Electric Water Heater 即熱式電熱水爐	Stiebel Eltron 斯寶亞創	DHE 21S Li	-	v	-	-	v	-	v	v	-	-	-	v	-	-	v	-	v	v	-	-
			DHM 6	-	v	-	-	v	-	v	v	-	-	-	v	-	-	v	-	v	v	-	-
	Gas Water Heater 煤氣熱水爐	TGC	TNJW161TFQL	v	-	v	-	-	v	-	-	v	v	v	-	v	-	-	v	-	-	v	v
			TNJW221TFQL	-	-	-	v	-	-	-	-	-	-	-	-	-	v	-	-	-	-	-	-
	Ventilation Fan 抽氣扇	Panasonic	FV-18NF3H	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Store Room 儲物室	Split Type Air-conditioner Indoor Unit 分體式冷氣機(室內機)	Panasonic	CS-E9RKDW	-	-	-	-	-	v	-	-	-	v	-	-	-	-	-	v	-	-	-	v
Master Bathroom 主人浴室	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	-	-	-	v	-	-	-	-	-	-	-	-	-	v	-	-	-	-	-	-
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	-	-	-	v	-	-	-	-	-	-	-	-	-	v	-	-	-	-	-	-
Bathroom 浴室	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v

Notes :

1. For Microwave Oven w/Grill, Model No : BE634LGS1B is the left-hinged type.
2. For Microwave Oven w/Grill, Model No : BE634RGS1B is the right-hinged type.
3. 4/F, 13/F and 14/F are omitted.
4. v means such appliance(s) is/are provided and/or installed in the residential unit.

備註：

1. 型號為BE634LGS1B的微波燒烤為左鉸型。
2. 型號為BE634RGS1B的微波燒烤為右鉸型。
3. 不設4樓、13樓及14樓。
4. v表示此設備於該住宅單位內提供及/或安裝。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.
賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備説明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	Tower 6 (T6A) 第6座 (T6A)																			
				2/F & 3/F (Duplex Unit) 2樓及3樓 (複式單位)	2/F - 3/F 2樓至3樓						5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓							19/F 19樓						
				B	A	C	D	E	F	G	A	B	C	D	E	F	G	A	B	C	D	E	F	G
Living Room / Dining Room, Master Bedroom, Bedroom, Bedroom 1, Bedroom 2 and Bedroom 3 客廳 / 飯廳、主人睡房、睡房、睡房1、睡房2及睡房3	Split Type Air-conditioner Indoor Unit 分體式冷氣機(室內機)	Panasonic	CS-E9PKA	-	-	-	-	-	v	-	-	-	-	-	-	v	-	-	-	-	-	-	v	-
			CS-E12PKA	-	v	-	-	-	v	-	v	-	-	-	-	v	-	v	-	-	-	-	v	-
			CS-RE18RKA	v	-	-	-	-	v	v	-	-	-	-	-	v	v	-	-	-	-	-	v	v
			CS-RE24RKA	v	v	-	-	-	-	-	v	v	-	-	-	-	-	v	v	-	-	-	-	-
			CS-E9RKDW	v	v	-	-	-	-	-	v	v	-	-	-	-	-	v	v	-	-	-	-	-
			CS-E15RKDW	-	-	-	-	-	-	-	-	v	-	-	-	-	-	-	v	-	-	-	-	-
			CS-MYE9PKZ	v	-	v	v	v	-	-	-	-	v	v	v	-	-	-	-	v	v	v	-	-
			CS-MYE18PKZ	v	-	v	v	v	-	-	-	-	v	v	v	-	-	-	-	v	v	v	-	-
	Split Type Air-conditioner Outdoor Unit 分體式冷氣機(室外機) (Outdoor Units for Store Room/ Utility Room included 已包括供儲物室/多功能房用之室外機)	Panasonic	CU-E9PKA	-	-	-	-	-	v	-	-	-	-	-	-	v	-	-	-	-	-	-	v	-
			CU-E12PKA	-	v	-	-	-	v	-	v	-	-	-	-	v	-	v	-	-	-	-	v	-
			CU-RE18RKA	v	-	-	-	-	v	v	-	-	-	-	-	v	v	-	-	-	-	-	v	v
			CU-RE24RKA	v	v	-	-	-	-	-	v	v	-	-	-	-	-	v	v	-	-	-	-	-
			CU-2E18PBD	v	v	-	-	-	-	-	v	v	-	-	-	-	-	v	v	-	-	-	-	-
			U-4E23JBE	-	-	-	-	-	-	-	-	v	-	-	-	-	-	-	v	-	-	-	-	-
			CU-4E34PBZ	v	-	v	v	v	-	-	-	-	v	v	v	-	-	-	-	v	v	v	-	-
	Doorphone 對講機	Urmet	miro 1150/1	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Kitchen & Open Kitchen 廚房及開放式廚房	Cooker hood 抽油煙機	Miele	DA 3496	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			DA 429-6	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		SIEMENS 西門子	LI67SA530B	-	-	v	v	v	v	v	-	-	v	v	v	v	v	-	-	v	v	v	v	v
			LI97SA530B	-	v	-	-	-	-	-	v	v	-	-	-	-	-	v	v	-	-	-	-	-
	Gas Hob (Wok Burner) 煤氣煮食爐(炒鑊用)	Miele	CS 1018	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Gas Hob (2-Burners) 煤氣煮食爐(雙爐頭)		CS 1013-1	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Gas Hob (Wok Burner) 煤氣煮食爐(炒鑊用)	SIEMENS 西門子	ER326AB92X	-	v	-	-	-	v	-	v	v	-	-	-	v	-	v	v	-	-	-	v	-
	Gas Hob (2-Burners) 煤氣煮食爐(雙爐頭)		ER326BB90X	-	v	-	-	-	-	-	v	v	-	-	-	-	-	v	v	-	-	-	-	-

Notes :

1. For Microwave Oven w/Grill, Model No : BE634LGS1B is the left-hinged type.
2. For Microwave Oven w/Grill, Model No : BE634RGS1B is the right-hinged type.
3. 4/F, 13/F and 14/F are omitted.
4. v means such appliance(s) is/are provided and/or installed in the residential unit.

備註：

1. 型號為BE634LGS1B的微波燒烤為左鉸型。
2. 型號為BE634RGS1B的微波燒烤為右鉸型。
3. 不設4樓、13樓及14樓。
4. v表示此設備於該住宅單位內提供及/或安裝。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備說明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	Tower 6 (T6A) 第6座 (T6A)																				
				2/F & 3/F (Duplex Unit) 2樓及3樓 (複式單位)	2/F - 3/F 2樓至3樓						5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓							19/F 19樓						
				B	A	C	D	E	F	G	A	B	C	D	E	F	G	A	B	C	D	E	F	G
Kitchen & Open Kitchen 廚房及開放式廚房	Induction hob 電磁煮食爐	SIEMENS 西門子	EH375FBB1E	-	-	-	-	-	v	v	-	-	-	-	-	v	v	-	-	-	-	-	v	v
			EH675LDC1E	-	-	v	v	v	-	-	-	-	v	v	v	-	-	-	-	v	v	v	-	-
	Barbecue Grill 燒烤爐	Miele	CS 1312 BG	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Microwave Oven w/ Grill 微波燒烤爐	SIEMENS 西門子	BE634LGS1B/BE634RGS1B	-	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	Steam Oven 蒸爐	Miele	DG 6200	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		SIEMENS 西門子	HB25D5L2	-	v	-	-	-	-	-	v	v	-	-	-	-	-	v	v	-	-	-	-	-
	Oven 焗爐	Miele	H 2661 B	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Refrigerator 雪櫃	SIEMENS 西門子	KI34NP60HK	-	v	v	v	v	v	-	v	v	v	v	v	v	-	v	v	v	v	v	v	-
			KI24LV20HK	-	-	-	-	-	-	v	-	-	-	-	-	-	v	-	-	-	-	-	-	v
		Sub-Zero	ICBBI-36S/S/TH	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Washer-dryer 洗衣乾衣機	Miele	WT 2798i WPM Stainless Steel	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		SIEMENS 西門子	WK14D321HK	-	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	Wine conditioning unit 酒櫃	Miele	KWT 4154 UG-1	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Coffee Machine 咖啡機	Miele	CVA 6401	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Dishwasher 洗碗碟機	Miele	G 6160 SCVi	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Instantaneous Electric Water Heater 即熱式電熱水爐	Stiebel Eltron 斯寶亞創	DHE 21S Li	-	-	v	v	v	-	v	-	-	v	v	v	-	v	-	-	v	v	v	-	v
			DHM 6	-	-	v	v	v	-	v	-	-	v	v	v	-	v	-	-	v	v	v	-	v
	Gas Water Heater 煤氣熱水爐	TGC	TNJW161TFQL	-	-	-	-	-	v	-	-	-	-	-	-	v	-	-	-	-	-	-	v	-
			TNJW221TFQL	v	v	-	-	-	-	-	v	v	-	-	-	-	-	v	v	-	-	-	-	-	-
	Ventilation Fan 抽氣扇	Panasonic	FV-18NF3H	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Store Room 儲物室	Split Type Air-conditioner Indoor Unit 分體式冷氣機(室內機)	Panasonic	CS-E9RKDW	-	-	-	-	-	-	-	-	v	-	-	-	-	-	-	v	-	-	-	-	-

Notes :

1. For Microwave Oven w/Grill, Model No : BE634LGS1B is the left-hinged type.
2. For Microwave Oven w/Grill, Model No : BE634RGS1B is the right-hinged type.
3. 4/F, 13/F and 14/F are omitted.
4. v means such appliance(s) is/are provided and/or installed in the residential unit.

備註：

1. 型號為BE634LGS1B的微波燒烤為左鉸型。
2. 型號為BE634RGS1B的微波燒烤為右鉸型。
3. 不設4樓、13樓及14樓。
4. v表示此設備於該住宅單位內提供及/或安裝。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備説明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	Tower 6 (T6A) 第6座 (T6A)																				
				2/F & 3/F (Duplex Unit) 2樓及3樓 (複式單位)	2/F - 3/F 2樓至3樓						5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓							19/F 19樓						
				B	A	C	D	E	F	G	A	B	C	D	E	F	G	A	B	C	D	E	F	G
Utility Room 多功能房	Split Type Air-conditioner Indoor Unit 分體式冷氣機(室內機)	Panasonic	CS-E9RKDW	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Master Bathroom 主人浴室	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	v	-	-	-	-	-	v	v	-	-	-	-	-	v	v	-	-	-	-	-
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	v	v	-	-	-	-	-	v	v	-	-	-	-	-	v	v	-	-	-	-	-
Bathroom 浴室	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Lavatory 1 洗手間1	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lavatory 2 洗手間2	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Flat Roof 平台	Jacuzzi 按摩池	VILLEROY & BOCH	USR6LSSA1121	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. For Microwave Oven w/Grill, Model No : BE634LGS1B is the left-hinged type.
2. For Microwave Oven w/Grill, Model No : BE634RGS1B is the right-hinged type.
3. 4/F, 13/F and 14/F are omitted.
4. v means such appliance(s) is/are provided and/or installed in the residential unit.

備註：

1. 型號為BE634LGS1B的微波燒烤為左鉸型。
2. 型號為BE634RGS1B的微波燒烤為右鉸型。
3. 不設4樓、13樓及14樓。
4. v表示此設備於該住宅單位內提供及/或安裝。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備說明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	Tower 6 (T6B) 第6座 (T6B)																	
				2/F & 3/F (Duplex Unit) 2樓及3樓 (複式單位)	2/F - 3/F 2樓至3樓					5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓						19/F 19樓					
				A	B	C	D	E	F	A	B	C	D	E	F	A	B	C	D	E	F
Living Room / Dining Room, Master Bedroom, Bedroom, Bedroom 1, Bedroom 2 and Bedroom 3 客廳 / 飯廳、主人睡房、睡房、睡房1、睡房2及睡房3	Split Type Air-conditioner Indoor Unit 分體式冷氣機(室內機)	Panasonic	CS-E9PKA	-	-	v	-	-	-	-	-	v	-	-	-	-	-	v	-	-	-
			CS-E12PKA	-	v	v	-	-	-	-	v	v	-	-	-	-	v	v	-	-	-
			CS-RE18RKA	v	v	v	-	-	-	-	v	v	-	-	-	-	v	v	-	-	-
			CS-RE24RKA	v	-	-	-	-	-	v	-	-	-	-	-	v	-	-	-	-	-
			CS-E9RKDW	v	v	-	-	-	-	v	v	-	-	-	-	v	v	-	-	-	-
			CS-E15RKDW	-	-	-	-	-	-	v	-	-	-	-	-	v	-	-	-	-	-
			CS-MYE9PKZ	v	-	-	v	v	v	-	-	-	v	v	v	-	-	-	v	v	v
			CS-MYE18PKZ	v	-	-	v	v	v	-	-	-	v	v	v	-	-	-	v	v	v
	Split Type Air-conditioner Outdoor Unit 分體式冷氣機(室外機) (Outdoor Units for Store Room/ Utility Room included 已包括供儲物室/多功能房用之室外機)	Panasonic	CU-E9PKA	-	-	v	-	-	-	-	-	v	-	-	-	-	-	v	-	-	-
			CU-E12PKA	-	v	v	-	-	-	-	v	v	-	-	-	-	v	v	-	-	-
			CU-RE18RKA	v	v	v	-	-	-	-	v	v	-	-	-	-	v	v	-	-	-
			CU-RE24RKA	v	-	-	-	-	-	v	-	-	-	-	-	v	-	-	-	-	-
			CU-2E18PBD	v	v	-	-	-	-	v	v	-	-	-	-	v	v	-	-	-	-
			U-4E23JBE	-	-	-	-	-	-	v	-	-	-	-	-	v	-	-	-	-	-
			CU-4E34PBZ	v	-	-	v	v	v	-	-	-	v	v	v	-	-	-	v	v	v
	Doorphone 對講機	Urmet	miro 1150/1	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Kitchen & Open Kitchen 廚房及開放式廚房	Cooker hood 抽油煙機	Miele	DA 3496	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			DA 429-6	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		SIEMENS 西門子	LI67SA530B	-	-	v	v	v	v	-	-	v	v	v	v	-	-	v	v	v	v
			LI97SA530B	-	v	-	-	-	-	v	v	-	-	-	-	v	v	-	-	-	-
	Gas Hob (Wok Burner) 煤氣煮食爐(炒鑊用)	Miele	CS 1018	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Gas Hob (2-Burners) 煤氣煮食爐(雙爐頭)		CS 1013-1	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Gas Hob (Wok Burner) 煤氣煮食爐(炒鑊用)	SIEMENS 西門子	ER326AB92X	-	v	v	-	-	-	v	v	v	-	-	-	v	v	v	-	-	-
	Gas Hob (2-Burners) 煤氣煮食爐(雙爐頭)		ER326BB90X	-	v	v	-	-	-	v	v	v	-	-	-	v	v	v	-	-	-

Notes :

1. For Microwave Oven w/Grill, Model No : BE634LGS1B is the left-hinged type.
2. For Microwave Oven w/Grill, Model No : BE634RGS1B is the right-hinged type.
3. 4/F, 13/F and 14/F are omitted.
4. v means such appliance(s) is/are provided and/or installed in the residential unit.

備註：

1. 型號為BE634LGS1B的微波燒烤為左鉸型。
2. 型號為BE634RGS1B的微波燒烤為右鉸型。
3. 不設4樓、13樓及14樓。
4. v表示此設備於該住宅單位內提供及/或安裝。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備説明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	Tower 6 (T6B) 第6座 (T6B)																	
				2/F & 3/F (Duplex Unit) 2樓及3樓 (複式單位)	2/F - 3/F 2樓至3樓					5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓						19/F 19樓					
				A	B	C	D	E	F	A	B	C	D	E	F	A	B	C	D	E	F
Kitchen & Open Kitchen 廚房及開放式廚房	Induction hob 電磁煮食爐	SIEMENS 西門子	EH375FBB1E	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			EH675LDC1E	-	-	-	v	v	v	-	-	-	v	v	v	-	-	-	v	v	v
	Barbecue Grill 燒烤爐	Miele	CS 1312 BG	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Microwave Oven w/ Grill 微波燒烤爐	SIEMENS 西門子	BE634LGS1B/BE634RGS1B	-	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	Steam Oven 蒸爐	Miele	DG 6200	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		SIEMENS 西門子	HB25D5L2	-	v	-	-	-	-	v	v	-	-	-	-	v	v	-	-	-	-
	Oven 焗爐	Miele	H 2661 B	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Refrigerator 雪櫃	SIEMENS 西門子	KI34NP60HK	-	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
			KI24LV20HK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Sub-Zero	ICBBI-36S/S/TH	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Washer-dryer 洗衣乾衣機	Miele	WT 2798i WPM Stainless Steel	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		SIEMENS 西門子	WK14D321HK	-	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	Wine conditioning unit 酒櫃	Miele	KWT 4154 UG-1	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Coffee Machine 咖啡機	Miele	CVA 6401	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Dishwasher 洗碗碟機	Miele	G 6160 SCVi	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Instantaneous Electric Water Heater 即熱式電熱水爐	Stiebel Eltron 斯寶亞創	DHE 21S Li	-	-	-	v	v	v	-	-	-	v	v	v	-	-	-	v	v	v
			DHM 6	-	-	-	v	v	v	-	-	-	v	v	v	-	-	-	v	v	v
	Gas Water Heater 煤氣熱水爐	TGC	TNJW161TFQL	-	v	v	-	-	-	-	v	v	-	-	-	v	-	-	-	-	-
			TNJW221TFQL	v	-	-	-	-	-	v	-	-	-	-	-	-	v	v	-	-	-
	Ventilation Fan 抽氣扇	Panasonic	FV-18NF3H	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Store Room 儲物室	Split Type Air-conditioner Indoor Unit 分體式冷氣機(室內機)	Panasonic	CS-E9RKDW	-	-	-	-	-	-	v	-	-	-	-	-	v	-	-	-	-	-

Notes :

1. For Microwave Oven w/Grill, Model No : BE634LGS1B is the left-hinged type.
2. For Microwave Oven w/Grill, Model No : BE634RGS1B is the right-hinged type.
3. 4/F, 13/F and 14/F are omitted.
4. v means such appliance(s) is/are provided and/or installed in the residential unit.

備註：

1. 型號為BE634LGS1B的微波燒烤為左鉸型。
2. 型號為BE634RGS1B的微波燒烤為右鉸型。
3. 不設4樓、13樓及14樓。
4. v表示此設備於該住宅單位內提供及/或安裝。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備説明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	Tower 6 (T6B) 第6座 (T6B)																	
				2/F & 3/F (Duplex Unit) 2樓及3樓 (複式單位)	2/F - 3/F 2樓至3樓					5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓						19/F 19樓					
				A	B	C	D	E	F	A	B	C	D	E	F	A	B	C	D	E	F
Utility Room 多功能房	Split Type Air-conditioner Indoor Unit 分體式冷氣機(室內機)	Panasonic	CS-E9RKDW	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Master Bathroom 主人浴室	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	-	-	-	-	-	v	-	-	-	-	-	v	-	-	-	-	-
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	v	-	-	-	-	-	v	-	-	-	-	-	v	-	-	-	-	-
Bathroom 浴室	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Lavatory 1 洗手間1	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lavatory 2 洗手間2	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Flat Roof 平台	Jacuzzi 按摩池	VILLEROY & BOCH	USR6LSSA1121	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. For Microwave Oven w/Grill, Model No : BE634LGS1B is the left-hinged type.
2. For Microwave Oven w/Grill, Model No : BE634RGS1B is the right-hinged type.
3. 4/F, 13/F and 14/F are omitted.
4. v means such appliance(s) is/are provided and/or installed in the residential unit.

備註：

1. 型號為BE634LGS1B的微波燒烤為左鉸型。
2. 型號為BE634RGS1B的微波燒烤為右鉸型。
3. 不設4樓、13樓及14樓。
4. v表示此設備於該住宅單位內提供及/或安裝。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備説明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	Tower 7 (T7A) 第7座 (T7A)														
				2/F & 3/F (Duplex Unit) 2樓及3樓 (複式單位)	2/F - 3/F 2樓至3樓				5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓					19/F 19樓				
				B	A	C	D	E	A	B	C	D	E	A	B	C	D	E
Living Room / Dining Room, Master Bedroom, Bedroom, Bedroom 1, Bedroom 2 and Bedroom 3 客廳 / 飯廳、主人睡房、睡房、睡房1、睡房2及睡房3	Split Type Air-conditioner Indoor Unit 分體式冷氣機(室內機)	Panasonic	CS-E9PKA	-	-	v	v	v	-	-	v	v	v	-	-	v	v	v
			CS-E12PKA	-	-	v	v	v	-	-	v	v	v	v	v	v	v	v
			CS-RE18RKA	v	-	v	v	v	-	-	v	v	v	-	-	v	v	v
			CS-RE24RKA	v	v	-	-	-	v	v	-	-	-	v	v	-	-	-
			CS-E9RKDW	v	v	-	-	-	v	v	-	-	-	v	v	-	-	-
			CS-E15RKDW	-	v	-	-	-	v	v	-	-	-	-	-	-	-	-
			CS-MYE9PKZ	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			CS-MYE18PKZ	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Split Type Air-conditioner Outdoor Unit 分體式冷氣機(室外機) (Outdoor Units for Store Room / Utility Room included 已包括供儲物室 / 多功能房用之室外機)	Panasonic	CU-E9PKA	-	-	v	v	v	-	-	v	v	v	-	-	v	v	v
			CU-E12PKA	-	-	v	v	v	-	-	v	v	v	v	v	v	v	v
			CU-RE18RKA	v	-	v	v	v	-	-	v	v	v	-	-	v	v	v
			CU-RE24RKA	v	v	-	-	-	v	v	-	-	-	v	v	-	-	-
			CU-2E18PBD	v	v	-	-	-	v	v	-	-	-	v	v	-	-	-
			U-4E23JBE	-	v	-	-	-	v	v	-	-	-	-	-	-	-	-
			CU-4E34PBZ	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Doorphone 對講機	Urmet	miro 1150/1	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Kitchen 廚房	Cooker hood 抽油煙機	Miele	DA 3496	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			DA 429-6	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		SIEMENS 西門子	LI67SA530B	-	-	v	v	v	-	-	v	v	v	-	-	v	v	v
			LI97SA530B	-	v	-	-	-	v	v	-	-	-	v	v	-	-	-
	Gas Hob (Wok Burner) 煤氣煮食爐(炒鑊用)	Miele	CS 1018	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Gas Hob (2-Burners) 煤氣煮食爐(雙爐頭)		CS 1013-1	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Gas Hob (Wok Burner) 煤氣煮食爐(炒鑊用)	SIEMENS 西門子	ER326AB92X	-	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	Gas Hob (2-Burners) 煤氣煮食爐(雙爐頭)		ER326BB90X	-	v	v	v	v	v	v	v	v	v	v	v	v	v	v

Notes :

1. For Microwave Oven w/Grill, Model No : BE634LGS1B is the left-hinged type.
2. For Microwave Oven w/Grill, Model No : BE634RGS1B is the right-hinged type.
3. 4/F, 13/F and 14/F are omitted.
4. v means such appliance(s) is/are provided and/or installed in the residential unit.

備註：

1. 型號為BE634LGS1B的微波燒烤為左鉸型。
2. 型號為BE634RGS1B的微波燒烤為右鉸型。
3. 不設4樓、13樓及14樓。
4. v表示此設備於該住宅單位內提供及/或安裝。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備說明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	Tower 7 (T7A) 第7座 (T7A)															
				2/F & 3/F (Duplex Unit) 2樓及3樓 (複式單位)	2/F - 3/F 2樓至3樓				5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓					19/F 19樓				
				B	A	C	D	E	A	B	C	D	E	A	B	C	D	E
Kitchen 廚房	Barbecue Grill 燒烤爐	Miele	CS 1312 BG	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Microwave Oven w/ Grill 微波燒烤爐	SIEMENS 西門子	BE634LGS1B/BE634RGS1B	-	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	Steam Oven 蒸爐	Miele	DG 6200	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		SIEMENS 西門子	HB25D5L2	-	v	-	-	-	v	v	-	-	-	v	v	-	-	-
	Oven 焗爐	Miele	H 2661 B	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Refrigerator 雪櫃	SIEMENS 西門子	KI34NP60HK	-	v	v	v	v	v	v	v	v	v	v	v	v	v	v
			KI24LV20HK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Sub-Zero	ICBBI-36S/S/TH	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Washer-dryer 洗衣乾衣機	Miele	WT 2798i WPM Stainless Steel	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		SIEMENS 西門子	WK14D321HK	-	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	Wine conditioning unit 酒櫃	Miele	KWT 4154 UG-1	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Coffee Machine 咖啡機	Miele	CVA 6401	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Dishwasher 洗碗碟機	Miele	G 6160 SCVi	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Gas Water Heater 煤氣熱水爐	TGC	TNJW161TFQL	-	-	v	v	v	-	-	v	v	v	-	-	v	v	v
			TNJW221TFQL	v	v	-	-	-	v	v	-	-	-	v	v	-	-	-
	Ventilation Fan 抽氣扇	Panasonic	FV-18NF3H	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Store Room 儲物室	Split Type Air-conditioner Indoor Unit 分體式冷氣機(室內機)	Panasonic	CS-E9RKDW	-	-	-	-	-	-	v	-	-	-	-	-	-	-	-

Notes :

1. For Microwave Oven w/Grill, Model No : BE634LGS1B is the left-hinged type.
2. For Microwave Oven w/Grill, Model No : BE634RGS1B is the right-hinged type.
3. 4/F, 13/F and 14/F are omitted.
4. v means such appliance(s) is/are provided and/or installed in the residential unit.

備註：

1. 型號為BE634LGS1B的微波燒烤為左鉸型。
2. 型號為BE634RGS1B的微波燒烤為右鉸型。
3. 不設4樓、13樓及14樓。
4. v表示此設備於該住宅單位內提供及/或安裝。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備說明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	Tower 7 (T7A) 第7座 (T7A)															
				2/F & 3/F (Duplex Unit) 2樓及3樓 (複式單位)	2/F - 3/F 2樓至3樓				5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓					19/F 19樓				
				B	A	C	D	E	A	B	C	D	E	A	B	C	D	E
Utility Room 多功能房	Split Type Air-conditioner Indoor Unit 分體式冷氣機(室內機)	Panasonic	CS-E9RKDW	v	v	-	-	-	v	-	-	-	-	-	-	-	-	-
Master Bathroom 主人浴室	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	v	-	-	-	v	v	-	-	-	v	v	-	-	-
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	v	v	-	-	-	v	v	-	-	-	v	v	-	-	-
Bathroom 浴室	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Lavatory 洗手間	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	-	v	-	-	-	v	-	-	-	-	-	-	-	-	-
Lavatory 1 洗手間1	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lavatory 2 洗手間2	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Flat Roof 平台	Jacuzzi 按摩池	VILLEROY & BOCH	USR6LSSA1121	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. For Microwave Oven w/Grill, Model No : BE634LGS1B is the left-hinged type.
2. For Microwave Oven w/Grill, Model No : BE634RGS1B is the right-hinged type.
3. 4/F, 13/F and 14/F are omitted.
4. v means such appliance(s) is/are provided and/or installed in the residential unit.

備註：

1. 型號為BE634LGS1B的微波燒烤為左鉸型。
2. 型號為BE634RGS1B的微波燒烤為右鉸型。
3. 不設4樓、13樓及14樓。
4. v表示此設備於該住宅單位內提供及/或安裝。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備說明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	Tower 7 (T7B) 第7座 (T7B)															
				2/F & 3/F (Duplex Unit) 2樓及3樓 (複式單位)	2/F - 3/F 2樓至3樓				5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓					19/F 19樓				
				A	B	C	D	E	A	B	C	D	E	A	B	C	D	E
Living Room / Dining Room, Master Bedroom, Bedroom, Bedroom 1, Bedroom 2 and Bedroom 3 客廳 / 飯廳、主人睡房、睡房、睡房1、睡房2及睡房3	Split Type Air-conditioner Indoor Unit 分體式冷氣機(室內機)	Panasonic	CS-E9PKA	-	-	v	v	v	-	-	v	v	v	-	-	v	v	v
			CS-E12PKA	-	-	v	v	v	-	-	v	v	v	v	v	v	v	v
			CS-RE18RKA	v	-	v	v	v	-	-	v	v	v	-	-	v	v	v
			CS-RE24RKA	v	v	-	-	-	v	v	-	-	-	v	v	-	-	-
			CS-E9RKDW	v	v	-	-	-	v	v	-	-	-	v	v	-	-	-
			CS-E15RKDW	-	v	-	-	-	v	v	-	-	-	-	-	-	-	-
			CS-MYE9PKZ	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			CS-MYE18PKZ	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Split Type Air-conditioner Outdoor Unit 分體式冷氣機(室外機) (Outdoor Units for Store Room / Utility Room included 已包括供儲物室 / 多功能房用之室外機)	Panasonic	CU-E9PKA	-	-	v	v	v	-	-	v	v	v	-	-	v	v	v
			CU-E12PKA	-	-	v	v	v	-	-	v	v	v	v	v	v	v	v
			CU-RE18RKA	v	-	v	v	v	-	-	v	v	v	-	-	v	v	v
			CU-RE24RKA	v	v	-	-	-	v	v	-	-	-	v	v	-	-	-
			CU-2E18PBD	v	v	-	-	-	v	v	-	-	-	v	v	-	-	-
			U-4E23JBE	-	v	-	-	-	v	v	-	-	-	-	-	-	-	-
			CU-4E34PBZ	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Doorphone 對講機	Urmet	miro 1150/1	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Kitchen 廚房	Cooker hood 抽油煙機	Miele	DA 3496	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			DA 429-6	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		SIEMENS 西門子	LI67SA530B	-	-	v	v	v	-	-	v	v	v	-	-	v	v	v
			LI97SA530B	-	v	-	-	-	v	v	-	-	-	v	v	-	-	-
	Gas Hob (Wok Burner) 煤氣煮食爐(炒鑊用)	Miele	CS 1018	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Gas Hob (2-Burners) 煤氣煮食爐(雙爐頭)		CS 1013-1	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Gas Hob (Wok Burner) 煤氣煮食爐(炒鑊用)	SIEMENS 西門子	ER326AB92X	-	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	Gas Hob (2-Burners) 煤氣煮食爐(雙爐頭)		ER326BB90X	-	v	v	v	v	v	v	v	v	v	v	v	v	v	v

Notes :

1. For Microwave Oven w/Grill, Model No : BE634LGS1B is the left-hinged type.
2. For Microwave Oven w/Grill, Model No : BE634RGS1B is the right-hinged type.
3. 4/F, 13/F and 14/F are omitted.
4. v means such appliance(s) is/are provided and/or installed in the residential unit.

備註：

1. 型號為BE634LGS1B的微波燒烤為左鉸型。
2. 型號為BE634RGS1B的微波燒烤為右鉸型。
3. 不設4樓、13樓及14樓。
4. v表示此設備於該住宅單位內提供及/或安裝。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備説明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	Tower 7 (T7B) 第7座 (T7B)															
				2/F & 3/F (Duplex Unit) 2樓及3樓 (複式單位)	2/F - 3/F 2樓至3樓				5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓					19/F 19樓				
				A	B	C	D	E	A	B	C	D	E	A	B	C	D	E
Kitchen 廚房	Induction hob 電磁煮食爐	SIEMENS 西門子	EH375FBB1E	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			EH675LDC1E	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Barbecue Grill 燒烤爐	Miele	CS 1312 BG	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Microwave Oven w/ Grill 微波燒烤爐	SIEMENS 西門子	BE634LGS1B/BE634RGS1B	-	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	Steam Oven 蒸爐	Miele	DG 6200	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		SIEMENS 西門子	HB25D5L2	-	v	-	-	-	v	v	-	-	-	v	v	-	-	-
	Oven 焗爐	Miele	H 2661 B	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Refrigerator 雪櫃	SIEMENS 西門子	KI34NP60HK	-	v	v	v	v	v	v	v	v	v	v	v	v	v	v
			KI24LV20HK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Sub-Zero	ICBBI-36S/S/TH	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Washer-dryer 洗衣乾衣機	Miele	WT 2798i WPM Stainless Steel	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		SIEMENS 西門子	WK14D321HK	-	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	Wine conditioning unit 酒櫃	Miele	KWT 4154 UG-1	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Coffee Machine 咖啡機	Miele	CVA 6401	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Dishwasher 洗碗碟機	Miele	G 6160 SCVi	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Gas Water Heater 煤氣熱水爐	TGC	TNJW161TFQL	-	-	v	v	v	-	-	v	v	v	-	-	v	v	v
			TNJW221TFQL	v	v	-	-	-	v	v	-	-	-	v	v	-	-	-
	Ventilation Fan 抽氣扇	Panasonic	FV-18NF3H	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Store Room 儲物室	Split Type Air-conditioner Indoor Unit 分體式冷氣機(室內機)	Panasonic	CS-E9RKDW	-	-	-	-	-	v	-	-	-	-	-	-	-	-	-

Notes :

1. For Microwave Oven w/Grill, Model No : BE634LGS1B is the left-hinged type.
2. For Microwave Oven w/Grill, Model No : BE634RGS1B is the right-hinged type.
3. 4/F, 13/F and 14/F are omitted.
4. v means such appliance(s) is/are provided and/or installed in the residential unit.

備註：

1. 型號為BE634LGS1B的微波燒烤為左鉸型。
2. 型號為BE634RGS1B的微波燒烤為右鉸型。
3. 不設4樓、13樓及14樓。
4. v表示此設備於該住宅單位內提供及/或安裝。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備説明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	Tower 7 (T7B) 第7座 (T7B)															
				2/F & 3/F (Duplex Unit) 2樓及3樓 (複式單位)	2/F - 3/F 2樓至3樓				5/F - 12/F, 15/F - 18/F 5樓至12樓, 15樓至18樓					19/F 19樓				
				A	B	C	D	E	A	B	C	D	E	A	B	C	D	E
Utility Room 多功能房	Split Type Air-conditioner Indoor Unit 分體式冷氣機(室內機)	Panasonic	CS-E9RKDW	v	v	-	-	-	-	v	-	-	-	-	-	-	-	-
Master Bathroom 主人浴室	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	v	-	-	-	v	v	-	-	-	v	v	-	-	-
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	v	v	-	-	-	v	v	-	-	-	v	v	-	-	-
Bathroom 浴室	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Lavatory 洗手間	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	-	v	-	-	-	-	v	-	-	-	-	-	-	-	-
Lavatory 1 洗手間1	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lavatory 2 洗手間2	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Flat Roof 平台	Jacuzzi 按摩池	VILLEROY & BOCH	USR6LSSA1121	v	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes :

1. For Microwave Oven w/Grill, Model No : BE634LGS1B is the left-hinged type.
2. For Microwave Oven w/Grill, Model No : BE634RGS1B is the right-hinged type.
3. 4/F, 13/F and 14/F are omitted.
4. v means such appliance(s) is/are provided and/or installed in the residential unit.

備註：

1. 型號為BE634LGS1B的微波燒烤為左鉸型。
2. 型號為BE634RGS1B的微波燒烤為右鉸型。
3. 不設4樓、13樓及14樓。
4. v表示此設備於該住宅單位內提供及/或安裝。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備説明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	Tower 8 第8座										
				2/F 2樓				3/F, 5/F - 10/F 3樓, 5樓至10樓				11/F 11樓		
				A	B	C	D	A	B	C	D	A	B	C
Living Room / Dining Room, Master Bedroom, Bedroom, Bedroom 1, Bedroom 2 and Bedroom 3 客廳 / 飯廳、主人睡房、睡房、睡房1、睡房2及睡房3	Split Type Air-conditioner Indoor Unit 分體式冷氣機(室內機)	Panasonic	CS-E9PKA	-	-	-	-	-	-	-	-	-	-	-
			CS-E12PKA	-	-	-	-	-	-	-	-	-	-	-
			CS-RE18RKA	-	-	v	-	-	-	v	-	v	v	-
			CS-RE24RKA	v	v	-	-	v	v	-	-	v	-	-
			CS-E9RKDW	v	v	v	-	v	v	v	-	v	v	-
			CS-E15RKDW	v	v	v	-	v	v	v	-	-	v	-
			CS-MYE9PKZ	-	-	-	v	-	-	-	v	v	-	v
			CS-MYE18PKZ	-	-	-	v	-	-	-	v	v	-	v
	Split Type Air-conditioner Outdoor Unit 分體式冷氣機(室外機) (Outdoor Units for Store Room / Utility Room included 已包括供儲物室 / 多功能房用之室外機)	Panasonic	CU-E9PKA	-	-	-	-	-	-	-	-	-	-	-
			CU-E12PKA	-	-	-	-	-	-	-	-	-	-	-
			CU-RE18RKA	-	-	v	-	-	-	v	-	v	v	-
			CU-RE24RKA	v	v	-	-	v	v	-	-	v	-	-
			CU-2E18PBD	v	v	-	-	v	v	-	-	v	-	-
			U-4E23JBE	v	v	v	-	v	v	v	-	-	v	-
			CU-4E34PBZ	-	-	-	v	-	-	-	v	v	-	v
	Doorphone 對講機	Urmet	miro 1150/1	v	v	v	v	v	v	v	v	v	v	v
Kitchen & Open Kitchen 廚房及開放式廚房	Cooker hood 抽油煙機	Miele	DA 3496	-	-	-	-	-	-	-	-	-	-	-
			DA 429-6	-	-	-	-	-	-	-	-	v	-	-
		SIEMENS 西門子	LI67SA530B	-	-	v	v	-	-	v	v	-	v	v
			LI97SA530B	v	v	-	-	v	v	-	-	-	-	-
	Gas Hob (Wok Burner) 煤氣煮食爐(炒鑊用)	Miele	CS 1018	-	-	-	-	-	-	-	-	v	-	-
	Gas Hob (2-Burners) 煤氣煮食爐(雙爐頭)		CS 1013-1	-	-	-	-	-	-	-	-	v	-	-
	Gas Hob (Wok Burner) 煤氣煮食爐(炒鑊用)	SIEMENS 西門子	ER326AB92X	v	v	v	-	v	v	v	-	-	v	-
	Gas Hob (2-Burners) 煤氣煮食爐(雙爐頭)		ER326BB90X	v	v	-	-	v	v	-	-	-	-	-

Notes :

1. For Microwave Oven w/Grill, Model No : BE634LGS1B is the left-hinged type.
2. For Microwave Oven w/Grill, Model No : BE634RGS1B is the right-hinged type.
3. 4/F is omitted.
4. v means such appliance(s) is/are provided and/or installed in the residential unit.

備註：

1. 型號為BE634LGS1B的微波燒烤為左鉸型。
2. 型號為BE634RGS1B的微波燒烤為右鉸型。
3. 不設4樓。
4. v表示此設備於該住宅單位內提供及/或安裝。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備説明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	Tower 8 第8座										
				2/F 2樓				3/F, 5/F - 10/F 3樓, 5樓至10樓				11/F 11樓		
				A	B	C	D	A	B	C	D	A	B	C
Kitchen & Open Kitchen 廚房及開放式廚房	Induction hob 電磁煮食爐	SIEMENS 西門子	EH375FBB1E	-	-	v	-	-	-	v	-	-	v	-
			EH675LDC1E	-	-	-	v	-	-	-	v	-	-	v
	Barbecue Grill 燒烤爐	Miele	CS 1312 BG	-	-	-	-	-	-	-	-	v	-	-
	Microwave Oven w/ Grill 微波燒烤爐	SIEMENS 西門子	BE634LGS1B/BE634RGS1B	v	v	v	v	v	v	v	v	-	v	v
	Steam Oven 蒸爐	Miele	DG 6200	-	-	-	-	-	-	-	-	v	-	-
		SIEMENS 西門子	HB25D5L2	v	v	-	-	v	v	-	-	-	-	-
	Oven 焗爐	Miele	H 2661 B	-	-	-	-	-	-	-	-	v	-	-
	Refrigerator 雪櫃	SIEMENS 西門子	KI34NP60HK	v	v	v	v	v	v	v	v	-	v	v
			KI24LV20HK	-	-	-	-	-	-	-	-	-	-	-
		Sub-Zero	ICBBI-36S/S/TH	-	-	-	-	-	-	-	-	v	-	-
	Washer-dryer 洗衣乾衣機	Miele	WT 2798i WPM Stainless Steel	-	-	-	-	-	-	-	-	v	-	-
		SIEMENS 西門子	WK14D321HK	v	v	v	v	v	v	v	v	-	v	v
	Wine conditioning unit 酒櫃	Miele	KWT 4154 UG-1	-	-	-	-	-	-	-	-	v	-	-
	Coffee Machine 咖啡機	Miele	CVA 6401	-	-	-	-	-	-	-	-	v	-	-
	Dishwasher 洗碗碟機	Miele	G 6160 SCVi	-	-	-	-	-	-	-	-	v	-	-
	Instantaneous Electric Water Heater 即熱式電熱水爐	Stiebel Eltron 斯寶亞創	DHE 21S Li	-	-	v	v	-	-	v	v	-	v	v
			DHM 6	-	-	v	v	-	-	v	v	-	v	v
	Gas Water Heater 煤氣熱水爐	TGC	TNJW161TFQL	-	-	-	-	-	-	-	-	-	-	-
			TNJW221TFQL	v	v	-	-	v	v	-	-	v	-	-
	Ventilation Fan 抽氣扇	Panasonic	FV-18NF3H	v	v	v	v	v	v	v	v	v	v	v
Store Room 儲物室	Split Type Air-conditioner Indoor Unit 分體式冷氣機(室內機)	Panasonic	CS-E9RKDW	-	v	-	-	-	v	-	-	-	-	-
Utility Room 多功能房	Split Type Air-conditioner Indoor Unit 分體式冷氣機(室內機)	Panasonic	CS-E9RKDW	v	v	-	-	v	v	-	-	v	-	-

Notes :

1. For Microwave Oven w/Grill, Model No : BE634LGS1B is the left-hinged type.
2. For Microwave Oven w/Grill, Model No : BE634RGS1B is the right-hinged type.
3. 4/F is omitted.
4. v means such appliance(s) is/are provided and/or installed in the residential unit.

備註：

1. 型號為BE634LGS1B的微波燒烤為左鉸型。
2. 型號為BE634RGS1B的微波燒烤為右鉸型。
3. 不設4樓。
4. v表示此設備於該住宅單位內提供及/或安裝。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備説明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	Tower 8 第8座										
				2/F 2樓				3/F, 5/F - 10/F 3樓, 5樓至10樓				11/F 11樓		
				A	B	C	D	A	B	C	D	A	B	C
Master Bathroom 主人浴室	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	v	-	-	v	v	-	-	v	-	-
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	v	v	-	-	v	v	-	-	v	-	-
Bathroom 浴室	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	v	v	v	v	v	v	v	-	v	v
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	v	v	v	v	v	v	v	v	-	v	v
Bathroom 1 浴室1	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	-	-	-	-	-	-	-	-	v	-	-
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	-	-	-	-	-	-	-	-	v	-	-
Bathroom 2 浴室2	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	-	-	-	-	-	-	-	-	v	-	-
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	-	-	-	-	-	-	-	-	v	-	-
Lavatory 洗手間	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	v	-	-	v	v	-	-	v	-	-
Filtration Pit 濾水設備位置	Filtration Pump 循環過濾泵	Pentair	P-WFL-101	-	-	-	-	-	-	-	-	v	-	-
	Hydro-Jet Pump 按摩泵	Pentair	P-WFL-151	-	-	-	-	-	-	-	-	v	-	-
	Cartridge Filter 過濾器	Hayward	C-751	-	-	-	-	-	-	-	-	v	-	-
	Salt Chlorinator 鹽電解機	Auto-Pilot	Co-pilot Nano System	-	-	-	-	-	-	-	-	v	-	-
	Ozone Generator 臭氧機	Auto-Pilot	Co-pilot Nano System	-	-	-	-	-	-	-	-	v	-	-

Notes :

1. For Microwave Oven w/Grill, Model No : BE634LGS1B is the left-hinged type.
2. For Microwave Oven w/Grill, Model No : BE634RGS1B is the right-hinged type.
3. 4/F is omitted.
4. v means such appliance(s) is/are provided and/or installed in the residential unit.

備註：

1. 型號為BE634LGS1B的微波燒烤為左鉸型。
2. 型號為BE634RGS1B的微波燒烤為右鉸型。
3. 不設4樓。
4. v表示此設備於該住宅單位內提供及/或安裝。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備說明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	Tower 9 (T9A) 第9座 (T9A)										
				2/F 2樓				3/F, 5/F - 10/F 3樓, 5樓至10樓				11/F 11樓		
				A	B	C	D	A	B	C	D	A	B	C
Living Room / Dining Room, Master Bedroom, Bedroom, Bedroom 1, Bedroom 2 and Bedroom 3 客廳 / 飯廳、主人睡房、睡房、睡房1、睡房2及睡房3	Split Type Air-conditioner Indoor Unit 分體式冷氣機(室內機)	Panasonic	CS-E9PKA	-	-	-	-	-	-	-	-	-	-	-
			CS-E12PKA	-	v	-	-	-	v	-	-	-	-	v
			CS-RE18RKA	-	-	-	-	-	-	-	-	v	-	-
			CS-RE24RKA	v	-	v	v	v	-	v	v	v	v	v
			CS-E9RKDW	v	v	v	v	v	v	v	v	v	v	v
			CS-E15RKDW	v	v	v	v	v	v	v	v	-	v	-
			CS-MYE9PKZ	-	-	-	-	-	-	-	-	v	-	-
			CS-MYE18PKZ	-	-	-	-	-	-	-	-	v	-	-
	Split Type Air-conditioner Outdoor Unit 分體式冷氣機(室外機) (Outdoor Units for Store Room / Utility Room included 已包括供儲物室 / 多功能房用之室外機)	Panasonic	CU-E9PKA	-	-	-	-	-	-	-	-	-	-	-
			CU-E12PKA	-	v	-	-	-	v	-	-	-	-	v
			CU-RE18RKA	-	-	-	-	-	-	-	-	v	-	-
			CU-RE24RKA	v	-	v	v	v	-	v	v	v	v	v
			CU-2E18PBD	v	v	v	v	v	v	v	v	v	v	v
			U-4E23JBE	v	v	v	v	v	v	v	v	-	v	-
			CU-4E34PBZ	-	-	-	-	-	-	-	-	v	-	-
	Doorphone 對講機	Urmet	miro 1150/1	v	v	v	v	v	v	v	v	v	v	v
Kitchen & Open Kitchen 廚房及開放式廚房	Cooker hood 抽油煙機	Miele	DA 3496	-	v	-	-	-	v	-	-	-	-	-
			DA 429-6	-	-	-	-	-	-	-	-	v	-	-
		SIEMENS 西門子	LI67SA530B	-	-	-	-	-	-	-	-	-	-	-
			LI97SA530B	v	-	v	v	v	-	v	v	-	v	v
	Gas Hob (Wok Burner) 煤氣煮食爐(炒鑊用)	Miele	CS 1018	-	v	-	-	-	v	-	-	v	-	-
	Gas Hob (2-Burners) 煤氣煮食爐(雙爐頭)		CS 1013-1	-	v	-	-	-	v	-	-	v	-	-
	Gas Hob (Wok Burner) 煤氣煮食爐(炒鑊用)	SIEMENS 西門子	ER326AB92X	v	-	v	v	v	-	v	v	-	v	v
	Gas Hob (2-Burners) 煤氣煮食爐(雙爐頭)		ER326BB90X	v	-	v	v	v	-	v	v	-	v	v

Notes :

1. For Microwave Oven w/Grill, Model No : BE634LGS1B is the left-hinged type.
2. For Microwave Oven w/Grill, Model No : BE634RGS1B is the right-hinged type.
3. 4/F is omitted.
4. v means such appliance(s) is/are provided and/or installed in the residential unit.

備註：

1. 型號為BE634LGS1B的微波燒烤為左鉸型。
2. 型號為BE634RGS1B的微波燒烤為右鉸型。
3. 不設4樓。
4. v表示此設備於該住宅單位內提供及/或安裝。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.
賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備説明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	Tower 9 (T9A) 第9座 (T9A)										
				2/F 2樓				3/F, 5/F - 10/F 3樓, 5樓至10樓				11/F 11樓		
				A	B	C	D	A	B	C	D	A	B	C
Kitchen & Open Kitchen 廚房及開放式廚房	Barbecue Grill 燒烤爐	Miele	CS 1312 BG	-	v	-	-	-	v	-	-	v	-	-
	Microwave Oven w/ Grill 微波燒烤爐	SIEMENS 西門子	BE634LGS1B/BE634RGS1B	v	-	v	v	v	-	v	v	-	v	v
	Steam Oven 蒸爐	Miele	DG 6200	-	v	-	-	-	v	-	-	v	-	-
		SIEMENS 西門子	HB25D5L2	v	-	v	v	v	-	v	v	-	v	v
	Oven 焗爐	Miele	H 2661 B	-	v	-	-	-	v	-	-	v	-	-
	Refrigerator 雪櫃	SIEMENS 西門子	KI34NP60HK	v	v	v	v	v	v	v	v	-	v	v
			KI24LV20HK	-	-	-	-	-	-	-	-	-	-	-
		Sub-Zero	ICBBI-36S/S/TH	-	-	-	-	-	-	-	-	v	-	-
	Washer-dryer 洗衣乾衣機	Miele	WT 2798i WPM Stainless Steel	-	-	-	-	-	-	-	-	v	-	-
		SIEMENS 西門子	WK14D321HK	v	v	v	v	v	v	v	v	-	v	v
	Wine conditioning unit 酒櫃	Miele	KWT 4154 UG-1	-	-	-	-	-	-	-	-	v	-	-
	Coffee Machine 咖啡機	Miele	CVA 6401	-	-	-	-	-	-	-	-	v	-	-
	Dishwasher 洗碗碟機	Miele	G 6160 SCVi	-	-	-	-	-	-	-	-	v	-	-
	Gas Water Heater 煤氣熱水爐	TGC	TNJW161TFQL	-	-	-	-	-	-	-	-	-	-	-
			TNJW221TFQL	v	v	v	v	v	v	v	v	v	v	v
	Ventilation Fan 抽氣扇	Panasonic	FV-18NF3H	v	v	v	v	v	v	v	v	v	v	v
Store Room 儲物室	Split Type Air-conditioner Indoor Unit 分體式冷氣機(室內機)	Panasonic	CS-E9RKDW	-	-	v	-	-	-	v	-	-	v	-
Utility Room 多功能房	Split Type Air-conditioner Indoor Unit 分體式冷氣機(室內機)	Panasonic	CS-E9RKDW	v	v	v	v	v	v	v	v	v	-	-

Notes :

1. For Microwave Oven w/Grill, Model No : BE634LGS1B is the left-hinged type.
2. For Microwave Oven w/Grill, Model No : BE634RGS1B is the right-hinged type.
3. 4/F is omitted.
4. v means such appliance(s) is/are provided and/or installed in the residential unit.

備註：

1. 型號為BE634LGS1B的微波燒烤為左鉸型。
2. 型號為BE634RGS1B的微波燒烤為右鉸型。
3. 不設4樓。
4. v表示此設備於該住宅單位內提供及/或安裝。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備說明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	Tower 9 (T9A) 第9座 (T9A)										
				2/F 2樓				3/F, 5/F - 10/F 3樓, 5樓至10樓				11/F 11樓		
				A	B	C	D	A	B	C	D	A	B	C
Master Bathroom 主人浴室	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	v	v	v	v	v	v	v	v	v	v
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	v	v	v	v	v	v	v	v	v	v	v
Bathroom 浴室	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	v	v	v	v	v	v	v	-	v	v
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	v	v	v	v	v	v	v	v	-	v	v
Bathroom 1 浴室1	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	-	-	-	-	-	-	-	-	v	-	-
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	-	-	-	-	-	-	-	-	v	-	-
Bathroom 2 浴室2	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	-	-	-	-	-	-	-	-	v	-	-
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	-	-	-	-	-	-	-	-	v	-	-
Lavatory 洗手間	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	v	v	v	v	v	v	v	v	-	-
Filtration Pit 濾水設備位置	Filtration Pump 循環過濾泵	Pentair	P-WFL-101	-	-	-	-	-	-	-	-	v	-	-
	Hydro-Jet Pump 按摩泵	Pentair	P-WFL-151	-	-	-	-	-	-	-	-	v	-	-
	Cartridge Filter 過濾器	Hayward	C-751	-	-	-	-	-	-	-	-	v	-	-
	Salt Chlorinator 鹽電解機	Auto-Pilot	Co-pilot Nano System	-	-	-	-	-	-	-	-	v	-	-
	Ozone Generator 臭氧機	Auto-Pilot	Co-pilot Nano System	-	-	-	-	-	-	-	-	v	-	-

Notes :

1. For Microwave Oven w/Grill, Model No : BE634LGS1B is the left-hinged type.
2. For Microwave Oven w/Grill, Model No : BE634RGS1B is the right-hinged type.
3. 4/F is omitted.
4. v means such appliance(s) is/are provided and/or installed in the residential unit.

備註：

1. 型號為BE634LGS1B的微波燒烤為左鉸型。
2. 型號為BE634RGS1B的微波燒烤為右鉸型。
3. 不設4樓。
4. v表示此設備於該住宅單位內提供及/或安裝。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備說明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	Tower 9 (T9B) 第9座 (T9B)															
				2/F 2樓					3/F 3樓	3/F, 5/F - 10/F (Except Unit B on 3/F) 3樓, 5樓至10樓 (3樓B單位除外)					11/F 11樓				
				A	B	C	D	E	B	A	B	C	D	E	A	B	C	D	E
Living Room / Dining Room, Master Bedroom, Bedroom, Bedroom 1, Bedroom 2 and Bedroom 3 客廳 / 飯廳、主人睡房、睡房、睡房1、睡房2及睡房3	Split Type Air-conditioner Indoor Unit 分體式冷氣機(室內機)	Panasonic	CS-E9PKA	-	v	-	-	-	v	-	v	-	-	-	-	v	-	-	-
			CS-E12PKA	-	v	v	v	v	v	-	v	v	v	v	v	v	v	v	v
			CS-RE18RKA	-	v	v	v	v	-	-	v	v	v	v	-	v	v	v	v
			CS-RZ18YKA	-	-	-	-	-	v	-	-	-	-	-	-	-	-	-	-
			CS-RE24RKA	v	-	-	-	-	-	v	-	-	-	-	v	-	-	-	-
			CS-E9RKDW	v	-	v	v	v	-	v	-	v	v	v	v	-	v	v	v
			CS-E15RKDW	v	-	-	-	-	-	v	-	-	-	-	-	-	-	-	-
			CS-MYE9PKZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			CS-MYE18PKZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Split Type Air-conditioner Outdoor Unit 分體式冷氣機(室外機) (Outdoor Units for Store Room / Utility Room included 已包括供儲物室 / 多功能房用之室外機)	Panasonic	CU-E9PKA	-	v	-	-	-	v	-	v	-	-	-	-	v	-	-	-
			CU-E12PKA	-	v	v	v	v	v	-	v	v	v	v	v	v	v	v	v
			CU-RE18RKA	-	v	v	v	v	v	-	v	v	v	v	-	v	v	v	v
			CU-RE24RKA	v	-	-	-	-	-	v	-	-	-	-	v	-	-	-	-
			CU-2E18PBD	v	-	v	v	v	-	v	-	v	v	v	v	-	v	v	v
			U-4E23JBE	v	-	-	-	-	-	v	-	-	-	-	-	-	-	-	-
			CU-4E34PBZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Doorphone 對講機	Urmet	miro 1150/1	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Kitchen & Open Kitchen 廚房及開放式廚房	Cooker hood 抽油煙機	SIEMENS 西門子	LI67SA530B	-	v	v	v	v	v	-	v	v	v	v	-	v	v	v	v
			LI97SA530B	v	-	-	-	-	-	v	-	-	-	-	v	-	-	-	-
	Gas Hob (Wok Burner) 煤氣煮食爐(炒鑊用)	SIEMENS 西門子	ER326AB92X	v	v	v	v	v	-	v	v	v	v	v	v	v	v	v	v
			ER3B6AB70X	-	-	-	-	-	v	-	-	-	-	-	-	-	-	-	-
	Gas Hob (2-Burners) 煤氣煮食爐(雙爐頭)		ER326BB90X	v	v	v	v	v	-	v	v	v	v	v	v	v	v	v	v
			ER3B6BB70X	-	-	-	-	-	v	-	-	-	-	-	-	-	-	-	-

Notes :

1. For Microwave Oven w/Grill, Model No : BE634LGS1B is the left-hinged type.
2. For Microwave Oven w/Grill, Model No : BE634RGS1B is the right-hinged type.
3. 4/F is omitted.
4. v means such appliance(s) is/are provided and/or installed in the residential unit.

備註：

1. 型號為BE634LGS1B的微波燒烤為左鉸型。
2. 型號為BE634RGS1B的微波燒烤為右鉸型。
3. 不設4樓。
4. v表示此設備於該住宅單位內提供及/或安裝。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule
設備說明表

Location 位置	Appliance 設備	Brand 品牌	Model No. 型號	Tower 9 (T9B) 第9座 (T9B)															
				2/F 2樓					3/F 3樓	3/F, 5/F - 10/F (Except Unit B on 3/F) 3樓, 5樓至10樓 (3樓B單位除外)					11/F 11樓				
				A	B	C	D	E	B	A	B	C	D	E	A	B	C	D	E
Kitchen & Open Kitchen 廚房及開放式廚房	Microwave Oven w/ Grill 微波燒烤爐	SIEMENS 西門子	BE634LGS1B/BE634RGS1B	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	Steam Oven 蒸爐	SIEMENS 西門子	HB25D5L2	v	-	-	-	-	-	v	-	-	-	-	v	-	-	-	-
	Refrigerator 雪櫃	SIEMENS 西門子	KI34NP60HK	v	v	v	v	v	-	v	v	v	v	v	v	v	v	v	v
			KI24LV20HK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			KI86NAF31K	-	-	-	-	-	v	-	-	-	-	-	-	-	-	-	-
		Sub-Zero	ICBBI-36S/S/TH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Washer-dryer 洗衣乾衣機	Miele	WT 2798i WPM Stainless Steel	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		SIEMENS 西門子	WK14D321HK	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	Gas Water Heater 煤氣熱水爐	TGC	TNJW161TFQL	-	v	v	v	v	v	-	v	v	v	v	-	v	v	v	v
			TNJW221TFQL	v	-	-	-	-	-	v	-	-	-	-	v	-	-	-	-
	Ventilation Fan 抽氣扇	Panasonic	FV-18NF3H	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Store Room 儲物室	Split Type Air-conditioner Indoor Unit 分體式冷氣機(室內機)	Panasonic	CS-E9RKDW	-	-	v	v	v	-	-	-	v	v	v	-	-	v	v	v
Utility Room 多功能房	Split Type Air-conditioner Indoor Unit 分體式冷氣機(室內機)	Panasonic	CS-E9RKDW	v	-	-	-	-	-	v	-	-	-	-	-	-	-	-	-
Master Bathroom 主人浴室	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	-	-	-	-	-	v	-	-	-	-	v	-	-	-	-
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	v	-	-	-	-	-	v	-	-	-	-	v	-	-	-	-
Bathroom 浴室	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	Thermo Venilator 浴室寶	Panasonic	FV-40BE2H	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Lavatory 洗手間	Ventilation Fan 抽氣扇	Panasonic	FV-18NS3H	v	-	-	-	-	-	v	-	-	-	-	-	-	-	-	-

Notes :

1. For Microwave Oven w/Grill, Model No : BE634LGS1B is the left-hinged type.
2. For Microwave Oven w/Grill, Model No : BE634RGS1B is the right-hinged type.
3. 4/F is omitted.
4. v means such appliance(s) is/are provided and/or installed in the residential unit.

備註：

1. 型號為BE634LGS1B的微波燒烤為左鉸型。
2. 型號為BE634RGS1B的微波燒烤為右鉸型。
3. 不設4樓。
4. v表示此設備於該住宅單位內提供及/或安裝。

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

24 SERVICE AGREEMENTS
服 務 協 議

Potable and flushing water is supplied by Water Supplies Department.
Electricity is supplied by CLP Power Hong Kong Limited.
Towngas is supplied by The Hong Kong and China Gas Company Limited.

食水及沖廁水由水務署供應。
電力由中華電力有限公司供應。
煤氣由香港中華煤氣有限公司供應。

25 GOVERNMENT RENT
地 税

The vendor will pay or has paid (as the case may be) all outstanding Government Rent in respect of the lot from the date of the Government Grant up to and including the date of the respective assignments to the purchasers.

賣方將會或已經(視屬何情況而定)繳付有關該地段由批地文件之日期起計直至相關買方轉讓契日期(包括該日)之地税。

26 MISCELLANEOUS PAYMENTS BY PURCHASER
買 方 的 雜 項 付 款

On the delivery of the vacant possession of the specified residential property to the purchaser, the purchaser is liable to reimburse the Vendor for the deposits for water, electricity and gas; and on that delivery, the purchaser is not liable to pay to the Vendor a debris removal fee.

Remark: On that delivery, the purchaser is liable to pay a debris removal fee to the manager (not the Vendor) of the development under the deed of mutual covenant, and where the Vendor has paid that debris removal fee, the purchaser shall reimburse the Vendor for the same.

在向買方交付指明住宅物業在空置情況下的管有權時，買方須負責向賣方補還水、電力及氣體的按金；及在交付時，買方不須向賣方支付清理廢料的費用。

備註：在交付時，買方須根據公契向發展項目的管理人(而非賣方)支付清理廢料的費用，而如賣方已支付清理廢料的費用，買方須向賣方補還清理廢料的費用。

27 DEFECT LIABILITY WARRANTY PERIOD
欠 妥 之 處 的 保 養 責 任 期

The Vendor shall, at its own cost and as soon as reasonably practicable after receipt of a written notice served by the Purchaser within 6 months after the date of completion of the sale and purchase of the residential property, remedy any defects in that Property, or the fittings, finishes or appliances incorporated into the Property as set out in the agreement for sale and purchase concerned, caused otherwise than by the act or neglect of the Purchaser.

凡住宅物業或於買賣合約列出裝設於住宅物業內的裝置、裝修物料或設備有欠妥之處，而該欠妥之處並非由買方的行為或疏忽造成，則賣方在接獲買方在買賣成交日期後的6個月內送達的書面通知後，須於合理地切實可行的範圍內，盡快自費作出補救。

28 MAINTENANCE OF SLOPES
斜 坡 維 修

Not Applicable.

不適用。

29 MODIFICATION
修 訂

There is no on-going application to the Government for a modification of the land grant for the Development.

本發展項目現時並沒有向政府提出申請修訂批地文件。

30 RELEVANT INFORMATION
有 關 資 料

Gondola systems of the residential towers in the Development may operate in the airspace above the flat roof, roof or stairhood (and the top of stairhood) forming part of a residential property.

發展項目住宅大樓之吊船系統可能會在屬於住宅物業一部分之平台、天台或梯屋(及梯屋頂)上空操作。

31 WEBSITE OF THE DEVELOPMENT
發 展 項 目 之 互 聯 網 網 站

The address of the website designated by the Vendor for the Development for the purposes of Part 2 of the Residential Properties (First-hand Sales) Ordinance: www.montereyhk.com.hk

賣方為施行《一手住宅物業銷售條例》第2部而就發展項目指定的互聯網網站的網址：
www.montereyhk.com.hk

Breakdown of GFA Concessions Obtained for All Features
獲寬免總樓面面積的設施分項

Latest information on breakdown of GFA concessions as shown on the general building plans submitted to and approved by the Building Authority (BA) prior to the printing of the sales brochure is tabulated below. Information marked (*) may be based on information provided by the authorized person if the sales brochure is printed prior to submission of the final amendment plans to the BA. The breakdown of GFA concessions may be subject to further changes until final amendment plans are submitted to and approved by the BA prior to the issuance of the occcupation permit for the development.

於印製售樓說明書前呈交予並已獲建築事務監督批准的一般建築圖則上有關總樓面面積寬免的分項的最新資料，請見下表。如印製售樓說明書時尚未呈交最終修訂圖則予建築事務監督，則有(*)號的資料可以由認可人士提供的資料作為基礎。直至最終修訂圖則於發出佔用許可證前呈交予並獲建築事務監督批准前，以下分項資料仍可能有所修改。

		Area (m^2) 面積（平方米）
Disregarded GFA under Building (Planning) Regulations 23(3)(b) 根據《建築物(規劃)規例》第23(3)(b)條不計算的總樓面面積		
1(*)	Carpark and loading / unloading area excluding public transport terminus 停車場及上落客貨地方（公共交通總站除外）	16508.251
2.	Plant rooms and similar services 機房及相類設施	-
2.1	Mandatory feature or essential plant room, area of which is limited by respective Practice Notes for Authorized Persons, Registered Structural Engineers and Registered Geotechnical Engineers (PNAP) or regulation such as lift machine room, telecommunications and broadcasting (TBE) room, refuse storage and material recovery chamber, etc. 所佔面積受相關《認可人士、註冊結構工程師及註冊岩土工程師作業備考》（《作業備考》）或規例限制的強制性設施或必要機房， 例如升降機機房、電訊及廣播設備室、垃圾及物料回收房等	998.391
2.2(*)	Mandatory feature or essential plant room, area of which is NOT limited by any PNAP or regulation such as room occupied solely by fire services installations (FSI) and equiment, meter room, transformer room, potable and flushing water tank, etc. 所佔面積不受任何《作業備考》或規例限制的強制性設施或必要機房，例如僅由消防裝置及設備佔用的房間、電錶房、電力變壓房、食水及鹹水缸等	4814.022
2.3	Non-mandatory or non-essential plant room such as air-conditioning plant room, air handling unit (AHU) room, etc. 非強制性或非必要機房，例如空調機房、送風櫃房等	567.098
Green Features under Joint Practice Notes 1 and 2 根據聯合作業備考第1及第2號提供的環保設施		
3.	Balcony 露台	1200.936
4.	Wider common corridor and lift lobby 加闊的公用走廊及升降機大堂	652.059
5.	Communal sky garden 公用空中花園	-
6.	Acoustic fin 隔聲鰭	-
7.	Wing wall, wind catcher and funnel 翼牆、捕風器及風斗	-
8.	Non-structural prefabricated external wall 非結構預製外牆	136.735
9.	Utility platform 工作平台	118.500
10.	Noise barrier 隔音屏障	-
Amenity Features 適意設施		
11.	Caretaker's quarters, counter, office, store, guard room and lavatory for watchman and management staff and owners' corporation office 管理員宿舍、供保安人員和管理處員工使用的櫃位、辦事處、貯物室、警衞室和廁所，以及業主立案法團辦事處	109.865
12.	Residential recreational facilities including void, plant room, swimming pool filtration plant room, covered walkway, etc. serving solely the recreational facilities 住戶康樂設施， 包括僅供康樂設施使用的中空空間、機房、游泳池的濾水機房、有蓋人行道等	2616.412
13.	Covered landscaped and play area 有上蓋的園景區及遊樂場	-
14.	Horizontal screen/covered walkway and trellis 橫向屏障/有蓋人行道及花棚	352.565
15.	Larger lift shaft 擴大升降機槽	936.073
16.	Chimney shaft 煙囪管道	-

17.	Other non-mandatory or non-essential plant room, such as boiler room, satellite master antenna television (SMATV) room 其他非強制性或非必要機房，例如鍋爐房、衞星電視共用天線房	68.318
18.(*)	Pipe duct, air duct for mandatory feature or essential plant room 強制性設施或必要機房所需的管槽及氣槽	1183.819
19.	Pipe duct, air duct for non-mandatory or non-essential plant room 非強制性設施或非必要機房所需的管槽及氣槽	150.777
20.	Plant room, pipe duct, air duct for environmentally friendly system and feature 環保系統及設施所需的機房、管槽及氣槽	27.092
21.	Void in duplex domestic flat and house 複式住宅單位及洋房的中空空間	-
22.	Sunshade and reflector 遮陽篷及反光罩	-
23.(*)	Minor projection such as A/C box, A/C platform, window cill and projecting window 小型伸出物， 例如空調機箱、空調機平台、窗檻及伸出的窗台	1741.231
24.(*)	Other projection such as A/C box and platform not covered in paragraph 3(b) and (c) of PNAP APP-19 《作業備考》APP-19 第3(b)及(c)段沒有涵蓋的其他伸出物，如空調機箱及空調機平台	-
	Other Exempted Items **其他項目**	
25.	Refuge floor including refuge floor cum sky garden 庇護層，包括庇護層兼空中花園	-
26	Covered area under large projecting/ overhanging feature 大型伸出/外懸設施下的有蓋地方	-
27.	Public transport terminus 公共交通總站	-
28.(*)	Party structure and common staircase 共用構築物及公用樓梯	-
29.(*)	Horizontal area of staircase, lift shaft and vertical duct solely serving floor accepted as not being accountable for GFA 僅供獲接納不計入總樓面面積的樓層使用的樓梯、升降機槽及垂直管道的水平面積	-
30.(*)	Public passage 公眾通道	-
31.	Covered set back area 有蓋的後移部分	-
	Bonus GFA **額外總樓面面積**	
32.	Bonus GFA 額外總樓面面積	-
	Additional Green Features under Joint Practice Note (No. 8) **根據聯合作業備考（第8號）提供的額外環保設施**	
33.	Buildings adopting Modular Integrated Construction 採用「組裝合成」建築法的樓宇	-

Note : The above table is based on the requirements as stipulated in the Practice Note for Authorized Persons, Registered Structural Engineers and Registered Geotechnical Engineers ADM-2 issued by the Buildings Department. The Buildings Department may revise such requirements from time to time as appropriate.

註：上述表格是根據屋宇署所發出的《認可人士、註冊結構工程師及註冊岩土工程師作業備考》ADM-2 規定的要求而制訂的。屋宇署會按實際需要不時更改有關要求。

Environmental Assessment of the Building
建築物的環境評估

Estimated Energy Performance or Consumption for the Common Parts of the Development
發展項目的公用部分的預計能量表現或消耗

Latest information on the estimated energy performance or consumption for the common parts of the development as submitted to the Building Authority prior to the printing of the sales brochures:
於印製售樓說明書前呈交予建築事務監督發展項目的公用部份的預計能量表現或消耗的最近期資料：

Part I 第I部分	
Provision of Central Air Conditioning 提供中央空調	YES 是
Provision of Energy Efficient Features 提供具能源效益的設施	YES 是
Energy Efficient Features proposed: 擬安裝的具能源效益的設施：-	1. ACVVVF regenerative lift 交流變壓變頻控制升降機
	2. Demand control ventilation for carpark 需求控制通風於停車場
	3. Occupancy sensor in plant room 感測器於機房內

Part II : The predicted annual energy use of the proposed building / part of building (Note 1) 第II部分：擬興建樓宇/部分樓宇預計每年能源消耗量(註腳1)：-					
Location 位置	Internal Floor Area Served (m^2) 使用有關裝置的內部樓面面積(平方米)	Annual Energy Use of Baseline Building (Note 2) 基線樓宇(註腳2)每年能源消耗量		Annual Energy Use of Proposed Building 擬興建樓宇每年能源消耗量	
		Electricity kWh / m^2 / annum 電力 千瓦小時/平方米/年	Town Gas / LPG unit / m^2 / annum 煤氣/石油氣 用量單位/平方米/年	Electricity kWh / m^2 / annum 電力 千瓦小時/平方米/年	Town Gas / LPG unit / m^2 / annum 煤氣/石油氣 用量單位/平方米/年
Area served by central building services installation (Note 3) 有使用中央屋宇裝備裝置(註腳3)的部分	21,404	224.27	N/A 不適用	146.87	N/A 不適用

Part III : The following installation(s) is/are* designed in accordance with the relevant Codes of Practices published by the Electrical & Mechanical Services Department (EMSD) 第III部分：以下裝置乃按機電工程署公布的相關實務守則設計：-			
Type of Installations 裝置類型	YES 是	NO 否	N/A 不適用
Lighting Installations 照明裝置	✓		
Air Conditioning Installations 空調裝置	✓		
Electrical Installations 電力裝置	✓		
Lift & Escalator Installations 升降機及自動梯的裝置	✓		
Performance-based Approach 以總能源為本的方法			✓

Notes:

1. In general, the lower the estimated "Annual Energy Use" of the building, the more efficient of the building in terms of energy use. For example, if the estimated "annual energy use of proposed building" is less than the estimated "annual energy use of baseline building", it means the predicted use of energy is more efficient in the proposed building than in the baseline building. The larger the reduction, the greater the efficiency.

   The predicted annual energy use, in terms of electricity consumption (kWh/m^2/annum) and town gas/LPG consumption (unit/m^2/annum), of the development by the internal floor area served, where: (a) "total annual energy use" has the same meaning of "annual energy use" in the BEAM Plus New Buildings (current version); and (b)"internal floor area", in relation a building, a space or a unit means the floor area of all enclosed space measured to the internal faces of enclosing external and/or party walls.

2. "Baseline Building" has the same meaning as "Baseline Building Model (zero-credit benchmark)" in the BEAM Plus New Buildings (current version).

3. "Central Building Services Installation" has the same meaning as that in the Code of Practice for Energy Efficiency of Building Services Installation issued by the Electrical and Mechanical Services Department.

註腳：

1. 一般而言，一棟樓宇的預計"每年能源消耗量" 愈低，其節約能源的效益愈高。如一棟樓宇預計的 "每年能源消耗量"低於該樓宇的"基線樓宇每年能源消耗量"，則代表預計該樓宇的能源應用較其基線樓宇有效，削減幅度愈大則代表有關樓宇能源節約的效益愈高。

   預計每年能源消耗量［以耗電量（千瓦小時/平方米/年）及煤氣/石油氣消耗量（用量單位/平方米/年）計算］，指將發展項目的每年能源消耗總量除以使用有關裝置的內部樓面面積所得出的商，其中：-

   (a) "每年能源消耗量"與新建樓宇BEAM Plus標準（現行版本）中的「年能源消耗」具有相同涵義；及

   (b) 樓宇、空間或單位的"內部樓面面積"，指外牆及/或共用牆的內壁之內表面起量度出來的樓面面積。

2. "基準樓宇"與新建樓宇BEAM Plus標準（現行版本）中的"基準建築物模式（零分標準）"具有相同涵義。

3. "中央屋宇裝備裝置"與機電工程署發出的《屋宇裝備裝置能源效益實務守則》中的涵義相同。

This page left blank intentionally

本頁故意留白

This page left blank intentionally

本頁故意留白

Date on which this Sales Brochure is Printed
3 March 2017

本售樓說明書印製日期
2017年3月3日

There may be future changes to the development and the surrounding areas.
發展項目及其周邊地區日後可能出現改變。

Monterey Sales Brochure
Monterey 售樓說明書

Examination record 檢視記錄

Examination / Revision Date 檢視 / 修改日期	Page Number 頁次	Revision Made 所作修改
27 March 2017 2017年3月27日	73, 127, 137	Floor plans are amended 樓面平面圖作出修改
	154, 167	Area Schedule is amended 面積說明表作出修改
	240	Fittings, Finishes and Appliances is amended 裝置、裝修物料及設備作出修改
11 May 2017 2017年5月11日	11, 17	Information on design of the development is amended 發展項目的設計的資料作出修改
	71, 79, 83, 87, 93, 95, 99, 101, 102, 103, 105, 107, 111, 123, 131, 132, 133, 135	Floor plans are amended 樓面平面圖作出修改
	155, 166	Area Schedule is amended 面積說明表作出修改
23 June 2017 2017年6月23日	15, 18	Information on design of the development is amended 發展項目的設計的資料作出修改
	21	Location Plan of the development is updated 更新發展項目的所在位置圖
	22	Aerial photograph of the Development is updated 更新發展項目的鳥瞰照片
	23	Outline zoning plan relating to the development is updated 更新關乎發展項目的分區計劃大綱圖
	24	Layout Plan of the Development is updated 更新發展項目的布局圖
	27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 77, 85, 93, 99, 109, 121, 129, 135, 137	Floor plans are amended 樓面平面圖作出修改
	168, 169	Floor plans of parking spaces in the development are revised 修改發展項目中的停車位的樓面平面圖
	215-221, 226, 229	Elevation plans are revised 修改立面圖

Examination / Revision Date 檢視 / 修改日期	Page Number 頁次	Revision Made 所作修改
26 July 2017 2017年7月26日	175, 177, 181-183	Summary of deed of mutual covenant is amended 公契的摘要作出修改
25 October 2017 2017年10月25日	2-5, (5a, 5b (additional pages 加頁))	Notes to Purchasers of First-hand Residential Properties is updated 更新一手住宅物業買家須知
	21	Location Plan of the development is updated 更新發展項目的所在位置圖
	23	Outline zoning plan relating to the development is updated 更新關乎發展項目的分區計劃大綱圖
	24	Layout Plan of the Development is updated 更新發展項目的布局圖
	27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 75, 77, 79, 81, 83, 85, 95, 97, 99, 101, 103, 105, 107, 119, 127, 129, 137	Floor plans are amended 樓面平面圖作出修改
	168, 169	Floor plans of parking spaces in the development are revised 修改發展項目中的停車位的樓面平面圖
	194-214	Cross-section plan of building in the development are revised 修改發展項目中的建築物的橫截面圖
	215-229	Elevation plans are revised 修改立面圖
	236, 237, 261, 266, 313-318, 327	Fittings, Finishes and Appliances is amended 裝置、裝修物料及設備作出修改
24 January 2018 2018年1月24日	8	Information on vendor and others involved in the development is amended 賣方及有參與發展項目的其他人的資料作出修改
	21	Location Plan of the development is updated 更新發展項目的所在位置圖
	235	Fittings, Finishes and Appliances is amended 裝置、裝修物料及設備作出修改

Monterey Sales Brochure
Monterey 售樓說明書

Examination record 檢視記錄

Examination / Revision Date 檢視 / 修改日期	Page Number 頁次	Revision Made 所作修改
27 March 2018 2018年3月27日	21	Location Plan of the development is updated 更新發展項目的所在位置圖
	22	Aerial photograph of the Development is updated 更新發展項目的鳥瞰照片
	24	Layout Plan of the Development is updated 更新發展項目的布局圖
	55, 57, 59, 61, 63, 65, 67, 69, 75, 77, 83, 85, 103, 107, 127, 129, 135, 137	Floor plans are amended 樓面平面圖作出修改
	168, 169	Floor plans of parking spaces in the development are revised 修改發展項目中的停車位的樓面平面圖
	222-229	Elevation plans are revised 修改立面圖
	230	Information on common facilities in the development is updated 更新發展項目中的公用設施的資料
	361, 362	Information in application for concession on gross floor area of building is updated 更新申請建築物總樓面面積寬免的資料
26 June 2018 2018年6月26日	7	Information on the Development is updated 更新發展項目的資料
	21	Location Plan of the development is updated 更新發展項目的所在位置圖
	24	Layout Plan of the Development is updated 更新發展項目的布局圖
	27	Floor plans are amended 樓面平面圖作出修改
25 September 2018 2018年9月25日	21	Location Plan of the development is updated 更新發展項目的所在位置圖
	236, 257, 258, 326, 329, 332, 351, 354	Fittings, Finishes and Appliances is amended 裝置、裝修物料及設備作出修改

Examination / Revision Date 檢視 / 修改日期	Page Number 頁次	Revision Made 所作修改
21 December 2018 2018年12月21日	21	Location Plan of the development is updated 更新發展項目的所在位置圖
	23	Outline zoning plan relating to the development is updated 更新關乎發展項目的分區計劃大綱圖
	236-238, 252, 257-263, 319-321	Fittings, Finishes and Appliances is amended 裝置、裝修物料及設備作出修改
20 March 2019 2019年3月20日	21	Location Plan of the development is updated 更新發展項目的所在位置圖
	22	Aerial photograph of the Development is updated 更新發展項目的鳥瞰照片
20 June 2019 2019年6月20日	7	Information on the Development is updated (Estimated material date for the Development as provided by the Authorized Person is deleted) 更新發展項目的資料 (刪除發展項目的認可人士提供的發展項目的預計關鍵日期)
	21	Location Plan of the development is updated 更新發展項目的所在位置圖
	365, 366	Information required by the director of lands to be set out in the sales brochure as a condition for giving the presale consent is deleted 刪除地政總署署長作為給予預售樓花同意書的條件而規定列於售樓說明書的資料
20 September 2019 2019年9月20日	21	Location Plan of the development is updated 更新發展項目的所在位置圖
	22	Aerial photographs of the Development is updated 更新發展項目的鳥瞰照片
	236, 237	Fittings, Finishes and Appliances is amended 裝置、裝修物料及設備作出修改
20 December 2019 2019年12月20日	8	Information on vendor and others involved in the development is amended 賣方及有參與發展項目的其他人的資料作出修改
	21	Location Plan of the development is updated 更新發展項目的所在位置圖
	236, 237, 299-301, 305	Fittings, Finishes and Appliances is amended 裝置、裝修物料及設備作出修改

Monterey Sales Brochure
Monterey 售樓說明書

Examination record 檢視記錄

Examination / Revision Date 檢視 / 修改日期	Page Number 頁次	Revision Made 所作修改
20 March 2020 2020年3月20日	21	Location Plan of the development is updated 更新發展項目的所在位置圖
19 June 2020 2020年6月19日	21	Location Plan of the development is updated 更新發展項目的所在位置圖
24 July 2020 2020年7月24日	21	Location Plan of the development is updated 更新發展項目的所在位置圖
	23	Outline zoning plan relating to the development is updated 更新關乎發展項目的分區計劃大綱圖
	25	Notes is amended 備註作出修改
23 October 2020 2020年10月23日	21	Location Plan of the development is updated 更新發展項目的所在位置圖
22 January 2021 2021年1月22日	21	Location Plan of the development is updated 更新發展項目的所在位置圖
	22	Aerial photographs of the Development is updated 更新發展項目的鳥瞰照片
21 April 2021 2021年4月21日	21	Location Plan of the development is updated 更新發展項目的所在位置圖
20 July 2021 2021年7月20日	21	Location Plan of the development is updated 更新發展項目的所在位置圖
	22	Aerial photograph of the Development is updated 更新發展項目的鳥瞰照片
	23	Outline zoning plan relating to the development is updated 更新關乎發展項目的分區計劃大綱圖
20 October 2021 2021年10月20日	2, 3, 4, 5, 5a, 5b	Notes to Purchasers of First-hand Residential Properties is updated 更新一手住宅物業買家須知
	21	Location Plan of the development is updated 更新發展項目的所在位置圖
20 January 2022 2022年1月20日	21	Location Plan of the development is updated 更新發展項目的所在位置圖
19 April 2022 2022年4月19日	21	Location Plan of the development is updated 更新發展項目的所在位置圖
	22	Aerial photograph of the Development is updated 更新發展項目的鳥瞰照片
14 July 2022 2022年7月14日	21	Location Plan of the development is updated 更新發展項目的所在位置圖
	22	Aerial photograph of the Development is updated 更新發展項目的鳥瞰照片
12 October 2022 2022年10月12日	21	Location Plan of the development is updated 更新發展項目的所在位置圖
	22	Aerial photograph of the Development is updated 更新發展項目的鳥瞰照片
8 December 2022 2022年12月8日	21	Location Plan of the development is updated 更新發展項目的所在位置圖
7 March 2023 2023年3月7日	6	Information on the Development is updated 更新發展項目的資料
	8	Information on vendor and others involved in the development is amended 賣方及有參與發展項目的其他人的資料作出修改
	21	Location Plan of the development is updated 更新發展項目的所在位置圖
	22	Aerial photograph of the Development is updated 更新發展項目的鳥瞰照片
	355, 356	Fittings, Finishes and Appliances is amended 裝置、裝修物料及設備作出修改
6 June 2023 2023年6月6日	4, 5b	Notes to Purchasers of First-hand Residential Properties is updated 更新一手住宅物業買家須知
	21	Location Plan of the development is updated 更新發展項目的所在位置圖
	22	Aerial photograph of the Development is updated 更新發展項目的鳥瞰照片

Monterey Sales Brochure
Monterey 售樓說明書

Examination record 檢視記錄

Examination / Revision Date 檢視 / 修改日期	Page Number 頁次	Revision Made 所作修改
5 September 2023 2023年9月5日	21	Location Plan of the development is updated 更新發展項目的所在位置圖
	22	Aerial photograph of the Development is updated 更新發展項目的鳥瞰照片
	236	Fittings, Finishes and Appliances is amended 裝置、裝修物料及設備作出修改
	361, 362, 363, 364	Information in application for concession on gross floor area of building are revised 修改申請建築物總樓面面積寬免的資料
4 December 2023 2023年12月4日	21	Location Plan of the development is updated 更新發展項目的所在位置圖
	22	Aerial photograph of the Development is updated 更新發展項目的鳥瞰照片
	23	Outline zoning plan relating to the development is updated 更新關乎發展項目的分區計劃大綱圖
4 March 2024 2024年3月4日	8	Information on vendor and others involved in the development is amended 賣方及有參與發展項目的其他人的資料作出修改
	21	Location Plan of the development is updated 更新發展項目的所在位置圖
	23	Outline zoning plan relating to the development is updated 更新關乎發展項目的分區計劃大綱圖
	236	Fittings, Finishes and Appliances is amended 裝置、裝修物料及設備作出修改
3 June 2024 2024年6月3日	8, (8a, 8b (additional pages 加頁))	Information on vendor and others involved in the development is amended 賣方及有參與發展項目的其他人的資料作出修改
	21	Location Plan of the development is updated 更新發展項目的所在位置圖
	22	Aerial photograph of the Development is updated 更新發展項目的鳥瞰照片
	23	Outline zoning plan relating to the development is updated 更新關乎發展項目的分區計劃大綱圖
16 July 2024 2024年7月16日	21	Location Plan of the development is updated 更新發展項目的所在位置圖
	333, 334	Fittings, Finishes and Appliances is amended 裝置、裝修物料及設備作出修改
22 August 2024 2024年8月22日	21	Location Plan of the development is updated 更新發展項目的所在位置圖
21 November 2024 2024年11月21日	21	Location Plan of the development is updated 更新發展項目的所在位置圖
	22	Aerial photograph of the Development is updated 更新發展項目的鳥瞰照片
	23	Outline zoning plan relating to the development is updated 更新關乎發展項目的分區計劃大綱圖